

Target Species

Based on 17,547 complete checklists

290 species observed in Louisiana, US (region/US-LA) in **Aug** that you need for your **World Life List**

1. Northern Cardinal	61.38% frequency
2. Blue Jay	56.03%
3. Mourning Dove	50.78%
4. Carolina Wren	47.89%
5. Northern Mockingbird	45.63%
6. Great Egret	40.09%
7. Carolina Chickadee	39.41%
8. American Crow	37.48%
9. Red-bellied Woodpecker	33.78%
10. Ruby-throated Hummingbird	33.18%
11. Downy Woodpecker	30.86%
12. Mississippi Kite	27.99%
13. Little Blue Heron	24.73%
14. Snowy Egret	23.90%
15. Tufted Titmouse	23.84%
16. Western Cattle Egret	23.54%
17. House Sparrow	23.37%
18. White Ibis	23.21%
19. European Starling	23.12%
20. Great Blue Heron	22.60%

21. Eastern Kingbird	<u>22.56%</u>
22. House Finch	<u>20.41%</u>
23. Red-winged Blackbird	<u>20.07%</u>
24. Blue-gray Gnatcatcher	<u>19.50%</u>
25. Killdeer	<u>19.12%</u>
26. Laughing Gull	<u>18.65%</u>
27. Fish Crow	<u>18.20%</u>
28. Barn Swallow	<u>18.16%</u>
29. Yellow Warbler	<u>18.12%</u>
30. Chimney Swift	<u>18.05%</u>
31. Green Heron	<u>17.71%</u>
32. Common Grackle	<u>14.77%</u>
33. White-eyed Vireo	<u>14.44%</u>
34. Eastern Bluebird	<u>13.72%</u>
35. Black-bellied Whistling-Duck	<u>13.44%</u>
36. Turkey Vulture	<u>13.44%</u>
37. Brown Thrasher	<u>13.13%</u>
38. Great Crested Flycatcher	<u>13.10%</u>
39. Anhinga	<u>12.81%</u>
40. Pileated Woodpecker	<u>12.50%</u>
41. Eurasian Collared-Dove	<u>11.52%</u>
42. Tricolored Heron	<u>11.44%</u>
43. Loggerhead Shrike	<u>11.23%</u>
44. Red-shouldered Hawk	<u>10.62%</u>
45. Rock Pigeon	<u>10.53%</u>

46.	Yellow-billed Cuckoo	<u>10.43%</u>
47.	Yellow-crowned Night Heron	<u>9.71%</u>
48.	Black Vulture	<u>9.65%</u>
49.	Red-headed Woodpecker	<u>9.36%</u>
50.	Belted Kingfisher	<u>9.03%</u>
51.	Black-necked Stilt	<u>8.82%</u>
52.	Spotted Sandpiper	<u>8.34%</u>
53.	Wood Duck	<u>8.21%</u>
54.	Summer Tanager	<u>8.08%</u>
55.	White-winged Dove	<u>8.01%</u>
56.	Indigo Bunting	<u>7.81%</u>
57.	Red-eyed Vireo	<u>7.76%</u>
58.	Purple Martin	<u>7.71%</u>
59.	Roseate Spoonbill	<u>7.57%</u>
60.	Least Sandpiper	<u>7.35%</u>
61.	Eastern Towhee	<u>7.23%</u>
62.	Northern Flicker	<u>7.07%</u>
63.	Neotropic Cormorant	<u>7.00%</u>
64.	Prothonotary Warbler	<u>6.96%</u>
65.	American Robin	<u>6.85%</u>
66.	Boat-tailed Grackle	<u>6.68%</u>
67.	Royal Tern	<u>6.62%</u>
68.	Eastern Wood-Pewee	<u>6.57%</u>
69.	Forster's Tern	<u>6.46%</u>
70.	Northern Rough-winged Swallow	<u>6.37%</u>

71.	Orchard Oriole	6.30%
72.	Brown Pelican	5.89%
73.	Brown-headed Cowbird	5.69%
74.	Common Yellowthroat	5.67%
75.	Double-crested Cormorant	5.62%
76.	Blue Grosbeak	5.60%
77.	Osprey	5.33%
78.	Common Gallinule	5.31%
79.	Red-tailed Hawk	5.31%
80.	Hooded Warbler	5.30%
81.	Inca Dove	5.15%
82.	Barred Owl	5.04%
83.	White-faced Ibis	4.89%
84.	Black Tern	4.88%
85.	Pine Warbler	4.88%
86.	Cliff Swallow	4.79%
87.	Black-crowned Night Heron	4.66%
88.	Pectoral Sandpiper	4.65%
89.	Cooper's Hawk	4.54%
90.	Canada Goose	4.47%
91.	Semipalmated Plover	4.38%
92.	Lesser Yellowlegs	4.33%
93.	Willet	4.22%
94.	Painted Bunting	4.18%
95.	Acadian Flycatcher	4.16%

96.	Least Tern	4.06%
97.	Greater Yellowlegs	4.01%
98.	Brown-headed Nuthatch	3.69%
99.	Solitary Sandpiper	3.52%
100.	Semipalmated Sandpiper	3.52%
101.	Yellow-throated Vireo	3.41%
102.	Black-bellied Plover	3.25%
103.	Ruddy Turnstone	3.24%
104.	Common Nighthawk	3.21%
105.	Caspian Tern	3.20%
106.	Eastern Meadowlark	3.19%
107.	Mallard	3.17%
108.	Blue-winged Teal	3.01%
109.	Western Sandpiper	2.97%
110.	Gray Catbird	2.97%
111.	Northern Parula	2.96%
112.	Sandwich Tern	2.95%
113.	Sanderling	2.93%
114.	Pied-billed Grebe	2.86%
115.	Wood Stork	2.86%
116.	Black-and-white Warbler	2.74%
117.	Black Skimmer	2.71%
118.	Eastern Screech-Owl	2.68%
119.	Bank Swallow	2.60%
120.	Mottled Duck	2.55%

121.	Yellow-breasted Chat	2.32%
122.	Scissor-tailed Flycatcher	2.31%
123.	Baltimore Oriole	2.31%
124.	Clapper Rail	2.29%
125.	American Redstart	2.27%
126.	Broad-winged Hawk	2.22%
127.	Magnificent Frigatebird	2.14%
128.	Reddish Egret	2.05%
129.	Great-tailed Grackle	2.02%
130.	Dickcissel	2.02%
131.	Great Horned Owl	1.99%
132.	Stilt Sandpiper	1.97%
133.	Hairy Woodpecker	1.96%
134.	Gull-billed Tern	1.92%
135.	Northern Waterthrush	1.78%
136.	Tree Swallow	1.77%
137.	Wilson's Plover	1.76%
138.	Kentucky Warbler	1.76%
139.	Purple Gallinule	1.73%
140.	Piping Plover	1.54%
141.	Least Bittern	1.49%
142.	White-breasted Nuthatch	1.44%
143.	Prairie Warbler	1.41%
144.	Short-billed Dowitcher	1.39%
145.	Alder Flycatcher	1.37%

146.	American Coot	1.36%
147.	Fulvous Whistling-Duck	1.32%
148.	Ring-billed Gull	1.30%
149.	Yellow-throated Warbler	1.27%
150.	American Avocet	1.15%
151.	Long-billed Dowitcher	1.12%
152.	Chipping Sparrow	1.07%
153.	Northern Bobwhite	1.02%
154.	Seaside Sparrow	1.02%
155.	American White Pelican	1.01%
156.	Limpkin	1.00%
157.	Bald Eagle	0.9973%
158.	Least Flycatcher	0.9802%
159.	Upland Sandpiper	0.9574%
160.	Wood Thrush	0.9118%
161.	King Rail	0.8947%
162.	Crested Caracara	0.8719%
163.	Canada Warbler	0.8605%
164.	Swallow-tailed Kite	0.8263%
165.	Blue-winged Warbler	0.8263%
166.	Common Tern	0.8149%
167.	Bronzed Cowbird	0.8149%
168.	Herring Gull	0.8036%
169.	Marbled Godwit	0.7922%
170.	Brown Booby	0.7751%

171.	Eastern Phoebe	0.7580%
172.	Buff-breasted Sandpiper	0.7466%
173.	Louisiana Waterthrush	0.7409%
174.	Snowy Plover	0.6953%
175.	Worm-eating Warbler	0.6782%
176.	Olive-sided Flycatcher	0.6611%
177.	Wilson's Phalarope	0.6554%
178.	Lark Sparrow	0.6554%
179.	Cave Swallow	0.5756%
180.	Glossy Ibis	0.5471%
181.	Yellow-bellied Flycatcher	0.5414%
182.	American Kestrel	0.4901%
183.	Red Knot	0.4673%
184.	Chuck-will's-widow	0.4274%
185.	American Oystercatcher	0.4217%
186.	Red-cockaded Woodpecker	0.4046%
187.	Whimbrel	0.3989%
188.	Marsh Wren	0.3932%
189.	Rufous Hummingbird	0.3875%
190.	Swainson's Warbler	0.3875%
191.	Wild Turkey	0.3761%
192.	Baird's Sandpiper	0.3305%
193.	Long-billed Curlew	0.3077%
194.	Mourning Warbler	0.2792%
195.	Sooty Tern	0.2621%

196.	Northern Shoveler	0.2451%
197.	Swainson's Hawk	0.2451%
198.	Bell's Vireo	0.2337%
199.	Lesser Black-backed Gull	0.2223%
200.	Warbling Vireo	0.1710%
201.	Bridled Tern	0.1539%
202.	Bachman's Sparrow	0.1539%
203.	Masked Booby	0.1482%
204.	Ovenbird	0.1425%
205.	Black-throated Green Warbler	0.1368%
206.	Greater Roadrunner	0.1311%
207.	Barn Owl	0.1311%
208.	Ring-necked Duck	0.1254%
209.	Wilson's Warbler	0.1197%
210.	Horned Lark	0.1140%
211.	Ruddy Duck	0.1026%
212.	Hooded Merganser	0.0969%
213.	Common Ground Dove	0.0969%
214.	Dunlin	0.0969%
215.	Western Kingbird	0.0969%
216.	Field Sparrow	0.0969%
217.	Cerulean Warbler	0.0912%
218.	Blackburnian Warbler	0.0912%
219.	Lesser Scaup	0.0855%
220.	Peregrine Falcon	0.0741%

221.	Sora	0.0627%
222.	Red-footed Booby	0.0627%
223.	American Goldfinch	0.0627%
224.	Audubon's Shearwater	0.0570%
225.	Wilson's Snipe	0.0513%
226.	Northern Harrier	0.0513%
227.	Black-whiskered Vireo	0.0513%
228.	Green-winged Teal	0.0456%
229.	Black-billed Cuckoo	0.0456%
230.	Eastern Whip-poor-will	0.0456%
231.	White-rumped Sandpiper	0.0456%
232.	Grasshopper Sparrow	0.0456%
233.	Lark Bunting	0.0456%
234.	Northern Pintail	0.0399%
235.	Band-rumped Storm-Petrel	0.0399%
236.	White-tailed Kite	0.0399%
237.	Willow Flycatcher	0.0399%
238.	Ross's Goose	0.0342%
239.	Gadwall	0.0342%
240.	Great Kiskadee	0.0342%
241.	Sulphur-bellied Flycatcher	0.0342%
242.	Magnolia Warbler	0.0342%
243.	Chestnut-sided Warbler	0.0342%
244.	Groove-billed Ani	0.0285%
245.	Whooping Crane	0.0285%

246.	Sharp-shinned Hawk	0.0285%
247.	White-tailed Hawk	0.0285%
248.	Nashville Warbler	0.0285%
249.	Canvasback	0.0228%
250.	American Bittern	0.0228%
251.	Ringed Kingfisher	0.0228%
252.	Tennessee Warbler	0.0228%
253.	Greater White-fronted Goose	0.0171%
254.	Redhead	0.0171%
255.	Surf Scoter	0.0171%
256.	American Woodcock	0.0171%
257.	Pomarine Jaeger	0.0171%
258.	Franklin's Gull	0.0171%
259.	Wilson's Storm-Petrel	0.0171%
260.	Cory's Shearwater	0.0171%
261.	Great Shearwater	0.0171%
262.	Vermilion Flycatcher	0.0171%
263.	Tropical Kingbird	0.0171%
264.	Calliope Hummingbird	0.0114%
265.	Black Rail	0.0114%
266.	Ruff	0.0114%
267.	Yellow-headed Blackbird	0.0114%
268.	Shiny Cowbird	0.0114%
269.	Golden-winged Warbler	0.0114%
270.	Scarlet Tanager	0.0114%

271.	American Wigeon	0.0057%
272.	Green-breasted Mango	0.0057%
273.	Virginia Rail	0.0057%
274.	American Golden-Plover	0.0057%
275.	Red-necked Phalarope	0.0057%
276.	Long-tailed Jaeger	0.0057%
277.	Great Black-backed Gull	0.0057%
278.	Gray Kingbird	0.0057%
279.	Bay-breasted Warbler	0.0057%
280.	Rose-breasted Grosbeak	0.0057%
281.	Black-chinned Hummingbird	0.0000%
282.	Buff-bellied Hummingbird	0.0000%
283.	Curlew Sandpiper	0.0000%
284.	Parasitic Jaeger	0.0000%
285.	Sabine's Gull	0.0000%
286.	Common Loon	0.0000%
287.	Leach's Storm-Petrel	0.0000%
288.	Northern Gannet	0.0000%
289.	Scaly-breasted Munia	0.0000%

EXOTIC: PROVISIONAL

290.	Monk Parakeet	1.46% frequency
------	----------------------	------------------------

EXOTIC: ESCAPEE

	Muscovy Duck	2.21% frequency
--	---------------------	------------------------

	Swan Goose	0.2280%
--	-------------------	----------------

	Graylag Goose	0.2223%
--	----------------------	----------------

Mute Swan	0.0855%
Indian Peafowl	0.0285%
Black Swan	0.0228%
Red Junglefowl	0.0228%
Helmeted Guineafowl	0.0114%
Budgerigar	0.0114%
Egyptian Goose	0.0000%
Snow Goose	0.0000%
Black Francolin	0.0000%

HYBRIDS

Muscovy Duck x Mallard (hybrid)	0.2109% frequency
Glossy x White-faced Ibis (hybrid)	0.0171%
Swan Goose x Canada Goose (hybrid)	0.0114%
Barn x Cliff Swallow (hybrid)	0.0114%
Graylag x Swan Goose (hybrid)	0.0057%
Graylag x Canada Goose (hybrid)	0.0057%
Mallard x Mottled Duck (hybrid)	0.0057%
Brewster's Warbler (hybrid)	0.0057%
Kelp x Herring Gull (hybrid)	0.0000%