

Target Species

Based on 17,547 complete checklists

290 species observed in Louisiana, US (region/US-LA) in **Aug** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	13.44% frequency
2. Fulvous Whistling-Duck	1.32%
3. Ross's Goose	0.0342%
4. Greater White-fronted Goose	0.0171%
5. Canada Goose	4.47%
6. Wood Duck	8.21%
7. Blue-winged Teal	3.01%
8. Northern Shoveler	0.2451%
9. Gadwall	0.0342%
10. American Wigeon	0.0057%
11. Mallard	3.17%
12. Mottled Duck	2.55%
13. Northern Pintail	0.0399%
14. Green-winged Teal	0.0456%
15. Canvasback	0.0228%
16. Redhead	0.0171%
17. Ring-necked Duck	0.1254%
18. Lesser Scaup	0.0855%
19. Surf Scoter	0.0171%
20. Hooded Merganser	0.0969%

21. Ruddy Duck	0.1026%
22. Northern Bobwhite	1.02%
23. Wild Turkey	0.3761%
24. Pied-billed Grebe	2.86%
25. Rock Pigeon	10.53%
26. Eurasian Collared-Dove	11.52%
27. Inca Dove	5.15%
28. Common Ground Dove	0.0969%
29. White-winged Dove	8.01%
30. Mourning Dove	50.78%
31. Groove-billed Ani	0.0285%
32. Greater Roadrunner	0.1311%
33. Yellow-billed Cuckoo	10.43%
34. Black-billed Cuckoo	0.0456%
35. Common Nighthawk	3.21%
36. Chuck-will's-widow	0.4274%
37. Eastern Whip-poor-will	0.0456%
38. Chimney Swift	18.05%
39. Green-breasted Mango	0.0057%
40. Ruby-throated Hummingbird	33.18%
41. Black-chinned Hummingbird	0.0000%
42. Calliope Hummingbird	0.0114%
43. Rufous Hummingbird	0.3875%
44. Buff-bellied Hummingbird	0.0000%
45. King Rail	0.8947%

46.	Clapper Rail	2.29%
47.	Virginia Rail	0.0057%
48.	Sora	0.0627%
49.	Common Gallinule	5.31%
50.	American Coot	1.36%
51.	Purple Gallinule	1.73%
52.	Black Rail	0.0114%
53.	Limpkin	1.00%
54.	Whooping Crane	0.0285%
55.	Black-necked Stilt	8.82%
56.	American Avocet	1.15%
57.	American Oystercatcher	0.4217%
58.	Black-bellied Plover	3.25%
59.	American Golden-Plover	0.0057%
60.	Killdeer	19.12%
61.	Semipalmated Plover	4.38%
62.	Piping Plover	1.54%
63.	Wilson's Plover	1.76%
64.	Snowy Plover	0.6953%
65.	Upland Sandpiper	0.9574%
66.	Whimbrel	0.3989%
67.	Long-billed Curlew	0.3077%
68.	Marbled Godwit	0.7922%
69.	Short-billed Dowitcher	1.39%
70.	Long-billed Dowitcher	1.12%

71. American Woodcock	0.0171%
72. Wilson's Snipe	0.0513%
73. Wilson's Phalarope	0.6554%
74. Red-necked Phalarope	0.0057%
75. Spotted Sandpiper	8.34%
76. Solitary Sandpiper	3.52%
77. Lesser Yellowlegs	4.33%
78. Willet	4.22%
79. Greater Yellowlegs	4.01%
80. Ruddy Turnstone	3.24%
81. Red Knot	0.4673%
82. Ruff	0.0114%
83. Curlew Sandpiper	0.0000%
84. Stilt Sandpiper	1.97%
85. Buff-breasted Sandpiper	0.7466%
86. Sanderling	2.93%
87. Dunlin	0.0969%
88. Baird's Sandpiper	0.3305%
89. White-rumped Sandpiper	0.0456%
90. Least Sandpiper	7.35%
91. Pectoral Sandpiper	4.65%
92. Western Sandpiper	2.97%
93. Semipalmated Sandpiper	3.52%
94. Long-tailed Jaeger	0.0057%
95. Parasitic Jaeger	0.0000%

96.	Pomarine Jaeger	0.0171%
97.	Sabine's Gull	0.0000%
98.	Laughing Gull	18.65%
99.	Franklin's Gull	0.0171%
100.	Ring-billed Gull	1.30%
101.	Herring Gull	0.8036%
102.	Great Black-backed Gull	0.0057%
103.	Lesser Black-backed Gull	0.2223%
104.	Black Skimmer	2.71%
105.	Sooty Tern	0.2621%
106.	Bridled Tern	0.1539%
107.	Least Tern	4.06%
108.	Gull-billed Tern	1.92%
109.	Caspian Tern	3.20%
110.	Black Tern	4.88%
111.	Forster's Tern	6.46%
112.	Common Tern	0.8149%
113.	Sandwich Tern	2.95%
114.	Royal Tern	6.62%
115.	Common Loon	0.0000%
116.	Wilson's Storm-Petrel	0.0171%
117.	Leach's Storm-Petrel	0.0000%
118.	Band-rumped Storm-Petrel	0.0399%
119.	Cory's Shearwater	0.0171%
120.	Great Shearwater	0.0171%

121.	Audubon's Shearwater	0.0570%
122.	Wood Stork	2.86%
123.	Magnificent Frigatebird	2.14%
124.	Northern Gannet	0.0000%
125.	Red-footed Booby	0.0627%
126.	Brown Booby	0.7751%
127.	Masked Booby	0.1482%
128.	Anhinga	12.81%
129.	Double-crested Cormorant	5.62%
130.	Neotropic Cormorant	7.00%
131.	American White Pelican	1.01%
132.	Brown Pelican	5.89%
133.	American Bittern	0.0228%
134.	Least Bittern	1.49%
135.	Yellow-crowned Night Heron	9.71%
136.	Black-crowned Night Heron	4.66%
137.	Little Blue Heron	24.73%
138.	Tricolored Heron	11.44%
139.	Reddish Egret	2.05%
140.	Snowy Egret	23.90%
141.	Green Heron	17.71%
142.	Western Cattle Egret	23.54%
143.	Great Egret	40.09%
144.	Great Blue Heron	22.60%
145.	White Ibis	23.21%

146.	Glossy Ibis	0.5471%
147.	White-faced Ibis	4.89%
148.	Roseate Spoonbill	7.57%
149.	Black Vulture	9.65%
150.	Turkey Vulture	13.44%
151.	Osprey	5.33%
152.	White-tailed Kite	0.0399%
153.	Swallow-tailed Kite	0.8263%
154.	Mississippi Kite	27.99%
155.	Northern Harrier	0.0513%
156.	Sharp-shinned Hawk	0.0285%
157.	Cooper's Hawk	4.54%
158.	Bald Eagle	0.9973%
159.	White-tailed Hawk	0.0285%
160.	Red-shouldered Hawk	10.62%
161.	Broad-winged Hawk	2.22%
162.	Swainson's Hawk	0.2451%
163.	Red-tailed Hawk	5.31%
164.	Barn Owl	0.1311%
165.	Eastern Screech-Owl	2.68%
166.	Great Horned Owl	1.99%
167.	Barred Owl	5.04%
168.	Ringed Kingfisher	0.0228%
169.	Belted Kingfisher	9.03%
170.	Red-headed Woodpecker	9.36%

171.	Red-bellied Woodpecker	33.78%
172.	Downy Woodpecker	30.86%
173.	Red-cockaded Woodpecker	0.4046%
174.	Hairy Woodpecker	1.96%
175.	Pileated Woodpecker	12.50%
176.	Northern Flicker	7.07%
177.	Crested Caracara	0.8719%
178.	American Kestrel	0.4901%
179.	Peregrine Falcon	0.0741%
180.	Olive-sided Flycatcher	0.6611%
181.	Eastern Wood-Pewee	6.57%
182.	Yellow-bellied Flycatcher	0.5414%
183.	Acadian Flycatcher	4.16%
184.	Alder Flycatcher	1.37%
185.	Willow Flycatcher	0.0399%
186.	Least Flycatcher	0.9802%
187.	Eastern Phoebe	0.7580%
188.	Vermilion Flycatcher	0.0171%
189.	Great Crested Flycatcher	13.10%
190.	Great Kiskadee	0.0342%
191.	Sulphur-bellied Flycatcher	0.0342%
192.	Tropical Kingbird	0.0171%
193.	Western Kingbird	0.0969%
194.	Eastern Kingbird	22.56%
195.	Gray Kingbird	0.0057%

196.	Scissor-tailed Flycatcher	2.31%
197.	White-eyed Vireo	14.44%
198.	Bell's Vireo	0.2337%
199.	Yellow-throated Vireo	3.41%
200.	Warbling Vireo	0.1710%
201.	Red-eyed Vireo	7.76%
202.	Black-whiskered Vireo	0.0513%
203.	Loggerhead Shrike	11.23%
204.	Blue Jay	56.03%
205.	American Crow	37.48%
206.	Fish Crow	18.20%
207.	Carolina Chickadee	39.41%
208.	Tufted Titmouse	23.84%
209.	Horned Lark	0.1140%
210.	Bank Swallow	2.60%
211.	Tree Swallow	1.77%
212.	Purple Martin	7.71%
213.	Northern Rough-winged Swallow	6.37%
214.	Barn Swallow	18.16%
215.	Cliff Swallow	4.79%
216.	Cave Swallow	0.5756%
217.	White-breasted Nuthatch	1.44%
218.	Brown-headed Nuthatch	3.69%
219.	Blue-gray Gnatcatcher	19.50%
220.	Marsh Wren	0.3932%

221.	Carolina Wren	47.89%
222.	European Starling	23.12%
223.	Gray Catbird	2.97%
224.	Brown Thrasher	13.13%
225.	Northern Mockingbird	45.63%
226.	Eastern Bluebird	13.72%
227.	Wood Thrush	0.9118%
228.	American Robin	6.85%
229.	Scaly-breasted Munia	0.0000%
230.	House Sparrow	23.37%
231.	House Finch	20.41%
232.	American Goldfinch	0.0627%
233.	Bachman's Sparrow	0.1539%
234.	Grasshopper Sparrow	0.0456%
235.	Chipping Sparrow	1.07%
236.	Field Sparrow	0.0969%
237.	Lark Sparrow	0.6554%
238.	Lark Bunting	0.0456%
239.	Seaside Sparrow	1.02%
240.	Eastern Towhee	7.23%
241.	Yellow-breasted Chat	2.32%
242.	Yellow-headed Blackbird	0.0114%
243.	Eastern Meadowlark	3.19%
244.	Orchard Oriole	6.30%
245.	Baltimore Oriole	2.31%

246.	Red-winged Blackbird	<u>20.07%</u>
247.	Shiny Cowbird	0.0114%
248.	Bronzed Cowbird	0.8149%
249.	Brown-headed Cowbird	<u>5.69%</u>
250.	Common Grackle	<u>14.77%</u>
251.	Boat-tailed Grackle	<u>6.68%</u>
252.	Great-tailed Grackle	2.02%
253.	Ovenbird	0.1425%
254.	Worm-eating Warbler	0.6782%
255.	Louisiana Waterthrush	0.7409%
256.	Northern Waterthrush	1.78%
257.	Golden-winged Warbler	0.0114%
258.	Blue-winged Warbler	0.8263%
259.	Black-and-white Warbler	2.74%
260.	Prothonotary Warbler	<u>6.96%</u>
261.	Swainson's Warbler	0.3875%
262.	Tennessee Warbler	0.0228%
263.	Nashville Warbler	0.0285%
264.	Mourning Warbler	0.2792%
265.	Kentucky Warbler	1.76%
266.	Common Yellowthroat	<u>5.67%</u>
267.	Hooded Warbler	<u>5.30%</u>
268.	American Redstart	2.27%
269.	Cerulean Warbler	0.0912%
270.	Northern Parula	<u>2.96%</u>

271.	Magnolia Warbler	0.0342%
272.	Bay-breasted Warbler	0.0057%
273.	Blackburnian Warbler	0.0912%
274.	Yellow Warbler	18.12%
275.	Chestnut-sided Warbler	0.0342%
276.	Pine Warbler	4.88%
277.	Yellow-throated Warbler	1.27%
278.	Prairie Warbler	1.41%
279.	Black-throated Green Warbler	0.1368%
280.	Canada Warbler	0.8605%
281.	Wilson's Warbler	0.1197%
282.	Summer Tanager	8.08%
283.	Scarlet Tanager	0.0114%
284.	Northern Cardinal	61.38%
285.	Rose-breasted Grosbeak	0.0057%
286.	Blue Grosbeak	5.60%
287.	Indigo Bunting	7.81%
288.	Painted Bunting	4.18%
289.	Dickcissel	2.02%
EXOTIC: PROVISIONAL		
290.	Monk Parakeet	1.46% frequency
EXOTIC: ESCAPEE		
	Graylag Goose	0.2223% frequency
	Swan Goose	0.2280%
	Mute Swan	0.0855%

Black Swan	0.0228%
Egyptian Goose	0.0000%
Muscovy Duck	2.21%
Helmeted Guineafowl	0.0114%
Indian Peafowl	0.0285%
Red Junglefowl	0.0228%
Budgerigar	0.0114%
Snow Goose	0.0000%
Black Francolin	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid)	0.0057% frequency
Swan Goose x Canada Goose (hybrid)	0.0114%
Graylag x Canada Goose (hybrid)	0.0057%
Muscovy Duck x Mallard (hybrid)	0.2109%
Mallard x Mottled Duck (hybrid)	0.0057%
Kelp x Herring Gull (hybrid)	0.0000%
Glossy x White-faced Ibis (hybrid)	0.0171%
Barn x Cliff Swallow (hybrid)	0.0114%
Brewster's Warbler (hybrid)	0.0057%