

## Target Species

Based on 28,819 complete checklists

**378** species observed in Louisiana, US (region/US-LA) in **Dec** that you need for your **World Life List**

1. Northern Cardinal	54.54% frequency
2. Yellow-rumped Warbler	54.44%
3. Blue Jay	49.66%
4. Northern Mockingbird	49.33%
5. Ruby-crowned Kinglet	45.27%
6. Carolina Chickadee	44.99%
7. Great Egret	42.17%
8. Carolina Wren	41.97%
9. American Crow	41.24%
10. Eastern Phoebe	40.12%
11. Red-bellied Woodpecker	37.48%
12. Mourning Dove	34.90%
13. Red-winged Blackbird	33.39%
14. Downy Woodpecker	32.26%
15. Great Blue Heron	31.47%
16. Orange-crowned Warbler	30.84%
17. White-throated Sparrow	29.67%
18. Turkey Vulture	28.70%
19. Double-crested Cormorant	28.25%
20. Killdeer	27.37%

21. American Goldfinch	<b><u>26.95%</u></b>
22. European Starling	<b><u>26.84%</u></b>
23. Red-tailed Hawk	<b><u>26.32%</u></b>
24. Tufted Titmouse	<b><u>23.87%</u></b>
25. American Robin	<b><u>22.93%</u></b>
26. Swamp Sparrow	<b><u>21.80%</u></b>
27. Eastern Bluebird	<b><u>21.56%</u></b>
28. Belted Kingfisher	<b><u>21.44%</u></b>
29. Blue-gray Gnatcatcher	<b><u>21.30%</u></b>
30. Snowy Egret	<b><u>20.37%</u></b>
31. Ring-billed Gull	<b><u>20.07%</u></b>
32. Savannah Sparrow	<b><u>19.99%</u></b>
33. House Sparrow	<b><u>19.97%</u></b>
34. Pine Warbler	<b><u>19.90%</u></b>
35. White Ibis	<b><u>18.65%</u></b>
36. American Kestrel	<b><u>18.38%</u></b>
37. Yellow-bellied Sapsucker	<b><u>18.28%</u></b>
38. Northern Flicker	<b><u>17.87%</u></b>
39. Pied-billed Grebe	<b><u>17.50%</u></b>
40. Loggerhead Shrike	<b><u>16.56%</u></b>
41. Song Sparrow	<b><u>16.03%</u></b>
42. House Wren	<b><u>15.81%</u></b>
43. Chipping Sparrow	<b><u>15.59%</u></b>
44. Red-shouldered Hawk	<b><u>15.58%</u></b>
45. American Coot	<b><u>14.89%</u></b>

46. Northern Harrier	<u>14.31%</u>
47. House Finch	<u>13.72%</u>
48. Laughing Gull	<u>13.45%</u>
49. Tree Swallow	<u>13.16%</u>
50. Black Vulture	<u>12.88%</u>
51. Anhinga	<u>12.61%</u>
52. Brown Pelican	<u>12.38%</u>
53. Hermit Thrush	<u>12.31%</u>
54. Common Grackle	<u>11.99%</u>
55. Blue-headed Vireo	<u>11.95%</u>
56. American White Pelican	<u>11.94%</u>
57. Brown Thrasher	<u>11.87%</u>
58. Fish Crow	<u>11.38%</u>
59. Mallard	<u>11.21%</u>
60. Dark-eyed Junco	<u>10.71%</u>
61. Eastern Meadowlark	<u>10.61%</u>
62. Pileated Woodpecker	<u>10.40%</u>
63. Lesser Scaup	<u>10.36%</u>
64. Cedar Waxwing	<u>10.29%</u>
65. Golden-crowned Kinglet	<u>10.27%</u>
66. American Pipit	<u>10.04%</u>
67. Common Yellowthroat	<u>9.80%</u>
68. Gray Catbird	<u>9.76%</u>
69. Bald Eagle	<u>9.52%</u>
70. Little Blue Heron	<u>8.97%</u>

71.	<b>Snow Goose</b>	<b><u>8.90%</u></b>
72.	<b>Forster's Tern</b>	<b><u>8.69%</u></b>
73.	<b>Brown-headed Cowbird</b>	<b><u>8.66%</u></b>
74.	<b>Boat-tailed Grackle</b>	<b><u>8.51%</u></b>
75.	<b>Wood Duck</b>	<b><u>8.50%</u></b>
76.	<b>Rock Pigeon</b>	<b><u>8.45%</u></b>
77.	<b>Gadwall</b>	<b><u>8.43%</u></b>
78.	<b>Northern Shoveler</b>	<b><u>8.17%</u></b>
79.	<b>Osprey</b>	<b><u>7.78%</u></b>
80.	<b>Wilson's Snipe</b>	<b><u>7.78%</u></b>
81.	<b>Eurasian Collared-Dove</b>	<b><u>7.76%</u></b>
82.	<b>Palm Warbler</b>	<b><u>7.72%</u></b>
83.	<b>Eastern Towhee</b>	<b><u>7.63%</u></b>
84.	<b>Common Gallinule</b>	<b><u>7.31%</u></b>
85.	<b>Tricolored Heron</b>	<b><u>7.13%</u></b>
86.	<b>Cooper's Hawk</b>	<b><u>7.13%</u></b>
87.	<b>Greater Yellowlegs</b>	<b><u>7.02%</u></b>
88.	<b>Ring-necked Duck</b>	<b><u>6.98%</u></b>
89.	<b>Western Cattle Egret</b>	<b><u>6.34%</u></b>
90.	<b>White-winged Dove</b>	<b><u>6.10%</u></b>
91.	<b>Marsh Wren</b>	<b><u>6.02%</u></b>
92.	<b>Greater White-fronted Goose</b>	<b><u>5.99%</u></b>
93.	<b>Ruddy Duck</b>	<b><u>5.73%</u></b>
94.	<b>Neotropic Cormorant</b>	<b><u>5.69%</u></b>
95.	<b>Blue-winged Teal</b>	<b><u>5.36%</u></b>

96.	<b>Herring Gull</b>	<b>5.35%</b>
97.	<b>Sedge Wren</b>	<b>5.25%</b>
98.	<b>Bufflehead</b>	<b>5.13%</b>
99.	<b>Hooded Merganser</b>	<b>5.07%</b>
100.	<b>Canada Goose</b>	<b>5.06%</b>
101.	<b>Green-winged Teal</b>	<b>5.01%</b>
102.	<b>White-crowned Sparrow</b>	<b>5.00%</b>
103.	<b>White-eyed Vireo</b>	<b>4.70%</b>
104.	<b>Royal Tern</b>	<b>4.58%</b>
105.	<b>White-faced Ibis</b>	<b>4.54%</b>
106.	<b>Brown-headed Nuthatch</b>	<b>4.47%</b>
107.	<b>Barred Owl</b>	<b>4.40%</b>
108.	<b>Great Horned Owl</b>	<b>4.33%</b>
109.	<b>Black-necked Stilt</b>	<b>4.07%</b>
110.	<b>Least Sandpiper</b>	<b>4.04%</b>
111.	<b>Roseate Spoonbill</b>	<b>4.04%</b>
112.	<b>Winter Wren</b>	<b>3.89%</b>
113.	<b>Black-crowned Night Heron</b>	<b>3.88%</b>
114.	<b>Rufous Hummingbird</b>	<b>3.81%</b>
115.	<b>Sharp-shinned Hawk</b>	<b>3.71%</b>
116.	<b>Northern Pintail</b>	<b>3.68%</b>
117.	<b>Black-bellied Whistling-Duck</b>	<b>3.45%</b>
118.	<b>Mottled Duck</b>	<b>3.45%</b>
119.	<b>Red-headed Woodpecker</b>	<b>3.41%</b>
120.	<b>Purple Finch</b>	<b>3.38%</b>

121.	<b>Ruby-throated Hummingbird</b>	<b>3.38%</b>
122.	<b>Caspian Tern</b>	<b>3.32%</b>
123.	<b>Spotted Sandpiper</b>	<b>3.30%</b>
124.	<b>Dunlin</b>	<b>3.27%</b>
125.	<b>Inca Dove</b>	<b>3.22%</b>
126.	<b>Sora</b>	<b>3.18%</b>
127.	<b>Lesser Yellowlegs</b>	<b>3.13%</b>
128.	<b>Hairy Woodpecker</b>	<b>3.13%</b>
129.	<b>Wilson's Warbler</b>	<b>3.12%</b>
130.	<b>Merlin</b>	<b>2.98%</b>
131.	<b>Field Sparrow</b>	<b>2.91%</b>
132.	<b>Black-bellied Plover</b>	<b>2.90%</b>
133.	<b>Common Loon</b>	<b>2.86%</b>
134.	<b>Ross's Goose</b>	<b>2.83%</b>
135.	<b>Long-billed Dowitcher</b>	<b>2.57%</b>
136.	<b>Willet</b>	<b>2.47%</b>
137.	<b>Pine Siskin</b>	<b>2.43%</b>
138.	<b>American Wigeon</b>	<b>2.42%</b>
139.	<b>Brown Creeper</b>	<b>2.32%</b>
140.	<b>Eastern Screech-Owl</b>	<b>2.31%</b>
141.	<b>Crested Caracara</b>	<b>2.28%</b>
142.	<b>Great-tailed Grackle</b>	<b>2.25%</b>
143.	<b>Vermilion Flycatcher</b>	<b>2.22%</b>
144.	<b>Black-chinned Hummingbird</b>	<b>2.18%</b>
145.	<b>Red-breasted Nuthatch</b>	<b>2.17%</b>

146.	<b>Sanderling</b>	<b>2.10%</b>
147.	<b>Canvasback</b>	<b>2.06%</b>
148.	<b>Redhead</b>	<b>2.03%</b>
149.	<b>Bonaparte's Gull</b>	<b>2.01%</b>
150.	<b>King Rail</b>	<b>1.95%</b>
151.	<b>Western Sandpiper</b>	<b>1.94%</b>
152.	<b>Peregrine Falcon</b>	<b>1.91%</b>
153.	<b>American Avocet</b>	<b>1.84%</b>
154.	<b>Vesper Sparrow</b>	<b>1.84%</b>
155.	<b>Fox Sparrow</b>	<b>1.83%</b>
156.	<b>Clapper Rail</b>	<b>1.82%</b>
157.	<b>Buff-bellied Hummingbird</b>	<b>1.81%</b>
158.	<b>White-breasted Nuthatch</b>	<b>1.79%</b>
159.	<b>Lincoln's Sparrow</b>	<b>1.73%</b>
160.	<b>Red-breasted Merganser</b>	<b>1.71%</b>
161.	<b>Virginia Rail</b>	<b>1.63%</b>
162.	<b>LeConte's Sparrow</b>	<b>1.57%</b>
163.	<b>Green Heron</b>	<b>1.53%</b>
164.	<b>Horned Grebe</b>	<b>1.53%</b>
165.	<b>American Woodcock</b>	<b>1.51%</b>
166.	<b>Sandhill Crane</b>	<b>1.42%</b>
167.	<b>Rusty Blackbird</b>	<b>1.36%</b>
168.	<b>Brewer's Blackbird</b>	<b>1.35%</b>
169.	<b>Semipalmated Plover</b>	<b>1.33%</b>
170.	<b>Ruddy Turnstone</b>	<b>1.28%</b>

171.	<b>Limpkin</b>	<b>1.13%</b>
172.	<b>Black Skimmer</b>	<b>1.08%</b>
173.	<b>Seaside Sparrow</b>	<b>0.9091%</b>
174.	<b>Calliope Hummingbird</b>	<b>0.8987%</b>
175.	<b>Barn Owl</b>	<b>0.7981%</b>
176.	<b>Yellow-throated Warbler</b>	<b>0.7426%</b>
177.	<b>Black-and-white Warbler</b>	<b>0.7391%</b>
178.	<b>Red-cockaded Woodpecker</b>	<b>0.7356%</b>
179.	<b>Piping Plover</b>	<b>0.7252%</b>
180.	<b>Common Goldeneye</b>	<b>0.7044%</b>
181.	<b>Lesser Black-backed Gull</b>	<b>0.6454%</b>
182.	<b>Western Kingbird</b>	<b>0.6419%</b>
183.	<b>Nelson's Sparrow</b>	<b>0.6350%</b>
184.	<b>Short-billed Dowitcher</b>	<b>0.6211%</b>
185.	<b>Gull-billed Tern</b>	<b>0.6176%</b>
186.	<b>White-tailed Kite</b>	<b>0.5829%</b>
187.	<b>Greater Scaup</b>	<b>0.5517%</b>
188.	<b>Ash-throated Flycatcher</b>	<b>0.5448%</b>
189.	<b>Stilt Sandpiper</b>	<b>0.5309%</b>
190.	<b>Snowy Plover</b>	<b>0.4927%</b>
191.	<b>American Bittern</b>	<b>0.4580%</b>
192.	<b>Reddish Egret</b>	<b>0.4580%</b>
193.	<b>Glossy Ibis</b>	<b>0.4476%</b>
194.	<b>Summer Tanager</b>	<b>0.4372%</b>
195.	<b>Horned Lark</b>	<b>0.4164%</b>



196.	<b>Scissor-tailed Flycatcher</b>	<b>0.4129%</b>
197.	<b>Prairie Warbler</b>	<b>0.4060%</b>
198.	<b>Henslow's Sparrow</b>	<b>0.3921%</b>
199.	<b>Baltimore Oriole</b>	<b>0.3921%</b>
200.	<b>Long-billed Curlew</b>	<b>0.3713%</b>
201.	<b>Lapland Longspur</b>	<b>0.3470%</b>
202.	<b>Broad-tailed Hummingbird</b>	<b>0.3262%</b>
203.	<b>Fulvous Whistling-Duck</b>	<b>0.3192%</b>
204.	<b>Marbled Godwit</b>	<b>0.3088%</b>
205.	<b>Sprague's Pipit</b>	<b>0.3088%</b>
206.	<b>Indigo Bunting</b>	<b>0.2915%</b>
207.	<b>Painted Bunting</b>	<b>0.2880%</b>
208.	<b>Cackling Goose</b>	<b>0.2845%</b>
209.	<b>Say's Phoebe</b>	<b>0.2776%</b>
210.	<b>Bronzed Cowbird</b>	<b>0.2776%</b>
211.	<b>Common Ground Dove</b>	<b>0.2706%</b>
212.	<b>Harris's Sparrow</b>	<b>0.2706%</b>
213.	<b>Wilson's Plover</b>	<b>0.2637%</b>
214.	<b>Fork-tailed Flycatcher</b>	<b>0.2602%</b>
215.	<b>Groove-billed Ani</b>	<b>0.2429%</b>
216.	<b>Red Knot</b>	<b>0.2429%</b>
217.	<b>Broad-winged Hawk</b>	<b>0.2429%</b>
218.	<b>Lark Sparrow</b>	<b>0.2429%</b>
219.	<b>Yellow-crowned Night Heron</b>	<b>0.2325%</b>
220.	<b>Eared Grebe</b>	<b>0.2290%</b>

221.	<b>Short-eared Owl</b>	<b>0.2290%</b>
222.	<b>Franklin's Gull</b>	<b>0.2186%</b>
223.	<b>Least Flycatcher</b>	<b>0.2082%</b>
224.	<b>Yellow-headed Blackbird</b>	<b>0.1978%</b>
225.	<b>Northern Bobwhite</b>	<b>0.1874%</b>
226.	<b>Wild Turkey</b>	<b>0.1874%</b>
227.	<b>Western Meadowlark</b>	<b>0.1839%</b>
228.	<b>Bewick's Wren</b>	<b>0.1804%</b>
229.	<b>Grasshopper Sparrow</b>	<b>0.1804%</b>
230.	<b>Brown-crested Flycatcher</b>	<b>0.1770%</b>
231.	<b>Chuck-will's-widow</b>	<b>0.1735%</b>
232.	<b>Surf Scoter</b>	<b>0.1700%</b>
233.	<b>Northern Waterthrush</b>	<b>0.1700%</b>
234.	<b>Common Tern</b>	<b>0.1666%</b>
235.	<b>American Oystercatcher</b>	<b>0.1631%</b>
236.	<b>Mountain Bluebird</b>	<b>0.1527%</b>
237.	<b>Dickcissel</b>	<b>0.1527%</b>
238.	<b>Brown Booby</b>	<b>0.1492%</b>
239.	<b>Ovenbird</b>	<b>0.1492%</b>
240.	<b>Northern Gannet</b>	<b>0.1457%</b>
241.	<b>Swainson's Hawk</b>	<b>0.1423%</b>
242.	<b>Great Kiskadee</b>	<b>0.1353%</b>
243.	<b>Scaly-breasted Munia</b>	<b>0.1353%</b>
244.	<b>Black-throated Green Warbler</b>	<b>0.1353%</b>
245.	<b>Vaux's Swift</b>	<b>0.1284%</b>

246.	<b>Broad-billed Hummingbird</b>	<b>0.1284%</b>
247.	<b>Northern Rough-winged Swallow</b>	<b>0.1284%</b>
248.	<b>Long-tailed Duck</b>	<b>0.1249%</b>
249.	<b>Black Scoter</b>	<b>0.1214%</b>
250.	<b>Bachman's Sparrow</b>	<b>0.1214%</b>
251.	<b>Black-throated Gray Warbler</b>	<b>0.1180%</b>
252.	<b>Western Tanager</b>	<b>0.1180%</b>
253.	<b>Pomarine Jaeger</b>	<b>0.1145%</b>
254.	<b>Bell's Vireo</b>	<b>0.1145%</b>
255.	<b>Cinnamon Teal</b>	<b>0.1110%</b>
256.	<b>Bullock's Oriole</b>	<b>0.1110%</b>
257.	<b>Whimbrel</b>	<b>0.1076%</b>
258.	<b>Clay-colored Sparrow</b>	<b>0.1041%</b>
259.	<b>Burrowing Owl</b>	<b>0.1006%</b>
260.	<b>Couch's Kingbird</b>	<b>0.1006%</b>
261.	<b>Rock Wren</b>	<b>0.1006%</b>
262.	<b>Black-headed Grosbeak</b>	<b>0.1006%</b>
263.	<b>Anna's Hummingbird</b>	<b>0.0972%</b>
264.	<b>Whooping Crane</b>	<b>0.0972%</b>
265.	<b>Iceland Gull</b>	<b>0.0972%</b>
266.	<b>Least Bittern</b>	<b>0.0972%</b>
267.	<b>American Redstart</b>	<b>0.0972%</b>
268.	<b>Rose-breasted Grosbeak</b>	<b>0.0937%</b>
269.	<b>Tundra Swan</b>	<b>0.0833%</b>
270.	<b>Blue Grosbeak</b>	<b>0.0833%</b>

271.	<b>Northern Parula</b>	<b>0.0798%</b>
272.	<b>Western Grebe</b>	<b>0.0763%</b>
273.	<b>Solitary Sandpiper</b>	<b>0.0729%</b>
274.	<b>Spotted Towhee</b>	<b>0.0729%</b>
275.	<b>Nashville Warbler</b>	<b>0.0729%</b>
276.	<b>Yellow Warbler</b>	<b>0.0729%</b>
277.	<b>Sandwich Tern</b>	<b>0.0694%</b>
278.	<b>Glaucous Gull</b>	<b>0.0625%</b>
279.	<b>White-winged Scoter</b>	<b>0.0590%</b>
280.	<b>Harris's Hawk</b>	<b>0.0590%</b>
281.	<b>Allen's Hummingbird</b>	<b>0.0520%</b>
282.	<b>Magnificent Frigatebird</b>	<b>0.0520%</b>
283.	<b>Mountain Plover</b>	<b>0.0486%</b>
284.	<b>Barn Swallow</b>	<b>0.0486%</b>
285.	<b>Yellow-breasted Chat</b>	<b>0.0486%</b>
286.	<b>Wood Thrush</b>	<b>0.0451%</b>
287.	<b>Tennessee Warbler</b>	<b>0.0451%</b>
288.	<b>Pyrrhuloxia</b>	<b>0.0451%</b>
289.	<b>Eastern Whip-poor-will</b>	<b>0.0416%</b>
290.	<b>Parasitic Jaeger</b>	<b>0.0416%</b>
291.	<b>White-tailed Hawk</b>	<b>0.0416%</b>
292.	<b>Western Flycatcher</b>	<b>0.0416%</b>
293.	<b>Tropical Kingbird</b>	<b>0.0416%</b>
294.	<b>Smith's Longspur</b>	<b>0.0382%</b>
295.	<b>Cave Swallow</b>	<b>0.0347%</b>

296.	<b>Red-necked Grebe</b>	<b>0.0312%</b>
297.	<b>Ferruginous Hawk</b>	<b>0.0312%</b>
298.	<b>Green-tailed Towhee</b>	<b>0.0312%</b>
299.	<b>Greater Roadrunner</b>	<b>0.0278%</b>
300.	<b>Green-breasted Mango</b>	<b>0.0278%</b>
301.	<b>Purple Gallinule</b>	<b>0.0278%</b>
302.	<b>Yellow Rail</b>	<b>0.0278%</b>
303.	<b>Common Nighthawk</b>	<b>0.0243%</b>
304.	<b>Black-legged Kittiwake</b>	<b>0.0243%</b>
305.	<b>Ringed Kingfisher</b>	<b>0.0243%</b>
306.	<b>Orchard Oriole</b>	<b>0.0243%</b>
307.	<b>Common Merganser</b>	<b>0.0208%</b>
308.	<b>Blue-throated Mountain-gem</b>	<b>0.0208%</b>
309.	<b>Wilson's Phalarope</b>	<b>0.0208%</b>
310.	<b>Warbling Vireo</b>	<b>0.0208%</b>
311.	<b>MacGillivray's Warbler</b>	<b>0.0208%</b>
312.	<b>Blackpoll Warbler</b>	<b>0.0208%</b>
313.	<b>American Golden-Plover</b>	<b>0.0173%</b>
314.	<b>Great Black-backed Gull</b>	<b>0.0173%</b>
315.	<b>California Gull</b>	<b>0.0173%</b>
316.	<b>Golden Eagle</b>	<b>0.0173%</b>
317.	<b>Dusky-capped Flycatcher</b>	<b>0.0173%</b>
318.	<b>Cassin's Kingbird</b>	<b>0.0173%</b>
319.	<b>Hooded Warbler</b>	<b>0.0173%</b>
320.	<b>Lesser Nighthawk</b>	<b>0.0139%</b>

321.	<b>Ruff</b>	<b>0.0139%</b>
322.	<b>Wood Stork</b>	<b>0.0139%</b>
323.	<b>Rough-legged Hawk</b>	<b>0.0139%</b>
324.	<b>Lucy's Warbler</b>	<b>0.0139%</b>
325.	<b>Magnolia Warbler</b>	<b>0.0139%</b>
326.	<b>Bay-breasted Warbler</b>	<b>0.0139%</b>
327.	<b>Yellow-billed Cuckoo</b>	<b>0.0104%</b>
328.	<b>Pectoral Sandpiper</b>	<b>0.0104%</b>
329.	<b>Black Tern</b>	<b>0.0104%</b>
330.	<b>Chestnut-collared Longspur</b>	<b>0.0104%</b>
331.	<b>Scarlet Tanager</b>	<b>0.0104%</b>
332.	<b>Eurasian Wigeon</b>	<b>0.0069%</b>
333.	<b>Black Rail</b>	<b>0.0069%</b>
334.	<b>Semipalmated Sandpiper</b>	<b>0.0069%</b>
335.	<b>Long-eared Owl</b>	<b>0.0069%</b>
336.	<b>Prairie Falcon</b>	<b>0.0069%</b>
337.	<b>Eastern Wood-Pewee</b>	<b>0.0069%</b>
338.	<b>Bank Swallow</b>	<b>0.0069%</b>
339.	<b>Veery</b>	<b>0.0069%</b>
340.	<b>Swainson's Thrush</b>	<b>0.0069%</b>
341.	<b>Shiny Cowbird</b>	<b>0.0069%</b>
342.	<b>Tropical Parula</b>	<b>0.0069%</b>
343.	<b>Black-throated Blue Warbler</b>	<b>0.0069%</b>
344.	<b>Townsend's Warbler</b>	<b>0.0069%</b>
345.	<b>Blue Bunting</b>	<b>0.0069%</b>

346.	<b>Brant</b>	<b>0.0035%</b>
347.	<b>American Black Duck</b>	<b>0.0035%</b>
348.	<b>Mangrove Cuckoo</b>	<b>0.0035%</b>
349.	<b>Upland Sandpiper</b>	<b>0.0035%</b>
350.	<b>Red-necked Phalarope</b>	<b>0.0035%</b>
351.	<b>Purple Sandpiper</b>	<b>0.0035%</b>
352.	<b>Slaty-backed Gull</b>	<b>0.0035%</b>
353.	<b>Masked Booby</b>	<b>0.0035%</b>
354.	<b>Great Crested Flycatcher</b>	<b>0.0035%</b>
355.	<b>Sage Thrasher</b>	<b>0.0035%</b>
356.	<b>Varied Thrush</b>	<b>0.0035%</b>
357.	<b>Thick-billed Longspur</b>	<b>0.0035%</b>
358.	<b>Lark Bunting</b>	<b>0.0035%</b>
359.	<b>Bobolink</b>	<b>0.0035%</b>
360.	<b>Scott's Oriole</b>	<b>0.0035%</b>
361.	<b>Worm-eating Warbler</b>	<b>0.0035%</b>
362.	<b>Virginia's Warbler</b>	<b>0.0035%</b>
363.	<b>Blackburnian Warbler</b>	<b>0.0035%</b>
364.	<b>Chestnut-sided Warbler</b>	<b>0.0035%</b>
365.	<b>Lazuli Bunting</b>	<b>0.0035%</b>
366.	<b>Least Grebe</b>	<b>0.0000%</b>
367.	<b>Band-tailed Pigeon</b>	<b>0.0000%</b>
368.	<b>Lucifer Hummingbird</b>	<b>0.0000%</b>
369.	<b>Bridled Tern</b>	<b>0.0000%</b>
370.	<b>Zone-tailed Hawk</b>	<b>0.0000%</b>

371. **Snowy Owl** **0.0000%**

372. **Northern Wheatear** **0.0000%**

373. **Evening Grosbeak** **0.0000%**

374. **Lesser Goldfinch** **0.0000%**

375. **Golden-crowned Sparrow** **0.0000%**

376. **Painted Redstart** **0.0000%**

**EXOTIC: PROVISIONAL**

377. **Monk Parakeet** **1.49%** frequency

378. **Trumpeter Swan** **0.0069%**

**EXOTIC: ESCAPEE**

**Muscovy Duck** **3.27%** frequency

**Graylag Goose** **0.4199%**

**Swan Goose** **0.4164%**

**Mute Swan** **0.2498%**

**Black Swan** **0.0347%**

**Indian Peafowl** **0.0243%**

**Egyptian Goose** **0.0069%**

**Red Junglefowl** **0.0069%**

**Ferruginous Duck** **0.0035%**

**Golden Pheasant** **0.0035%**

**Ring-necked Pheasant** **0.0035%**

**African Collared-Dove** **0.0035%**

**Mandarin Duck** **0.0000%**

**Helmeted Guineafowl** **0.0000%**

**HYBRIDS**



Muscovy Duck x Mallard (hybrid)	<b>0.2082%</b> frequency
Mallard x Mottled Duck (hybrid)	<b>0.0243%</b>
Swan Goose x Canada Goose (hybrid)	<b>0.0208%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0208%</b>
Graylag x Swan Goose (hybrid)	<b>0.0104%</b>
Snow x Greater White-fronted Goose (hybrid)	<b>0.0069%</b>
Spotted x Eastern Towhee (hybrid)	<b>0.0069%</b>
Graylag x Canada Goose (hybrid)	<b>0.0035%</b>
Blue-winged x Green-winged Teal (hybrid)	<b>0.0035%</b>
Bufflehead x Hooded Merganser (hybrid)	<b>0.0035%</b>
Boat-tailed x Great-tailed Grackle (hybrid)	<b>0.0035%</b>
Northern x Tropical Parula (hybrid)	<b>0.0035%</b>