

Target Species

Based on 28,819 complete checklists

378 species observed in Louisiana, US (region/US-LA) in **Dec** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	3.45% frequency
2. Fulvous Whistling-Duck	0.3192%
3. Snow Goose	8.90%
4. Ross's Goose	2.83%
5. Greater White-fronted Goose	5.99%
6. Brant	0.0035%
7. Cackling Goose	0.2845%
8. Canada Goose	5.06%
9. Tundra Swan	0.0833%
10. Wood Duck	8.50%
11. Blue-winged Teal	5.36%
12. Cinnamon Teal	0.1110%
13. Northern Shoveler	8.17%
14. Gadwall	8.43%
15. Eurasian Wigeon	0.0069%
16. American Wigeon	2.42%
17. Mallard	11.21%
18. American Black Duck	0.0035%
19. Mottled Duck	3.45%
20. Northern Pintail	3.68%

21. Green-winged Teal	5.01%
22. Canvasback	2.06%
23. Redhead	2.03%
24. Ring-necked Duck	6.98%
25. Greater Scaup	0.5517%
26. Lesser Scaup	10.36%
27. Surf Scoter	0.1700%
28. White-winged Scoter	0.0590%
29. Black Scoter	0.1214%
30. Long-tailed Duck	0.1249%
31. Bufflehead	5.13%
32. Common Goldeneye	0.7044%
33. Hooded Merganser	5.07%
34. Common Merganser	0.0208%
35. Red-breasted Merganser	1.71%
36. Ruddy Duck	5.73%
37. Northern Bobwhite	0.1874%
38. Wild Turkey	0.1874%
39. Least Grebe	0.0000%
40. Pied-billed Grebe	17.50%
41. Horned Grebe	1.53%
42. Red-necked Grebe	0.0312%
43. Eared Grebe	0.2290%
44. Western Grebe	0.0763%
45. Rock Pigeon	8.45%

46. Band-tailed Pigeon	0.0000%
47. Eurasian Collared-Dove	7.76%
48. Inca Dove	3.22%
49. Common Ground Dove	0.2706%
50. White-winged Dove	6.10%
51. Mourning Dove	34.90%
52. Groove-billed Ani	0.2429%
53. Greater Roadrunner	0.0278%
54. Yellow-billed Cuckoo	0.0104%
55. Mangrove Cuckoo	0.0035%
56. Lesser Nighthawk	0.0139%
57. Common Nighthawk	0.0243%
58. Chuck-will's-widow	0.1735%
59. Eastern Whip-poor-will	0.0416%
60. Vaux's Swift	0.1284%
61. Green-breasted Mango	0.0278%
62. Blue-throated Mountain-gem	0.0208%
63. Lucifer Hummingbird	0.0000%
64. Ruby-throated Hummingbird	3.38%
65. Black-chinned Hummingbird	2.18%
66. Anna's Hummingbird	0.0972%
67. Calliope Hummingbird	0.8987%
68. Rufous Hummingbird	3.81%
69. Allen's Hummingbird	0.0520%
70. Broad-tailed Hummingbird	0.3262%

71.	Broad-billed Hummingbird	0.1284%
72.	Buff-bellied Hummingbird	1.81%
73.	King Rail	1.95%
74.	Clapper Rail	1.82%
75.	Virginia Rail	1.63%
76.	Sora	3.18%
77.	Common Gallinule	7.31%
78.	American Coot	14.89%
79.	Purple Gallinule	0.0278%
80.	Yellow Rail	0.0278%
81.	Black Rail	0.0069%
82.	Limpkin	1.13%
83.	Sandhill Crane	1.42%
84.	Whooping Crane	0.0972%
85.	Black-necked Stilt	4.07%
86.	American Avocet	1.84%
87.	American Oystercatcher	0.1631%
88.	Black-bellied Plover	2.90%
89.	American Golden-Plover	0.0173%
90.	Killdeer	27.37%
91.	Semipalmated Plover	1.33%
92.	Piping Plover	0.7252%
93.	Wilson's Plover	0.2637%
94.	Mountain Plover	0.0486%
95.	Snowy Plover	0.4927%

96.	Upland Sandpiper	0.0035%
97.	Whimbrel	0.1076%
98.	Long-billed Curlew	0.3713%
99.	Marbled Godwit	0.3088%
100.	Short-billed Dowitcher	0.6211%
101.	Long-billed Dowitcher	2.57%
102.	American Woodcock	1.51%
103.	Wilson's Snipe	7.78%
104.	Wilson's Phalarope	0.0208%
105.	Red-necked Phalarope	0.0035%
106.	Spotted Sandpiper	3.30%
107.	Solitary Sandpiper	0.0729%
108.	Lesser Yellowlegs	3.13%
109.	Willet	2.47%
110.	Greater Yellowlegs	7.02%
111.	Ruddy Turnstone	1.28%
112.	Red Knot	0.2429%
113.	Ruff	0.0139%
114.	Stilt Sandpiper	0.5309%
115.	Sanderling	2.10%
116.	Dunlin	3.27%
117.	Purple Sandpiper	0.0035%
118.	Least Sandpiper	4.04%
119.	Pectoral Sandpiper	0.0104%
120.	Western Sandpiper	1.94%

121.	Semipalmated Sandpiper	0.0069%
122.	Parasitic Jaeger	0.0416%
123.	Pomarine Jaeger	0.1145%
124.	Black-legged Kittiwake	0.0243%
125.	Bonaparte's Gull	2.01%
126.	Laughing Gull	13.45%
127.	Franklin's Gull	0.2186%
128.	Ring-billed Gull	20.07%
129.	Herring Gull	5.35%
130.	Great Black-backed Gull	0.0173%
131.	Glaucous Gull	0.0625%
132.	Lesser Black-backed Gull	0.6454%
133.	California Gull	0.0173%
134.	Slaty-backed Gull	0.0035%
135.	Iceland Gull	0.0972%
136.	Black Skimmer	1.08%
137.	Bridled Tern	0.0000%
138.	Gull-billed Tern	0.6176%
139.	Caspian Tern	3.32%
140.	Black Tern	0.0104%
141.	Forster's Tern	8.69%
142.	Common Tern	0.1666%
143.	Sandwich Tern	0.0694%
144.	Royal Tern	4.58%
145.	Common Loon	2.86%

146.	Wood Stork	0.0139%
147.	Magnificent Frigatebird	0.0520%
148.	Northern Gannet	0.1457%
149.	Brown Booby	0.1492%
150.	Masked Booby	0.0035%
151.	Anhinga	12.61%
152.	Double-crested Cormorant	28.25%
153.	Neotropic Cormorant	5.69%
154.	American White Pelican	11.94%
155.	Brown Pelican	12.38%
156.	American Bittern	0.4580%
157.	Least Bittern	0.0972%
158.	Yellow-crowned Night Heron	0.2325%
159.	Black-crowned Night Heron	3.88%
160.	Little Blue Heron	8.97%
161.	Tricolored Heron	7.13%
162.	Reddish Egret	0.4580%
163.	Snowy Egret	20.37%
164.	Green Heron	1.53%
165.	Western Cattle Egret	6.34%
166.	Great Egret	42.17%
167.	Great Blue Heron	31.47%
168.	White Ibis	18.65%
169.	Glossy Ibis	0.4476%
170.	White-faced Ibis	4.54%

171.	Roseate Spoonbill	4.04%
172.	Black Vulture	12.88%
173.	Turkey Vulture	28.70%
174.	Osprey	7.78%
175.	White-tailed Kite	0.5829%
176.	Golden Eagle	0.0173%
177.	Northern Harrier	14.31%
178.	Sharp-shinned Hawk	3.71%
179.	Cooper's Hawk	7.13%
180.	Bald Eagle	9.52%
181.	Harris's Hawk	0.0590%
182.	White-tailed Hawk	0.0416%
183.	Red-shouldered Hawk	15.58%
184.	Broad-winged Hawk	0.2429%
185.	Swainson's Hawk	0.1423%
186.	Zone-tailed Hawk	0.0000%
187.	Red-tailed Hawk	26.32%
188.	Rough-legged Hawk	0.0139%
189.	Ferruginous Hawk	0.0312%
190.	Barn Owl	0.7981%
191.	Eastern Screech-Owl	2.31%
192.	Snowy Owl	0.0000%
193.	Great Horned Owl	4.33%
194.	Burrowing Owl	0.1006%
195.	Barred Owl	4.40%

196.	Long-eared Owl	0.0069%
197.	Short-eared Owl	0.2290%
198.	Ringed Kingfisher	0.0243%
199.	Belted Kingfisher	21.44%
200.	Yellow-bellied Sapsucker	18.28%
201.	Red-headed Woodpecker	3.41%
202.	Red-bellied Woodpecker	37.48%
203.	Downy Woodpecker	32.26%
204.	Red-cockaded Woodpecker	0.7356%
205.	Hairy Woodpecker	3.13%
206.	Pileated Woodpecker	10.40%
207.	Northern Flicker	17.87%
208.	Crested Caracara	2.28%
209.	American Kestrel	18.38%
210.	Merlin	2.98%
211.	Peregrine Falcon	1.91%
212.	Prairie Falcon	0.0069%
213.	Eastern Wood-Pewee	0.0069%
214.	Least Flycatcher	0.2082%
215.	Western Flycatcher	0.0416%
216.	Eastern Phoebe	40.12%
217.	Say's Phoebe	0.2776%
218.	Vermilion Flycatcher	2.22%
219.	Dusky-capped Flycatcher	0.0173%
220.	Ash-throated Flycatcher	0.5448%

221.	Great Crested Flycatcher	0.0035%
222.	Brown-crested Flycatcher	0.1770%
223.	Great Kiskadee	0.1353%
224.	Tropical Kingbird	0.0416%
225.	Couch's Kingbird	0.1006%
226.	Cassin's Kingbird	0.0173%
227.	Western Kingbird	0.6419%
228.	Scissor-tailed Flycatcher	0.4129%
229.	Fork-tailed Flycatcher	0.2602%
230.	White-eyed Vireo	4.70%
231.	Bell's Vireo	0.1145%
232.	Blue-headed Vireo	11.95%
233.	Warbling Vireo	0.0208%
234.	Loggerhead Shrike	16.56%
235.	Blue Jay	49.66%
236.	American Crow	41.24%
237.	Fish Crow	11.38%
238.	Carolina Chickadee	44.99%
239.	Tufted Titmouse	23.87%
240.	Horned Lark	0.4164%
241.	Bank Swallow	0.0069%
242.	Tree Swallow	13.16%
243.	Northern Rough-winged Swallow	0.1284%
244.	Barn Swallow	0.0486%
245.	Cave Swallow	0.0347%

246.	Ruby-crowned Kinglet	45.27%
247.	Golden-crowned Kinglet	10.27%
248.	White-breasted Nuthatch	1.79%
249.	Brown-headed Nuthatch	4.47%
250.	Red-breasted Nuthatch	2.17%
251.	Brown Creeper	2.32%
252.	Blue-gray Gnatcatcher	21.30%
253.	Rock Wren	0.1006%
254.	House Wren	15.81%
255.	Winter Wren	3.89%
256.	Sedge Wren	5.25%
257.	Marsh Wren	6.02%
258.	Carolina Wren	41.97%
259.	Bewick's Wren	0.1804%
260.	European Starling	26.84%
261.	Gray Catbird	9.76%
262.	Brown Thrasher	11.87%
263.	Sage Thrasher	0.0035%
264.	Northern Mockingbird	49.33%
265.	Eastern Bluebird	21.56%
266.	Mountain Bluebird	0.1527%
267.	Varied Thrush	0.0035%
268.	Veery	0.0069%
269.	Swainson's Thrush	0.0069%
270.	Hermit Thrush	12.31%

271.	Wood Thrush	0.0451%
272.	American Robin	22.93%
273.	Northern Wheatear	0.0000%
274.	Cedar Waxwing	10.29%
275.	Scaly-breasted Munia	0.1353%
276.	House Sparrow	19.97%
277.	American Pipit	10.04%
278.	Sprague's Pipit	0.3088%
279.	Evening Grosbeak	0.0000%
280.	House Finch	13.72%
281.	Purple Finch	3.38%
282.	Pine Siskin	2.43%
283.	Lesser Goldfinch	0.0000%
284.	American Goldfinch	26.95%
285.	Lapland Longspur	0.3470%
286.	Chestnut-collared Longspur	0.0104%
287.	Smith's Longspur	0.0382%
288.	Thick-billed Longspur	0.0035%
289.	Bachman's Sparrow	0.1214%
290.	Grasshopper Sparrow	0.1804%
291.	Chipping Sparrow	15.59%
292.	Clay-colored Sparrow	0.1041%
293.	Field Sparrow	2.91%
294.	Lark Sparrow	0.2429%
295.	Lark Bunting	0.0035%

296.	Fox Sparrow	1.83%
297.	Dark-eyed Junco	10.71%
298.	White-crowned Sparrow	5.00%
299.	Golden-crowned Sparrow	0.0000%
300.	Harris's Sparrow	0.2706%
301.	White-throated Sparrow	29.67%
302.	Vesper Sparrow	1.84%
303.	LeConte's Sparrow	1.57%
304.	Seaside Sparrow	0.9091%
305.	Nelson's Sparrow	0.6350%
306.	Savannah Sparrow	19.99%
307.	Henslow's Sparrow	0.3921%
308.	Song Sparrow	16.03%
309.	Lincoln's Sparrow	1.73%
310.	Swamp Sparrow	21.80%
311.	Green-tailed Towhee	0.0312%
312.	Spotted Towhee	0.0729%
313.	Eastern Towhee	7.63%
314.	Yellow-breasted Chat	0.0486%
315.	Yellow-headed Blackbird	0.1978%
316.	Bobolink	0.0035%
317.	Western Meadowlark	0.1839%
318.	Eastern Meadowlark	10.61%
319.	Orchard Oriole	0.0243%
320.	Bullock's Oriole	0.1110%

321.	Baltimore Oriole	0.3921%
322.	Scott's Oriole	0.0035%
323.	Red-winged Blackbird	33.39%
324.	Shiny Cowbird	0.0069%
325.	Bronzed Cowbird	0.2776%
326.	Brown-headed Cowbird	8.66%
327.	Rusty Blackbird	1.36%
328.	Brewer's Blackbird	1.35%
329.	Common Grackle	11.99%
330.	Boat-tailed Grackle	8.51%
331.	Great-tailed Grackle	2.25%
332.	Ovenbird	0.1492%
333.	Worm-eating Warbler	0.0035%
334.	Northern Waterthrush	0.1700%
335.	Black-and-white Warbler	0.7391%
336.	Tennessee Warbler	0.0451%
337.	Orange-crowned Warbler	30.84%
338.	Lucy's Warbler	0.0139%
339.	Nashville Warbler	0.0729%
340.	Virginia's Warbler	0.0035%
341.	MacGillivray's Warbler	0.0208%
342.	Common Yellowthroat	9.80%
343.	Hooded Warbler	0.0173%
344.	American Redstart	0.0972%
345.	Northern Parula	0.0798%

346.	Tropical Parula	0.0069%
347.	Magnolia Warbler	0.0139%
348.	Bay-breasted Warbler	0.0139%
349.	Blackburnian Warbler	0.0035%
350.	Yellow Warbler	0.0729%
351.	Chestnut-sided Warbler	0.0035%
352.	Blackpoll Warbler	0.0208%
353.	Black-throated Blue Warbler	0.0069%
354.	Palm Warbler	7.72%
355.	Pine Warbler	19.90%
356.	Yellow-rumped Warbler	54.44%
357.	Yellow-throated Warbler	0.7426%
358.	Prairie Warbler	0.4060%
359.	Black-throated Gray Warbler	0.1180%
360.	Townsend's Warbler	0.0069%
361.	Black-throated Green Warbler	0.1353%
362.	Wilson's Warbler	3.12%
363.	Painted Redstart	0.0000%
364.	Summer Tanager	0.4372%
365.	Scarlet Tanager	0.0104%
366.	Western Tanager	0.1180%
367.	Northern Cardinal	54.54%
368.	Pyrrhuloxia	0.0451%
369.	Rose-breasted Grosbeak	0.0937%
370.	Black-headed Grosbeak	0.1006%

371. Blue Bunting	0.0069%
372. Blue Grosbeak	0.0833%
373. Lazuli Bunting	0.0035%
374. Indigo Bunting	0.2915%
375. Painted Bunting	0.2880%
376. Dickcissel	0.1527%
EXOTIC: PROVISIONAL	
377. Trumpeter Swan	0.0069% frequency
378. Monk Parakeet	1.49%
EXOTIC: ESCAPEE	
Graylag Goose	0.4199% frequency
Swan Goose	0.4164%
Mute Swan	0.2498%
Black Swan	0.0347%
Egyptian Goose	0.0069%
Muscovy Duck	3.27%
Mandarin Duck	0.0000%
Ferruginous Duck	0.0035%
Helmeted Guineafowl	0.0000%
Golden Pheasant	0.0035%
Ring-necked Pheasant	0.0035%
Indian Peafowl	0.0243%
Red Junglefowl	0.0069%
African Collared-Dove	0.0035%
HYBRIDS	

Graylag x Swan Goose (hybrid)	0.0104% frequency
Snow x Greater White-fronted Goose (hybrid)	0.0069%
Swan Goose x Canada Goose (hybrid)	0.0208%
Graylag x Canada Goose (hybrid)	0.0035%
Muscovy Duck x Mallard (hybrid)	0.2082%
Mallard x Mottled Duck (hybrid)	0.0243%
Blue-winged x Green-winged Teal (hybrid)	0.0035%
Bufflehead x Hooded Merganser (hybrid)	0.0035%
Glossy x White-faced Ibis (hybrid)	0.0208%
Spotted x Eastern Towhee (hybrid)	0.0069%
Boat-tailed x Great-tailed Grackle (hybrid)	0.0035%
Northern x Tropical Parula (hybrid)	0.0035%