

Target Species

Based on 34,157 complete checklists

353 species observed in Louisiana, US (region/US-LA) in **Feb** that you need for your **World Life List**

1. Northern Cardinal	63.20% frequency
2. Blue Jay	51.00%
3. Yellow-rumped Warbler	49.67%
4. Northern Mockingbird	48.22%
5. Carolina Chickadee	44.60%
6. Mourning Dove	43.90%
7. Red-winged Blackbird	41.01%
8. Carolina Wren	40.86%
9. American Crow	40.32%
10. Red-bellied Woodpecker	36.91%
11. Great Egret	33.88%
12. American Robin	33.62%
13. American Goldfinch	31.59%
14. Ruby-crowned Kinglet	29.40%
15. Turkey Vulture	28.84%
16. Downy Woodpecker	28.50%
17. Tufted Titmouse	27.80%
18. Double-crested Cormorant	27.03%
19. White-throated Sparrow	26.52%
20. Eastern Phoebe	25.85%

21. European Starling	<u>24.85%</u>
22. House Sparrow	<u>24.24%</u>
23. Great Blue Heron	<u>24.12%</u>
24. Eastern Bluebird	<u>22.75%</u>
25. Killdeer	<u>21.99%</u>
26. Red-tailed Hawk	<u>21.42%</u>
27. Orange-crowned Warbler	<u>20.84%</u>
28. Pine Warbler	<u>18.97%</u>
29. Chipping Sparrow	<u>18.01%</u>
30. Common Grackle	<u>17.51%</u>
31. Ring-billed Gull	<u>17.11%</u>
32. House Finch	<u>16.18%</u>
33. Snowy Egret	<u>16.17%</u>
34. Savannah Sparrow	<u>15.48%</u>
35. Pied-billed Grebe	<u>14.85%</u>
36. Swamp Sparrow	<u>14.65%</u>
37. Brown-headed Cowbird	<u>14.48%</u>
38. Red-shouldered Hawk	<u>14.39%</u>
39. Belted Kingfisher	<u>14.25%</u>
40. Cedar Waxwing	<u>14.22%</u>
41. Fish Crow	<u>14.16%</u>
42. Brown Thrasher	<u>13.80%</u>
43. Northern Flicker	<u>13.48%</u>
44. Yellow-bellied Sapsucker	<u>13.38%</u>
45. American Coot	<u>13.36%</u>

46.	White Ibis	<u>13.35%</u>
47.	Black Vulture	<u>13.29%</u>
48.	American Kestrel	<u>13.02%</u>
49.	Laughing Gull	<u>12.41%</u>
50.	Song Sparrow	<u>12.31%</u>
51.	Wood Duck	<u>11.99%</u>
52.	Loggerhead Shrike	<u>11.95%</u>
53.	Dark-eyed Junco	<u>11.16%</u>
54.	Pileated Woodpecker	<u>11.08%</u>
55.	Mallard	<u>10.44%</u>
56.	Blue-gray Gnatcatcher	<u>10.36%</u>
57.	Brown Pelican	<u>10.18%</u>
58.	American White Pelican	<u>9.88%</u>
59.	Eastern Meadowlark	<u>9.80%</u>
60.	Northern Harrier	<u>9.73%</u>
61.	Anhinga	<u>9.57%</u>
62.	Eurasian Collared-Dove	<u>9.03%</u>
63.	Hermit Thrush	<u>8.54%</u>
64.	Boat-tailed Grackle	<u>8.39%</u>
65.	Eastern Towhee	<u>8.33%</u>
66.	Tree Swallow	<u>7.85%</u>
67.	Bald Eagle	<u>7.82%</u>
68.	House Wren	<u>7.72%</u>
69.	Lesser Scaup	<u>7.62%</u>
70.	Rock Pigeon	<u>7.55%</u>

71.	White-winged Dove	7.49%
72.	Northern Shoveler	7.23%
73.	Forster's Tern	7.15%
74.	Little Blue Heron	6.92%
75.	Canada Goose	6.76%
76.	Purple Martin	6.70%
77.	American Pipit	6.66%
78.	Common Yellowthroat	6.58%
79.	Gadwall	6.51%
80.	Gray Catbird	6.49%
81.	Osprey	6.27%
82.	Common Gallinule	6.26%
83.	Blue-headed Vireo	5.99%
84.	Purple Finch	5.59%
85.	Golden-crowned Kinglet	5.38%
86.	Cooper's Hawk	5.36%
87.	Ring-necked Duck	5.28%
88.	Tricolored Heron	5.20%
89.	Barred Owl	5.15%
90.	Pine Siskin	5.01%
91.	Herring Gull	4.90%
92.	Rufous Hummingbird	4.89%
93.	Blue-winged Teal	4.82%
94.	Wilson's Snipe	4.60%
95.	White-eyed Vireo	4.59%

96.	Brown-headed Nuthatch	4.46%
97.	Neotropic Cormorant	4.45%
98.	Western Cattle Egret	4.22%
99.	Greater Yellowlegs	4.20%
100.	Red-headed Woodpecker	4.07%
101.	Snow Goose	3.94%
102.	Palm Warbler	3.88%
103.	Green-winged Teal	3.71%
104.	Ruddy Duck	3.55%
105.	White-crowned Sparrow	3.55%
106.	Royal Tern	3.48%
107.	Inca Dove	3.35%
108.	Bufflehead	3.33%
109.	White-faced Ibis	3.31%
110.	Caspian Tern	3.15%
111.	Mottled Duck	3.12%
112.	Hairy Woodpecker	3.07%
113.	Roseate Spoonbill	3.02%
114.	Marsh Wren	2.86%
115.	Greater White-fronted Goose	2.82%
116.	Black-necked Stilt	2.79%
117.	Black-crowned Night Heron	2.69%
118.	Black-bellied Whistling-Duck	2.62%
119.	Ruby-throated Hummingbird	2.62%
120.	Common Loon	2.60%

121.	Northern Pintail	2.49%
122.	Field Sparrow	2.44%
123.	Winter Wren	2.42%
124.	Fox Sparrow	2.39%
125.	Sharp-shinned Hawk	2.38%
126.	Hooded Merganser	2.37%
127.	Great Horned Owl	2.20%
128.	Rusty Blackbird	2.18%
129.	Least Sandpiper	2.16%
130.	Great-tailed Grackle	2.13%
131.	Spotted Sandpiper	2.08%
132.	Brown Creeper	2.03%
133.	American Wigeon	1.89%
134.	White-breasted Nuthatch	1.82%
135.	Lesser Yellowlegs	1.80%
136.	Bonaparte's Gull	1.74%
137.	Sedge Wren	1.71%
138.	Black-chinned Hummingbird	1.68%
139.	Black-bellied Plover	1.68%
140.	Sanderling	1.62%
141.	Willet	1.61%
142.	Dunlin	1.60%
143.	Buff-bellied Hummingbird	1.58%
144.	Canvasback	1.46%
145.	Merlin	1.38%

146.	Vesper Sparrow	1.38%
147.	Red-breasted Nuthatch	1.38%
148.	Eastern Screech-Owl	1.37%
149.	Sora	1.35%
150.	Wilson's Warbler	1.31%
151.	Long-billed Dowitcher	1.31%
152.	Red-breasted Merganser	1.30%
153.	Brewer's Blackbird	1.29%
154.	Redhead	1.26%
155.	Ruddy Turnstone	1.15%
156.	Peregrine Falcon	1.12%
157.	Green Heron	1.05%
158.	Horned Grebe	1.03%
159.	Western Sandpiper	0.9837%
160.	Crested Caracara	0.9837%
161.	Clapper Rail	0.9398%
162.	Ross's Goose	0.9281%
163.	King Rail	0.8842%
164.	Sandhill Crane	0.8578%
165.	Black Skimmer	0.8490%
166.	American Avocet	0.8432%
167.	Calliope Hummingbird	0.8402%
168.	Vermilion Flycatcher	0.8373%
169.	Lincoln's Sparrow	0.8314%
170.	Semipalmated Plover	0.8256%

171.	Limpkin	0.7436%
172.	Red-cockaded Woodpecker	0.6734%
173.	Piping Plover	0.6148%
174.	Yellow-throated Warbler	0.6148%
175.	LeConte's Sparrow	0.6002%
176.	Glossy Ibis	0.5797%
177.	Virginia Rail	0.5416%
178.	American Woodcock	0.5358%
179.	Baltimore Oriole	0.5328%
180.	Seaside Sparrow	0.5182%
181.	Lesser Black-backed Gull	0.5036%
182.	Painted Bunting	0.4889%
183.	Horned Lark	0.4362%
184.	Fulvous Whistling-Duck	0.4245%
185.	Short-billed Dowitcher	0.4099%
186.	Henslow's Sparrow	0.4069%
187.	Western Kingbird	0.3952%
188.	Reddish Egret	0.3747%
189.	Scissor-tailed Flycatcher	0.3718%
190.	Snowy Plover	0.3601%
191.	Barn Owl	0.3513%
192.	Greater Scaup	0.3484%
193.	Common Goldeneye	0.3250%
194.	Broad-tailed Hummingbird	0.3191%
195.	Gull-billed Tern	0.3191%

196.	Wilson's Plover	0.3074%
197.	Harris's Sparrow	0.3074%
198.	Black-and-white Warbler	0.3045%
199.	Summer Tanager	0.3045%
200.	American Bittern	0.2898%
201.	Nelson's Sparrow	0.2869%
202.	Wild Turkey	0.2752%
203.	Ash-throated Flycatcher	0.2693%
204.	White-tailed Kite	0.2635%
205.	Western Meadowlark	0.2547%
206.	Allen's Hummingbird	0.2489%
207.	Barn Swallow	0.2313%
208.	Marbled Godwit	0.2254%
209.	Yellow-headed Blackbird	0.2254%
210.	Long-billed Curlew	0.2166%
211.	Bachman's Sparrow	0.2049%
212.	Cackling Goose	0.1903%
213.	Common Ground Dove	0.1844%
214.	Broad-winged Hawk	0.1844%
215.	Bronzed Cowbird	0.1844%
216.	Eared Grebe	0.1815%
217.	White-winged Scoter	0.1786%
218.	Northern Bobwhite	0.1786%
219.	Lark Sparrow	0.1786%
220.	Sprague's Pipit	0.1757%

221.	Lapland Longspur	0.1669%
222.	Cinnamon Teal	0.1639%
223.	Broad-billed Hummingbird	0.1610%
224.	American Oystercatcher	0.1581%
225.	Say's Phoebe	0.1581%
226.	Eastern Whip-poor-will	0.1552%
227.	Prairie Warbler	0.1552%
228.	Couch's Kingbird	0.1493%
229.	Northern Gannet	0.1435%
230.	Stilt Sandpiper	0.1405%
231.	Northern Rough-winged Swallow	0.1405%
232.	Yellow-crowned Night Heron	0.1376%
233.	Northern Parula	0.1376%
234.	Bewick's Wren	0.1347%
235.	Bullock's Oriole	0.1200%
236.	Great Kiskadee	0.1171%
237.	Northern Waterthrush	0.1171%
238.	Tropical Kingbird	0.1142%
239.	Greater Roadrunner	0.1112%
240.	Burrowing Owl	0.1112%
241.	Red Knot	0.1083%
242.	Spotted Towhee	0.1083%
243.	Indigo Bunting	0.1054%
244.	Scaly-breasted Munia	0.1025%
245.	Black-headed Grosbeak	0.1025%

246.	Surf Scoter	0.0937%
247.	Black Scoter	0.0937%
248.	Pectoral Sandpiper	0.0937%
249.	Dickcissel	0.0937%
250.	Gray Flycatcher	0.0908%
251.	Western Tanager	0.0878%
252.	Blue-throated Mountain-gem	0.0849%
253.	Short-eared Owl	0.0849%
254.	Rose-breasted Grosbeak	0.0849%
255.	MacGillivray's Warbler	0.0790%
256.	Black-throated Gray Warbler	0.0761%
257.	Pomarine Jaeger	0.0732%
258.	Grasshopper Sparrow	0.0703%
259.	American Redstart	0.0703%
260.	Golden-crowned Sparrow	0.0673%
261.	Whooping Crane	0.0644%
262.	Long-tailed Duck	0.0615%
263.	Whimbrel	0.0615%
264.	Green-tailed Towhee	0.0586%
265.	American Golden-Plover	0.0556%
266.	Ovenbird	0.0556%
267.	Black-throated Green Warbler	0.0556%
268.	Bell's Vireo	0.0498%
269.	Ringed Kingfisher	0.0468%
270.	Least Flycatcher	0.0468%

271.	Brown-crested Flycatcher	0.0468%
272.	Groove-billed Ani	0.0381%
273.	Swainson's Hawk	0.0381%
274.	Clay-colored Sparrow	0.0381%
275.	Franklin's Gull	0.0351%
276.	Sandwich Tern	0.0351%
277.	Brown Booby	0.0351%
278.	Chuck-will's-widow	0.0322%
279.	Solitary Sandpiper	0.0322%
280.	Least Bittern	0.0322%
281.	Ferruginous Hawk	0.0322%
282.	Vaux's Swift	0.0293%
283.	Great Black-backed Gull	0.0293%
284.	Common Tern	0.0293%
285.	Yellow Warbler	0.0293%
286.	Glaucous Gull	0.0264%
287.	Rough-legged Hawk	0.0264%
288.	Smith's Longspur	0.0264%
289.	Blue Grosbeak	0.0264%
290.	Fork-tailed Flycatcher	0.0234%
291.	Lark Bunting	0.0234%
292.	Anna's Hummingbird	0.0205%
293.	California Gull	0.0205%
294.	Swallow-tailed Kite	0.0205%
295.	Lesser Goldfinch	0.0205%

296.	Yellow-breasted Chat	0.0205%
297.	Western Grebe	0.0176%
298.	Yellow Rail	0.0176%
299.	White-tailed Hawk	0.0176%
300.	Parasitic Jaeger	0.0146%
301.	Red-throated Loon	0.0146%
302.	Wood Stork	0.0146%
303.	Golden Eagle	0.0146%
304.	Warbling Vireo	0.0146%
305.	Common Merganser	0.0117%
306.	Common Nighthawk	0.0117%
307.	Ruff	0.0117%
308.	Little Gull	0.0117%
309.	Cliff Swallow	0.0117%
310.	Evening Grosbeak	0.0117%
311.	Orchard Oriole	0.0117%
312.	Eurasian Wigeon	0.0088%
313.	Red-necked Grebe	0.0088%
314.	Black Rail	0.0088%
315.	Wilson's Phalarope	0.0088%
316.	Iceland Gull	0.0088%
317.	Black Tern	0.0088%
318.	Harris's Hawk	0.0088%
319.	Western Flycatcher	0.0088%
320.	Cave Swallow	0.0088%

321.	Mountain Bluebird	0.0088%
322.	Wood Thrush	0.0088%
323.	Chestnut-collared Longspur	0.0088%
324.	Tennessee Warbler	0.0088%
325.	Cape May Warbler	0.0088%
326.	Short-billed Gull	0.0059%
327.	Masked Booby	0.0059%
328.	Great Crested Flycatcher	0.0059%
329.	Scott's Oriole	0.0059%
330.	Shiny Cowbird	0.0059%
331.	Golden-winged Warbler	0.0059%
332.	Nashville Warbler	0.0059%
333.	Magnolia Warbler	0.0059%
334.	Lazuli Bunting	0.0059%
335.	Purple Gallinule	0.0029%
336.	Razorbill	0.0029%
337.	Rock Wren	0.0029%
338.	Sage Thrasher	0.0029%
339.	Thick-billed Longspur	0.0029%
340.	Worm-eating Warbler	0.0029%
341.	Prothonotary Warbler	0.0029%
342.	Tropical Parula	0.0029%
343.	Purple Sandpiper	0.0000%
344.	Snowy Owl	0.0000%
345.	Clark's Nutcracker	0.0000%

346.	Northern Wheatear	0.0000%
347.	Red Crossbill	0.0000%
348.	Hooded Oriole	0.0000%
349.	Bachman's Warbler	0.0000%
350.	Lucy's Warbler	0.0000%
351.	Kentucky Warbler	0.0000%

EXOTIC: PROVISIONAL

352.	Monk Parakeet	1.24% frequency
353.	Trumpeter Swan	0.0117%

EXOTIC: ESCAPEE

	Muscovy Duck	2.78% frequency
	Swan Goose	0.3162%
	Mute Swan	0.2049%
	Graylag Goose	0.2020%
	Black Swan	0.0351%
	Egyptian Goose	0.0059%
	Mandarin Duck	0.0059%
	Indian Peafowl	0.0059%
	White-faced Whistling-Duck	0.0029%
	Rosy-billed Pochard	0.0029%
	Red Junglefowl	0.0029%
	Budgerigar	0.0029%
	Ring-necked Pheasant	0.0000%

HYBRIDS

	Muscovy Duck x Mallard (hybrid)	0.0673% frequency
--	---------------------------------	--------------------------

Mallard x Mottled Duck (hybrid)	0.0088%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0088%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0059%
Blue-winged x Cinnamon Teal (hybrid)	0.0029%
Northern x Tropical Parula (hybrid)	0.0029%