

Target Species

Based on 16,697 complete checklists

270 species observed in Louisiana, US (region/US-LA) in **Jul** that you need for your **World Life List**

1. Northern Cardinal	64.96% frequency
2. Northern Mockingbird	53.57%
3. Blue Jay	53.51%
4. Mourning Dove	52.58%
5. Carolina Wren	47.70%
6. Carolina Chickadee	39.79%
7. American Crow	38.11%
8. Great Egret	37.99%
9. Red-bellied Woodpecker	36.73%
10. Red-winged Blackbird	34.25%
11. Mississippi Kite	32.06%
12. House Sparrow	31.03%
13. Downy Woodpecker	28.33%
14. Tufted Titmouse	27.47%
15. Western Cattle Egret	26.46%
16. Barn Swallow	25.57%
17. Little Blue Heron	24.87%
18. Eastern Kingbird	24.02%
19. European Starling	23.55%
20. Fish Crow	23.35%

21. Ruby-throated Hummingbird	<u>23.15%</u>
22. Purple Martin	<u>22.67%</u>
23. Snowy Egret	<u>22.47%</u>
24. Great Blue Heron	<u>22.09%</u>
25. Chimney Swift	<u>21.41%</u>
26. House Finch	<u>20.94%</u>
27. Green Heron	<u>20.75%</u>
28. White Ibis	<u>20.67%</u>
29. Common Grackle	<u>19.28%</u>
30. Brown Thrasher	<u>18.78%</u>
31. White-eyed Vireo	<u>18.39%</u>
32. Killdeer	<u>18.25%</u>
33. Eastern Bluebird	<u>18.23%</u>
34. Laughing Gull	<u>16.87%</u>
35. Brown-headed Cowbird	<u>15.43%</u>
36. Indigo Bunting	<u>15.27%</u>
37. Turkey Vulture	<u>15.12%</u>
38. Yellow-billed Cuckoo	<u>14.98%</u>
39. Great Crested Flycatcher	<u>14.66%</u>
40. Black-bellied Whistling-Duck	<u>14.42%</u>
41. Eurasian Collared-Dove	<u>13.10%</u>
42. Yellow-crowned Night Heron	<u>13.01%</u>
43. Common Yellowthroat	<u>12.52%</u>
44. Pileated Woodpecker	<u>12.25%</u>
45. Anhinga	<u>12.13%</u>

46. Loggerhead Shrike	<u>11.97%</u>
47. Tricolored Heron	<u>11.85%</u>
48. Painted Bunting	<u>11.83%</u>
49. Orchard Oriole	<u>11.73%</u>
50. Black Vulture	<u>11.52%</u>
51. Red-headed Woodpecker	<u>11.04%</u>
52. Eastern Towhee	<u>10.70%</u>
53. Summer Tanager	<u>10.04%</u>
54. Rock Pigeon	<u>9.88%</u>
55. Eastern Meadowlark	<u>9.64%</u>
56. Black-necked Stilt	<u>8.95%</u>
57. Red-shouldered Hawk	<u>8.92%</u>
58. Blue-gray Gnatcatcher	<u>8.50%</u>
59. Prothonotary Warbler	<u>8.49%</u>
60. Roseate Spoonbill	<u>8.26%</u>
61. Wood Duck	<u>8.09%</u>
62. Red-eyed Vireo	<u>7.64%</u>
63. Boat-tailed Grackle	<u>7.49%</u>
64. White-winged Dove	<u>7.47%</u>
65. Blue Grosbeak	<u>7.34%</u>
66. Northern Flicker	<u>7.21%</u>
67. Red-tailed Hawk	<u>7.17%</u>
68. American Robin	<u>6.86%</u>
69. Cliff Swallow	<u>6.58%</u>
70. White-faced Ibis	<u>6.45%</u>

71.	Hooded Warbler	6.28%
72.	Common Gallinule	5.96%
73.	Yellow-breasted Chat	5.89%
74.	Neotropic Cormorant	5.82%
75.	Acadian Flycatcher	5.74%
76.	Inca Dove	5.74%
77.	Northern Rough-winged Swallow	5.71%
78.	Black-crowned Night Heron	5.69%
79.	Least Tern	5.55%
80.	Pine Warbler	5.32%
81.	Eastern Wood-Pewee	5.12%
82.	Royal Tern	5.02%
83.	Wood Thrush	4.92%
84.	Northern Parula	4.82%
85.	Barred Owl	4.73%
86.	Belted Kingfisher	4.67%
87.	Brown Pelican	4.66%
88.	Forster's Tern	4.65%
89.	Gray Catbird	4.64%
90.	Brown-headed Nuthatch	4.62%
91.	Common Nighthawk	4.61%
92.	Willet	4.21%
93.	Osprey	4.02%
94.	Least Sandpiper	3.86%
95.	Yellow-throated Vireo	3.85%

96.	Mottled Duck	3.73%
97.	Dickcissel	3.71%
98.	Wood Stork	3.70%
99.	Canada Goose	3.65%
100.	Scissor-tailed Flycatcher	3.45%
101.	Spotted Sandpiper	3.40%
102.	Mallard	3.20%
103.	Cooper's Hawk	3.20%
104.	Lesser Yellowlegs	3.06%
105.	Sandwich Tern	3.04%
106.	Black Skimmer	2.95%
107.	Double-crested Cormorant	2.95%
108.	Northern Bobwhite	2.92%
109.	Greater Yellowlegs	2.92%
110.	Fulvous Whistling-Duck	2.73%
111.	Pied-billed Grebe	2.73%
112.	Great-tailed Grackle	2.62%
113.	Black Tern	2.61%
114.	Gull-billed Tern	2.59%
115.	Least Bittern	2.45%
116.	Clapper Rail	2.44%
117.	Caspian Tern	2.41%
118.	Magnificent Frigatebird	2.36%
119.	Purple Gallinule	2.34%
120.	Bronzed Cowbird	2.20%

121.	Wilson's Plover	2.03%
122.	Reddish Egret	1.98%
123.	Semipalmated Plover	1.91%
124.	Hairy Woodpecker	1.89%
125.	Kentucky Warbler	1.89%
126.	Chipping Sparrow	1.87%
127.	Broad-winged Hawk	1.86%
128.	Swallow-tailed Kite	1.81%
129.	Eastern Screech-Owl	1.74%
130.	Pectoral Sandpiper	1.65%
131.	Sanderling	1.64%
132.	Yellow-throated Warbler	1.64%
133.	Western Sandpiper	1.55%
134.	White-breasted Nuthatch	1.52%
135.	Semipalmated Sandpiper	1.47%
136.	Black-bellied Plover	1.47%
137.	Black-and-white Warbler	1.47%
138.	Solitary Sandpiper	1.45%
139.	Swainson's Warbler	1.42%
140.	American Coot	1.41%
141.	Great Horned Owl	1.37%
142.	Seaside Sparrow	1.34%
143.	Ruddy Turnstone	1.33%
144.	Baltimore Oriole	1.31%
145.	Louisiana Waterthrush	1.31%

146.	King Rail	1.28%
147.	Short-billed Dowitcher	1.24%
148.	American White Pelican	1.20%
149.	Glossy Ibis	1.17%
150.	Tree Swallow	1.12%
151.	Yellow Warbler	1.12%
152.	Stilt Sandpiper	1.04%
153.	Marsh Wren	0.9942%
154.	Prairie Warbler	0.9403%
155.	American Avocet	0.8984%
156.	Herring Gull	0.8445%
157.	Cave Swallow	0.8385%
158.	Ring-billed Gull	0.7965%
159.	Wild Turkey	0.7786%
160.	Limpkin	0.7786%
161.	Long-billed Dowitcher	0.7666%
162.	Red-cockaded Woodpecker	0.7127%
163.	Common Tern	0.7007%
164.	Blue-winged Teal	0.6947%
165.	Piping Plover	0.6947%
166.	Bald Eagle	0.6888%
167.	Lark Sparrow	0.6768%
168.	Eastern Phoebe	0.6708%
169.	Marbled Godwit	0.6648%
170.	American Oystercatcher	0.6408%

171.	Crested Caracara	0.5749%
172.	American Redstart	0.5450%
173.	Bank Swallow	0.5330%
174.	American Kestrel	0.5270%
175.	Bachman's Sparrow	0.5270%
176.	Brown Booby	0.4312%
177.	Swainson's Hawk	0.4073%
178.	Worm-eating Warbler	0.3953%
179.	Greater Roadrunner	0.3114%
180.	Horned Lark	0.3054%
181.	Whimbrel	0.2995%
182.	Chuck-will's-widow	0.2815%
183.	Long-billed Curlew	0.2815%
184.	Red Knot	0.2575%
185.	Lesser Scaup	0.2276%
186.	Snowy Plover	0.1976%
187.	Field Sparrow	0.1557%
188.	Ruddy Duck	0.1437%
189.	Wilson's Phalarope	0.1437%
190.	Ring-necked Duck	0.1377%
191.	Bell's Vireo	0.1318%
192.	Dunlin	0.1258%
193.	Barn Owl	0.1258%
194.	Northern Shoveler	0.1198%
195.	Common Ground Dove	0.1198%

196.	Black-whiskered Vireo	0.1198%
197.	Sooty Tern	0.1018%
198.	Western Kingbird	0.1018%
199.	Gadwall	0.0958%
200.	Hooded Merganser	0.0958%
201.	Upland Sandpiper	0.0898%
202.	Lesser Black-backed Gull	0.0898%
203.	Least Flycatcher	0.0838%
204.	Warbling Vireo	0.0719%
205.	Masked Duck	0.0599%
206.	Wilson's Storm-Petrel	0.0539%
207.	Common Loon	0.0479%
208.	Willow Flycatcher	0.0479%
209.	Great Kiskadee	0.0479%
210.	Green-winged Teal	0.0419%
211.	Canvasback	0.0419%
212.	Band-rumped Storm-Petrel	0.0419%
213.	Northern Gannet	0.0419%
214.	Bridled Tern	0.0359%
215.	Northern Pintail	0.0300%
216.	Redhead	0.0300%
217.	Whooping Crane	0.0300%
218.	Buff-breasted Sandpiper	0.0300%
219.	Masked Booby	0.0300%
220.	White-tailed Kite	0.0300%

221.	Ross's Goose	0.0240%
222.	Rufous Hummingbird	0.0240%
223.	Pomarine Jaeger	0.0240%
224.	Glaucous Gull	0.0240%
225.	Audubon's Shearwater	0.0240%
226.	Grasshopper Sparrow	0.0240%
227.	Yellow-headed Blackbird	0.0240%
228.	Snow Goose	0.0180%
229.	Greater White-fronted Goose	0.0180%
230.	Groove-billed Ani	0.0180%
231.	Mexican Violetear	0.0180%
232.	Ruff	0.0180%
233.	American Goldfinch	0.0180%
234.	Black Scoter	0.0120%
235.	Sandhill Crane	0.0120%
236.	Wilson's Snipe	0.0120%
237.	Baird's Sandpiper	0.0120%
238.	Franklin's Gull	0.0120%
239.	Kelp Gull	0.0120%
240.	Red-footed Booby	0.0120%
241.	Sharp-shinned Hawk	0.0120%
242.	Surf Scoter	0.0060%
243.	Green-breasted Mango	0.0060%
244.	Black Rail	0.0060%
245.	American Golden-Plover	0.0060%

246.	Hudsonian Godwit	0.0060%
247.	American Woodcock	0.0060%
248.	White-rumped Sandpiper	0.0060%
249.	Parasitic Jaeger	0.0060%
250.	Arctic Tern	0.0060%
251.	Red-billed Tropicbird	0.0060%
252.	Leach's Storm-Petrel	0.0060%
253.	Cory's Shearwater	0.0060%
254.	Great Shearwater	0.0060%
255.	American Bittern	0.0060%
256.	Olive-sided Flycatcher	0.0060%
257.	Tropical Kingbird	0.0060%
258.	Gray Kingbird	0.0060%
259.	Savannah Sparrow	0.0060%
260.	Blue-winged Warbler	0.0060%
261.	Black-throated Green Warbler	0.0060%
262.	American Wigeon	0.0000%
263.	Smooth-billed Ani	0.0000%
264.	Sora	0.0000%
265.	Jabiru	0.0000%
266.	Peregrine Falcon	0.0000%
267.	Yellow-green Vireo	0.0000%
268.	Dark-eyed Junco	0.0000%
269.	Golden-winged Warbler	0.0000%

EXOTIC: PROVISIONAL

270. **Monk Parakeet** **1.83%** frequency

EXOTIC: ESCAPEE

Muscovy Duck **2.06%** frequency

Swan Goose **0.1917%**

Graylag Goose **0.1857%**

Mute Swan **0.1318%**

Indian Peafowl **0.0479%**

Budgerigar **0.0419%**

Black Swan **0.0300%**

White-cheeked Pintail **0.0120%**

Red Junglefowl **0.0120%**

Barnacle Goose **0.0060%**

Ringed Teal **0.0060%**

Mandarin Duck **0.0060%**

Ferruginous Duck **0.0060%**

Ring-necked Pheasant **0.0060%**

Black Francolin **0.0000%**

HYBRIDS

Glossy x White-faced Ibis (hybrid) **0.0958%** frequency

Muscovy Duck x Mallard (hybrid) **0.0898%**

Kelp x Herring Gull (hybrid) **0.0180%**

Swan Goose x Canada Goose (hybrid) **0.0120%**

Graylag x Canada Goose (hybrid) **0.0060%**

Mallard x Mottled Duck (hybrid) **0.0060%**

Tricolored Heron x Snowy Egret (hybrid) **0.0060%**

Barnacle x Canada Goose (hybrid)

0.0000%