

Target Species

Based on 16,697 complete checklists

270 species observed in <u>Louisiana, US (region/US-LA)</u> in **Jul** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	14.42 % frequency
2. Fulvous Whistling-Duck	2.73%
3. Snow Goose	0.0180%
4. Ross's Goose	0.0240%
5. Greater White-fronted Goose	0.0180%
6. Canada Goose	3.65%
7. Wood Duck	8.09%
8. Blue-winged Teal	0.6947%
9. Northern Shoveler	0.1198%
10. Gadwall	0.0958%
11. American Wigeon	0.0000%
12. Mallard	3.20%
13. Mottled Duck	<u>3</u> .73%
14. Northern Pintail	0.0300%
15. Green-winged Teal	0.0419%
16. Canvasback	0.0419%
17. Redhead	0.0300%
18. Ring-necked Duck	0.1377%
19. Lesser Scaup	0.2276%
20. Surf Scoter	0.0060%

21. Black Scoter	0.0120%
22. Hooded Merganser	0.0958%
23. Masked Duck	0.0599%
24. Ruddy Duck	0.1437%
25. Northern Bobwhite	2.92%
26. Wild Turkey	0.7786%
27. Pied-billed Grebe	2.73%
28. Rock Pigeon	9.88%
29. Eurasian Collared-Dove	<u>13.10</u> %
30. Inca Dove	<u>5.</u> 74%
31. Common Ground Dove	0.1198%
32. White-winged Dove	<u>7.4</u> 7%
33. Mourning Dove	52.58%
34. Smooth-billed Ani	0.0000%
35. Groove-billed Ani	0.0180%
35. Groove-billed Ani	0.0180%
35. Groove-billed Ani 36. Greater Roadrunner	0.0180%
35. Groove-billed Ani36. Greater Roadrunner37. Yellow-billed Cuckoo	0.0180% 0.3114% 14.98%
 35. Groove-billed Ani 36. Greater Roadrunner 37. Yellow-billed Cuckoo 38. Common Nighthawk 	0.0180% 0.3114% 14.98% 4.61%
 35. Groove-billed Ani 36. Greater Roadrunner 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 	0.0180% 0.3114% 14.98% 4.61% 0.2815%
 35. Groove-billed Ani 36. Greater Roadrunner 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Chimney Swift 	0.0180% 0.3114% 14.98% 4.61% 0.2815%
 35. Groove-billed Ani 36. Greater Roadrunner 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Chimney Swift 41. Mexican Violetear 	0.0180% 0.3114% 14.98% 4.61% 0.2815% 21.41% 0.0180%
 35. Groove-billed Ani 36. Greater Roadrunner 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Chimney Swift 41. Mexican Violetear 42. Green-breasted Mango 	0.0180% 0.3114% 14.98% 4.61% 0.2815% 21.41% 0.0180% 0.0060%
 35. Groove-billed Ani 36. Greater Roadrunner 37. Yellow-billed Cuckoo 38. Common Nighthawk 39. Chuck-will's-widow 40. Chimney Swift 41. Mexican Violetear 42. Green-breasted Mango 43. Ruby-throated Hummingbird 	0.0180% 0.3114% 14.98% 4.61% 0.2815% 21.41% 0.0180% 0.0060% 23.15%

46. Clapper Rail 2.44% 47. Sora 0.0000% 48. Common Gallinule 5.96% 49. American Coot 1.41% 50. Purple Gallinule 2.34% 51. Black Rail 0.0060% 52. Limpkin 0.7786% 53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0660% 69. Marbled Godwit 0.6648% 70. Short-billed Dowitcher 1.24%		
48. Common Gallinule 5.96% 49. American Coot 1.41% 50. Purple Gallinule 2.34% 51. Black Rail 0.0060% 52. Limpkin 0.7786% 53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 0.1976% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	46. Clapper Rail	2.44%
49. American Coot 1.41% 50. Purple Gallinule 2.34% 51. Black Rail 0.0060% 52. Limpkin 0.7786% 53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	47. Sora	0.0000%
50. Purple Gallinule 2.34% 51. Black Rail 0.0060% 52. Limpkin 0.7786% 53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 0.1976% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.06648%	48. Common Gallinule	5.96%
51. Black Rail 0.0060% 52. Limpkin 0.7786% 53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	49. American Coot	1.41%
52. Limpkin 0.7786% 53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	50. Purple Gallinule	2.34%
53. Sandhill Crane 0.0120% 54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	51. Black Rail	0.0060%
54. Whooping Crane 0.0300% 55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0660% 69. Marbled Godwit 0.6648%	52. Limpkin	0.7786%
55. Black-necked Stilt 8.95% 56. American Avocet 0.8984% 57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	53. Sandhill Crane	0.0120%
56. American Avocet 57. American Oystercatcher 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.06648%	54. Whooping Crane	0.0300%
57. American Oystercatcher 0.6408% 58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	55. Black-necked Stilt	8.95%
58. Black-bellied Plover 1.47% 59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	56. American Avocet	0.8984%
59. American Golden-Plover 0.0060% 60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.06648%	57. American Oystercatcher	0.6408%
60. Killdeer 18.25% 61. Semipalmated Plover 1.91% 62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	58. Black-bellied Plover	1.47%
61. Semipalmated Plover 62. Piping Plover 63. Wilson's Plover 64. Snowy Plover 65. Upland Sandpiper 66. Whimbrel 67. Long-billed Curlew 68. Hudsonian Godwit 69. Marbled Godwit 1.91% 6.1.91% 6.0.6648%	59. American Golden-Plover	0.0060%
62. Piping Plover 0.6947% 63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	60. Killdeer	18.25%
63. Wilson's Plover 2.03% 64. Snowy Plover 0.1976% 65. Upland Sandpiper 0.0898% 66. Whimbrel 0.2995% 67. Long-billed Curlew 0.2815% 68. Hudsonian Godwit 0.0060% 69. Marbled Godwit 0.6648%	61. Semipalmated Plover	1.91%
64. Snowy Plover 65. Upland Sandpiper 66. Whimbrel 67. Long-billed Curlew 68. Hudsonian Godwit 69. Marbled Godwit 0.1976% 0.0898% 0.2995% 0.2815% 0.0060%	62. Piping Plover	0.6947%
65. Upland Sandpiper 66. Whimbrel 67. Long-billed Curlew 68. Hudsonian Godwit 69. Marbled Godwit 0.0898% 0.2995% 0.2815% 0.0060% 0.06648%	63. Wilson's Plover	2.03%
66. Whimbrel 67. Long-billed Curlew 68. Hudsonian Godwit 69. Marbled Godwit 0.2995% 0.2815% 0.0060% 0.6648%	64. Snowy Plover	0.1976%
67. Long-billed Curlew 68. Hudsonian Godwit 69. Marbled Godwit 0.2815% 0.0060% 0.6648%	65. Upland Sandpiper	0.0898%
68. Hudsonian Godwit 69. Marbled Godwit 0.0060% 0.6648%	66. Whimbrel	0.2995%
69. Marbled Godwit 0.6648%	67. Long-billed Curlew	0.2815%
	68. Hudsonian Godwit	0.0060%
70. Short-billed Dowitcher 1.24%	69. Marbled Godwit	0.6648%
	70. Short-billed Dowitcher	1.24%

71. Long-billed Dowitcher	0.7666%
72. American Woodcock	0.0060%
73. Wilson's Snipe	0.0120%
74. Wilson's Phalarope	0.1437%
75. Spotted Sandpiper	<u>3</u> .40%
76. Solitary Sandpiper	1.45%
77. Lesser Yellowlegs	3.06%
78. Willet	<u>4</u> .21%
79. Greater Yellowlegs	2.92%
80. Ruddy Turnstone	1.33%
81. Red Knot	0.2575%
82. Ruff	0.0180%
83. Stilt Sandpiper	1.04%
84. Buff-breasted Sandpiper	0.0300%
85. Sanderling	1.64%
86. Dunlin	0.1258%
87. Baird's Sandpiper	0.0120%
88. White-rumped Sandpiper	0.0060%
89. Least Sandpiper	3.86%
90. Pectoral Sandpiper	1.65%
91. Western Sandpiper	1.55%
92. Semipalmated Sandpiper	1.47%
93. Parasitic Jaeger	0.0060%
94. Pomarine Jaeger	0.0240%
95. Laughing Gull	16.87%

96. Franklin's Gull	0.0120%
97. Ring-billed Gull	0.7965%
98. Kelp Gull	0.0120%
99. Herring Gull	0.8445%
100. Glaucous Gull	0.0240%
101. Lesser Black-backed Gull	0.0898%
102. Black Skimmer	2.95%
103. Sooty Tern	0.1018%
104. Bridled Tern	0.0359%
105. Least Tern	5.55%
106. Gull-billed Tern	2.59%
107. Caspian Tern	2.41%
108. Black Tern	2.61%
109. Forster's Tern	<u>4.</u> 65%
110. Arctic Tern	0.0060%
111. Common Tern	0.7007%
112. Sandwich Tern	3.04%
113. Royal Tern	<u>5.</u> 02%
114. Red-billed Tropicbird	0.0060%
115. Common Loon	0.0479%
116. Wilson's Storm-Petrel	0.0539%
117. Leach's Storm-Petrel	0.0060%
118. Band-rumped Storm-Petrel	0.0419%
119. Cory's Shearwater	0.0060%
120. Great Shearwater	0.0060%

121. Audubon's Shearwater	0.0240%
122. Jabiru	0.0000%
123. Wood Stork	3.70%
124. Magnificent Frigatebird	2.36%
125. Northern Gannet	0.0419%
126. Red-footed Booby	0.0120%
127. Brown Booby	0.4312%
128. Masked Booby	0.0300%
129. Anhinga	12.13%
130. Double-crested Cormorant	2 .95%
131. Neotropic Cormorant	5.82%
132. American White Pelican	1.20%
133. Brown Pelican	4.66%
134. American Bittern	0.0060%
135. Least Bittern	2.45%
136. Yellow-crowned Night Heron	<u>13.01</u> %
137. Black-crowned Night Heron	5.69%
138. Little Blue Heron	24.87%
139. Tricolored Heron	11.85%
140. Reddish Egret	1.98 %
141. Snowy Egret	22.47%
142. Green Heron	20.75%
143. Western Cattle Egret	26.46%
144. Great Egret	37.99%
145. Great Blue Heron	22.09%

146. White Ibis	20.67%
147. Glossy Ibis	1.17%
148. White-faced Ibis	6.45%
149. Roseate Spoonbill	8.26%
150. Black Vulture	11.52%
151. Turkey Vulture	<u>15.12</u> %
152. Osprey	<u>4</u> .02%
153. White-tailed Kite	0.0300%
154. Swallow-tailed Kite	1.81%
155. Mississippi Kite	32.06%
156. Sharp-shinned Hawk	0.0120%
157. Cooper's Hawk	<u>3</u> .20%
158. Bald Eagle	0.6888%
159. Red-shouldered Hawk	8.92%
160. Broad-winged Hawk	1.86%
161. Swainson's Hawk	0.4073%
162. Red-tailed Hawk	<u>7.1</u> 7%
163. Barn Owl	0.1258%
164. Eastern Screech-Owl	1.74%
165. Great Horned Owl	1.37%
166. Barred Owl	<u>4.</u> 73%
167. Belted Kingfisher	<u>4.</u> 67%
168. Red-headed Woodpecker	<u>11.0</u> 4%
169. Red-bellied Woodpecker	36.73%
170. Downy Woodpecker	28.33%

171. Red-cockaded Woodpecker	0.7127%
172. Hairy Woodpecker	1.89%
173. Pileated Woodpecker	12.25%
174. Northern Flicker	7.2 1%
175. Crested Caracara	0.5749%
176. American Kestrel	0.5270%
177. Peregrine Falcon	0.0000%
178. Olive-sided Flycatcher	0.0060%
179. Eastern Wood-Pewee	<u>5.</u> 12%
180. Acadian Flycatcher	5.74 %
181. Willow Flycatcher	0.0479%
182. Least Flycatcher	0.0838%
183. Eastern Phoebe	0.6708%
184. Great Crested Flycatcher	<u>14.66</u> %
185. Great Kiskadee	0.0479%
186. Tropical Kingbird	0.0060%
187. Western Kingbird	0.1018%
188. Eastern Kingbird	24.02%
189. Gray Kingbird	0.0060%
190. Scissor-tailed Flycatcher	<u>3</u> .45%
191. White-eyed Vireo	18.39%
192. Bell's Vireo	0.1318%
193. Yellow-throated Vireo	<u>3</u> .85%
194. Warbling Vireo	0.0719%
195. Red-eyed Vireo	7.64%

196. Yellow-green Vireo 197. Black-whiskered Vireo 198. Loggerhead Shrike 11.97%	
<u> </u>	
198. Loggerhead Shrike 11.97%	
199. Blue Jay 53.51%	
200. American Crow 38.11%	
201. Fish Crow 23.35%	
202. Carolina Chickadee 39.79%	
203. Tufted Titmouse 27.47%	
204. Horned Lark 0.3054%	
205. Bank Swallow 0.5330%	
206. Tree Swallow 1.12%	
207. Purple Martin 22.67%	
208. Northern Rough-winged Swallow 5.71%	
209. Barn Swallow 25.57%	
210. Cliff Swallow 6.58%	
211. Cave Swallow 0.8385%	
211. Cave Swallow 0.8385%	
211. Cave Swallow 0.8385% 212. White-breasted Nuthatch 1.52%	
212. White-breasted Nuthatch 1.52%	
212. White-breasted Nuthatch 213. Brown-headed Nuthatch 4.62%	
212. White-breasted Nuthatch 213. Brown-headed Nuthatch 214. Blue-gray Gnatcatcher 216. Blue-gray Gnatcatcher	
212. White-breasted Nuthatch1.52%213. Brown-headed Nuthatch4.62%214. Blue-gray Gnatcatcher8.50%215. Marsh Wren0.9942%	
212. White-breasted Nuthatch 213. Brown-headed Nuthatch 214. Blue-gray Gnatcatcher 215. Marsh Wren 216. Carolina Wren 1.52% 1.62% 2.6. Carolina Wren 1.52% 4.62% 4.62% 4.62% 4.70%	
212. White-breasted Nuthatch 213. Brown-headed Nuthatch 214. Blue-gray Gnatcatcher 215. Marsh Wren 216. Carolina Wren 217. European Starling 218. University of the start of t	

221. Eastern Bluebird	18.23%
222. Wood Thrush	<u>4.</u> 92%
223. American Robin	6.86%
224. House Sparrow	31.03%
225. House Finch	20.94%
226. American Goldfinch	0.0180%
227. Bachman's Sparrow	0.5270%
228. Grasshopper Sparrow	0.0240%
229. Chipping Sparrow	1.87%
230. Field Sparrow	0.1557%
231. Lark Sparrow	0.6768%
232. Dark-eyed Junco	0.0000%
233. Seaside Sparrow	1.34%
234. Savannah Sparrow	0.0060%
235. Eastern Towhee	10.70%
236. Yellow-breasted Chat	5.89%
237. Yellow-headed Blackbird	0.0240%
238. Eastern Meadowlark	9.64%
239. Orchard Oriole	<u>11.73</u> %
240. Baltimore Oriole	1.31%
241. Red-winged Blackbird	34.25%
242. Bronzed Cowbird	2.20%
243. Brown-headed Cowbird	<u>15.43</u> %
244. Common Grackle	19.28%
245. Boat-tailed Grackle	7.4 9%

246. Great-tailed Grackle	2.62%
247. Worm-eating Warbler	0.3953%
248. Louisiana Waterthrush	1.31%
249. Golden-winged Warbler	0.0000%
250. Blue-winged Warbler	0.0060%
251. Black-and-white Warbler	1.47%
252. Prothonotary Warbler	8.49%
253. Swainson's Warbler	1.42%
254. Kentucky Warbler	1.89%
255. Common Yellowthroat	12.52%
256. Hooded Warbler	6.28%
257. American Redstart	0.5450%
258. Northern Parula	<u>4.</u> 82%
259. Yellow Warbler	1.12%
260. Pine Warbler	5. 32%
261. Yellow-throated Warbler	1.64%
262. Prairie Warbler	0.9403%
263. Black-throated Green Warbler	0.0060%
264. Summer Tanager	10.04%
265. Northern Cardinal	64.96%
266. Blue Grosbeak	<u>7.3</u> 4%
267. Indigo Bunting	<u>15.27</u> %
268. Painted Bunting	11.83%
269. Dickcissel	<u>3</u> .71%
EVOTIO, PROVICIONAL	

EXOTIC: PROVISIONAL

270. Monk Parakeet	1.83% frequency
EXOTIC: ESCAPEE	
Graylag Goose	0.1857% frequency
Swan Goose	0.1917%
Barnacle Goose	0.0060%
Mute Swan	0.1318%
Black Swan	0.0300%
Muscovy Duck	2.06%
Ringed Teal	0.0060%
Mandarin Duck	0.0060%
White-cheeked Pintail	0.0120%
Ferruginous Duck	0.0060%
Ring-necked Pheasant	0.0060%
Indian Peafowl	0.0479%
Red Junglefowl	0.0120%
Budgerigar	0.0419%
Black Francolin	0.0000%
HYBRIDS	
Swan Goose x Canada Goose (hybrid)	0.0120% frequency
Graylag x Canada Goose (hybrid)	0.0060%
Muscovy Duck x Mallard (hybrid)	0.0898%
Mallard x Mottled Duck (hybrid)	0.0060%
Kelp x Herring Gull (hybrid)	0.0180%
Tricolored Heron x Snowy Egret (hybrid)	0.0060%
Glossy x White-faced Ibis (hybrid)	0.0958%

Barnacle x Canada Goose (hybrid)

0.0000%