

Target Species

Based on 18,239 complete checklists

291 species observed in Louisiana, US (region/US-LA) in **Jun** that you need for your **World Life List**

1. Northern Cardinal	68.32% frequency
2. Northern Mockingbird	58.10%
3. Blue Jay	56.61%
4. Mourning Dove	53.76%
5. Carolina Wren	49.79%
6. Carolina Chickadee	43.36%
7. American Crow	42.01%
8. Red-bellied Woodpecker	40.97%
9. Red-winged Blackbird	39.88%
10. Great Egret	38.99%
11. Tufted Titmouse	32.92%
12. Purple Martin	31.79%
13. House Sparrow	31.65%
14. European Starling	30.61%
15. Downy Woodpecker	29.80%
16. Common Grackle	29.14%
17. Barn Swallow	29.09%
18. Brown-headed Cowbird	28.04%
19. Western Cattle Egret	26.99%
20. Mississippi Kite	26.79%

21. Chimney Swift	<u>26.73%</u>
22. Eastern Kingbird	<u>25.67%</u>
23. Great Crested Flycatcher	<u>25.16%</u>
24. White-eyed Vireo	<u>24.79%</u>
25. Little Blue Heron	<u>24.23%</u>
26. Fish Crow	<u>23.97%</u>
27. Yellow-billed Cuckoo	<u>23.92%</u>
28. Snowy Egret	<u>23.16%</u>
29. Great Blue Heron	<u>23.08%</u>
30. Brown Thrasher	<u>23.05%</u>
31. Eastern Bluebird	<u>22.57%</u>
32. Green Heron	<u>21.06%</u>
33. Killdeer	<u>20.26%</u>
34. Indigo Bunting	<u>19.84%</u>
35. Turkey Vulture	<u>19.63%</u>
36. House Finch	<u>18.55%</u>
37. Orchard Oriole	<u>18.38%</u>
38. White Ibis	<u>16.80%</u>
39. Ruby-throated Hummingbird	<u>16.26%</u>
40. Prothonotary Warbler	<u>15.59%</u>
41. Summer Tanager	<u>15.38%</u>
42. Painted Bunting	<u>15.18%</u>
43. Common Yellowthroat	<u>15.14%</u>
44. Yellow-breasted Chat	<u>14.76%</u>
45. Black-bellied Whistling-Duck	<u>14.61%</u>

46.	Black Vulture	<u>14.55%</u>
47.	Red-eyed Vireo	<u>14.19%</u>
48.	Laughing Gull	<u>14.02%</u>
49.	Pileated Woodpecker	<u>13.98%</u>
50.	Eurasian Collared-Dove	<u>13.76%</u>
51.	Eastern Towhee	<u>13.42%</u>
52.	Pine Warbler	<u>13.25%</u>
53.	Yellow-crowned Night Heron	<u>13.14%</u>
54.	Red-shouldered Hawk	<u>12.97%</u>
55.	Eastern Meadowlark	<u>12.67%</u>
56.	Loggerhead Shrike	<u>12.56%</u>
57.	Anhinga	<u>12.18%</u>
58.	Hooded Warbler	<u>11.64%</u>
59.	Blue-gray Gnatcatcher	<u>11.55%</u>
60.	Red-headed Woodpecker	<u>11.50%</u>
61.	Northern Parula	<u>11.49%</u>
62.	Tricolored Heron	<u>10.50%</u>
63.	Wood Duck	<u>10.30%</u>
64.	Cliff Swallow	<u>10.18%</u>
65.	Rock Pigeon	<u>10.00%</u>
66.	Boat-tailed Grackle	<u>9.40%</u>
67.	Acadian Flycatcher	<u>8.90%</u>
68.	Blue Grosbeak	<u>8.90%</u>
69.	Wood Thrush	<u>8.72%</u>
70.	American Robin	<u>8.15%</u>

71.	Red-tailed Hawk	7.73%
72.	Yellow-throated Vireo	7.54%
73.	Black-necked Stilt	7.46%
74.	Eastern Wood-Pewee	7.43%
75.	Roseate Spoonbill	7.07%
76.	White-winged Dove	6.95%
77.	Northern Flicker	6.78%
78.	Least Tern	6.47%
79.	Kentucky Warbler	6.03%
80.	Common Gallinule	5.55%
81.	Common Nighthawk	5.53%
82.	Barred Owl	5.49%
83.	Inca Dove	5.48%
84.	Brown-headed Nuthatch	5.48%
85.	Black-crowned Night Heron	5.44%
86.	Neotropic Cormorant	5.25%
87.	White-faced Ibis	5.22%
88.	Northern Rough-winged Swallow	5.16%
89.	Royal Tern	5.08%
90.	Brown Pelican	4.91%
91.	Dickcissel	4.89%
92.	Gray Catbird	4.69%
93.	Northern Bobwhite	4.51%
94.	Willet	4.51%
95.	Mottled Duck	4.48%

96.	Forster's Tern	4.12%
97.	Scissor-tailed Flycatcher	4.04%
98.	Mallard	3.82%
99.	Osprey	3.41%
100.	Great-tailed Grackle	3.30%
101.	Swainson's Warbler	3.27%
102.	Prairie Warbler	3.25%
103.	Cooper's Hawk	3.16%
104.	Clapper Rail	3.10%
105.	Yellow-throated Warbler	3.05%
106.	Sandwich Tern	3.03%
107.	Chipping Sparrow	2.96%
108.	Baltimore Oriole	2.91%
109.	Bronzed Cowbird	2.90%
110.	Broad-winged Hawk	2.88%
111.	Canada Goose	2.87%
112.	Gull-billed Tern	2.86%
113.	Least Bittern	2.85%
114.	Double-crested Cormorant	2.75%
115.	Magnificent Frigatebird	2.59%
116.	Caspian Tern	2.55%
117.	Black Skimmer	2.43%
118.	Hairy Woodpecker	2.40%
119.	Wilson's Plover	2.36%
120.	Belted Kingfisher	2.33%

121.	Fulvous Whistling-Duck	2.31%
122.	Pied-billed Grebe	2.28%
123.	Purple Gallinule	2.07%
124.	Reddish Egret	2.05%
125.	Black Tern	2.03%
126.	Swallow-tailed Kite	1.88%
127.	Black-bellied Plover	1.84%
128.	Ruddy Turnstone	1.84%
129.	Sanderling	1.81%
130.	Seaside Sparrow	1.64%
131.	American Coot	1.56%
132.	Semipalmated Plover	1.42%
133.	American White Pelican	1.41%
134.	Wood Stork	1.40%
135.	White-breasted Nuthatch	1.39%
136.	Common Tern	1.35%
137.	Semipalmated Sandpiper	1.34%
138.	Eastern Screech-Owl	1.33%
139.	Eastern Phoebe	1.29%
140.	American Redstart	1.24%
141.	Black-and-white Warbler	1.22%
142.	Great Horned Owl	1.20%
143.	Herring Gull	1.19%
144.	King Rail	1.18%
145.	Wild Turkey	1.15%

146.	Louisiana Waterthrush	1.12%
147.	Worm-eating Warbler	1.12%
148.	Bald Eagle	1.06%
149.	Red-cockaded Woodpecker	0.9924%
150.	Marsh Wren	0.9869%
151.	Tree Swallow	0.9485%
152.	Blue-winged Teal	0.9211%
153.	Ring-billed Gull	0.9101%
154.	Bachman's Sparrow	0.8937%
155.	Short-billed Dowitcher	0.8224%
156.	Lark Sparrow	0.7676%
157.	American Oystercatcher	0.7292%
158.	White-rumped Sandpiper	0.7292%
159.	Greater Yellowlegs	0.7128%
160.	Chuck-will's-widow	0.7073%
161.	American Avocet	0.6853%
162.	Glossy Ibis	0.6360%
163.	Cave Swallow	0.6305%
164.	American Kestrel	0.6141%
165.	Limpkin	0.5976%
166.	Crested Caracara	0.5154%
167.	Horned Lark	0.5154%
168.	Whimbrel	0.4989%
169.	Dunlin	0.4496%
170.	Lesser Yellowlegs	0.4057%

171.	Marbled Godwit	0.4002%
172.	Greater Roadrunner	0.3783%
173.	Red Knot	0.3125%
174.	Swainson's Hawk	0.3070%
175.	Western Kingbird	0.3070%
176.	Lesser Scaup	0.2961%
177.	Field Sparrow	0.2632%
178.	Least Sandpiper	0.2303%
179.	Western Sandpiper	0.2303%
180.	Common Ground Dove	0.2248%
181.	Warbling Vireo	0.2248%
182.	Spotted Sandpiper	0.2193%
183.	Bell's Vireo	0.2029%
184.	Yellow-green Vireo	0.1919%
185.	Lesser Black-backed Gull	0.1809%
186.	Common Loon	0.1809%
187.	Barn Owl	0.1754%
188.	Black-whiskered Vireo	0.1754%
189.	Northern Shoveler	0.1535%
190.	Ruddy Duck	0.1535%
191.	Sooty Tern	0.1535%
192.	Long-billed Curlew	0.1371%
193.	Ring-necked Duck	0.1316%
194.	Hooded Merganser	0.1261%
195.	Snowy Plover	0.1261%

196.	Brown Booby	0.1261%
197.	Franklin's Gull	0.1042%
198.	Surf Scoter	0.0987%
199.	Willow Flycatcher	0.0987%
200.	Stilt Sandpiper	0.0822%
201.	Gadwall	0.0603%
202.	Red-breasted Merganser	0.0548%
203.	Pectoral Sandpiper	0.0548%
204.	Grasshopper Sparrow	0.0548%
205.	Masked Duck	0.0493%
206.	Glaucous Gull	0.0493%
207.	Great Kiskadee	0.0493%
208.	Piping Plover	0.0439%
209.	Pomarine Jaeger	0.0439%
210.	Gray Kingbird	0.0439%
211.	American Goldfinch	0.0439%
212.	American Wigeon	0.0384%
213.	Wilson's Phalarope	0.0384%
214.	White-tailed Kite	0.0384%
215.	Yellow Warbler	0.0384%
216.	Long-billed Dowitcher	0.0329%
217.	Masked Booby	0.0329%
218.	Rose-breasted Grosbeak	0.0329%
219.	Black-billed Cuckoo	0.0274%
220.	Northern Gannet	0.0274%

221.	Shiny Cowbird	0.0274%
222.	Magnolia Warbler	0.0274%
223.	Ross's Goose	0.0219%
224.	Black Scoter	0.0219%
225.	Common Goldeneye	0.0219%
226.	Arctic Tern	0.0219%
227.	Sharp-shinned Hawk	0.0219%
228.	Bank Swallow	0.0219%
229.	Cedar Waxwing	0.0219%
230.	Yellow-headed Blackbird	0.0219%
231.	Greater White-fronted Goose	0.0165%
232.	Green-winged Teal	0.0165%
233.	Redhead	0.0165%
234.	American Golden-Plover	0.0165%
235.	Great Black-backed Gull	0.0165%
236.	Swainson's Thrush	0.0165%
237.	Ovenbird	0.0165%
238.	Snow Goose	0.0110%
239.	Northern Pintail	0.0110%
240.	Horned Grebe	0.0110%
241.	Buff-bellied Hummingbird	0.0110%
242.	Sora	0.0110%
243.	Wilson's Snipe	0.0110%
244.	Veery	0.0110%
245.	Scaly-breasted Munia	0.0110%

246.	White-throated Sparrow	0.0110%
247.	Bobolink	0.0110%
248.	Northern Waterthrush	0.0110%
249.	Cape May Warbler	0.0110%
250.	Canvasback	0.0055%
251.	Greater Scaup	0.0055%
252.	Black Rail	0.0055%
253.	Upland Sandpiper	0.0055%
254.	American Woodcock	0.0055%
255.	Solitary Sandpiper	0.0055%
256.	Baird's Sandpiper	0.0055%
257.	Little Gull	0.0055%
258.	Black-legged Kittiwake	0.0055%
259.	Kelp Gull	0.0055%
260.	California Gull	0.0055%
261.	Bridled Tern	0.0055%
262.	Sooty Shearwater	0.0055%
263.	American Bittern	0.0055%
264.	Alder Flycatcher	0.0055%
265.	Crowned Slaty Flycatcher	0.0055%
266.	Tropical Kingbird	0.0055%
267.	Gray-cheeked Thrush	0.0055%
268.	Lapland Longspur	0.0055%
269.	Cassin's Sparrow	0.0055%
270.	Western Meadowlark	0.0055%

271.	Tennessee Warbler	0.0055%
272.	Nashville Warbler	0.0055%
273.	Bay-breasted Warbler	0.0055%
274.	Blackpoll Warbler	0.0055%
275.	Yellow-rumped Warbler	0.0055%
276.	Black-throated Green Warbler	0.0055%
277.	Scarlet Tanager	0.0055%
278.	Long-tailed Duck	0.0000%
279.	Antillean Nighthawk	0.0000%
280.	Sandhill Crane	0.0000%
281.	Parasitic Jaeger	0.0000%
282.	Wilson's Storm-Petrel	0.0000%
283.	Band-rumped Storm-Petrel	0.0000%
284.	Cory's Shearwater	0.0000%
285.	Audubon's Shearwater	0.0000%
286.	Least Flycatcher	0.0000%
287.	Couch's Kingbird	0.0000%
288.	Pine Siskin	0.0000%
289.	Blackburnian Warbler	0.0000%
EXOTIC: PROVISIONAL		
290.	Monk Parakeet	1.75% frequency
291.	Whooping Crane	0.0165%
EXOTIC: ESCAPEE		
	Muscovy Duck	2.01% frequency
	Swan Goose	0.2303%

Graylag Goose	0.1700%
Mute Swan	0.0987%
Indian Peafowl	0.0548%
Helmeted Guineafowl	0.0165%
Red Junglefowl	0.0165%
Black Swan	0.0055%
Budgerigar	0.0055%
Rosy-faced Lovebird	0.0000%

HYBRIDS

Glossy x White-faced Ibis (hybrid)	0.0658% frequency
Muscovy Duck x Mallard (hybrid)	0.0384%
Graylag x Swan Goose (hybrid)	0.0055%
Kelp x Herring Gull (hybrid)	0.0055%