

Target Species

Based on 342,539 complete checklists

480 species observed in Louisiana, US (region/US-LA) that you need for your **World Life List**

1. Black-bellied Whistling-Duck	7.89% frequency
2. Fulvous Whistling-Duck	1.04%
3. Snow Goose	2.55%
4. Ross's Goose	0.6986%
5. Greater White-fronted Goose	2.07%
6. Brant	0.0003%
7. Cackling Goose	0.0750%
8. Canada Goose	5.44%
9. Tundra Swan	0.0070%
10. Wood Duck	10.35%
11. Blue-winged Teal	6.25%
12. Cinnamon Teal	0.0829%
13. Northern Shoveler	4.24%
14. Gadwall	3.65%
15. Eurasian Wigeon	0.0093%
16. American Wigeon	1.04%
17. Mallard	7.01%
18. American Black Duck	0.0006%
19. Mottled Duck	3.97%
20. Northern Pintail	1.40%
21. Green-winged Teal	2.23%

[Go to top](#)

22.	Canvasback	0.7564%
23.	Redhead	0.7891%
24.	Ring-necked Duck	2.77%
25.	Greater Scaup	0.1965%
26.	Lesser Scaup	4.30%
27.	King Eider	0.0009%
28.	Surf Scoter	0.0812%
29.	White-winged Scoter	0.0549%
30.	Black Scoter	0.0893%
31.	Long-tailed Duck	0.0514%
32.	Bufflehead	1.70%
33.	Common Goldeneye	0.1848%
34.	Hooded Merganser	1.65%
35.	Common Merganser	0.0096%
36.	Red-breasted Merganser	0.7351%
37.	Masked Duck	0.0055%
38.	Ruddy Duck	2.25%
39.	Northern Bobwhite	0.7687%
40.	Wild Turkey	0.4356%
41.	American Flamingo	0.0374%
42.	Least Grebe	0.0000%
43.	Pied-billed Grebe	9.66%
44.	Horned Grebe	0.5506%
45.	Red-necked Grebe	0.0117%
46.	Eared Grebe	0.1121%

47. Western Grebe	0.0231%
48. Rock Pigeon	8.21%
49. Band-tailed Pigeon	0.0000%
50. Eurasian Collared-Dove	8.74%
51. Inca Dove	3.82%
52. Common Ground Dove	0.1930%
53. White-winged Dove	7.50%
54. Mourning Dove	42.47%
55. Smooth-billed Ani	0.0000%
56. Groove-billed Ani	0.0908%
57. Greater Roadrunner	0.0972%
58. Yellow-billed Cuckoo	6.49%
59. Mangrove Cuckoo	0.0003%
60. Black-billed Cuckoo	0.1533%
61. Lesser Nighthawk	0.0283%
62. Common Nighthawk	2.09%
63. Antillean Nighthawk	0.0000%
64. Chuck-will's-widow	0.3816%
65. Eastern Whip-poor-will	0.0832%
66. Chimney Swift	11.57%
67. Vaux's Swift	0.0397%
68. Mexican Violetear	0.0009%
69. Green-breasted Mango	0.0052%
70. Rivoli's Hummingbird	0.0003%
71. Blue-throated Mountain-gem	0.0274%

72.	Lucifer Hummingbird	0.0000%
73.	Ruby-throated Hummingbird	15.86%
74.	Black-chinned Hummingbird	0.8995%
75.	Anna's Hummingbird	0.0184%
76.	Calliope Hummingbird	0.3918%
77.	Rufous Hummingbird	2.10%
78.	Allen's Hummingbird	0.0671%
79.	Broad-tailed Hummingbird	0.1378%
80.	Broad-billed Hummingbird	0.0668%
81.	Buff-bellied Hummingbird	0.8166%
82.	King Rail	1.40%
83.	Clapper Rail	2.46%
84.	Virginia Rail	0.7263%
85.	Sora	1.96%
86.	Common Gallinule	6.37%
87.	American Coot	8.80%
88.	Purple Gallinule	0.9418%
89.	Yellow Rail	0.1188%
90.	Black Rail	0.0128%
91.	Limpkin	0.9412%
92.	Sandhill Crane	0.4557%
93.	Whooping Crane	0.0485%
94.	Black-necked Stilt	6.10%
95.	American Avocet	1.88%
96.	American Oystercatcher	0.3275%

97.	Black-bellied Plover	3.51%
98.	American Golden-Plover	0.4110%
99.	Killdeer	21.20%
100.	Semipalmated Plover	2.48%
101.	Piping Plover	1.00%
102.	Siberian Sand-Plover	0.0003%
103.	Wilson's Plover	1.17%
104.	Mountain Plover	0.0041%
105.	Snowy Plover	0.5494%
106.	Upland Sandpiper	0.3135%
107.	Whimbrel	0.8405%
108.	Long-billed Curlew	0.3036%
109.	Black-tailed Godwit	0.0009%
110.	Hudsonian Godwit	0.0870%
111.	Marbled Godwit	0.5649%
112.	Short-billed Dowitcher	1.20%
113.	Long-billed Dowitcher	1.72%
114.	American Woodcock	0.3354%
115.	Wilson's Snipe	3.25%
116.	Wilson's Phalarope	0.3092%
117.	Red Phalarope	0.0012%
118.	Red-necked Phalarope	0.0070%
119.	Spotted Sandpiper	3.30%
120.	Solitary Sandpiper	1.40%
121.	Lesser Yellowlegs	3.80%

122.	Willet	4.76%
123.	Greater Yellowlegs	5.10%
124.	Ruddy Turnstone	2.49%
125.	Red Knot	0.4855%
126.	Ruff	0.0131%
127.	Curlew Sandpiper	0.0009%
128.	Stilt Sandpiper	1.04%
129.	Buff-breasted Sandpiper	0.1857%
130.	Sanderling	3.12%
131.	Dunlin	2.45%
132.	Purple Sandpiper	0.0012%
133.	Baird's Sandpiper	0.1057%
134.	White-rumped Sandpiper	0.3906%
135.	Least Sandpiper	4.36%
136.	Pectoral Sandpiper	1.23%
137.	Western Sandpiper	1.88%
138.	Semipalmated Sandpiper	1.26%
139.	Long-tailed Jaeger	0.0018%
140.	Parasitic Jaeger	0.0096%
141.	Pomarine Jaeger	0.0514%
142.	Razorbill	0.0003%
143.	Little Gull	0.0073%
144.	Black-legged Kittiwake	0.0093%
145.	Sabine's Gull	0.0012%
146.	Bonaparte's Gull	0.8761%

147.	Black-headed Gull	0.0000%
148.	Laughing Gull	17.32%
149.	Franklin's Gull	0.3013%
150.	Short-billed Gull	0.0023%
151.	Ring-billed Gull	9.36%
152.	Western Gull	0.0009%
153.	Kelp Gull	0.0009%
154.	Herring Gull	3.82%
155.	Great Black-backed Gull	0.0184%
156.	Glaucous Gull	0.0359%
157.	Lesser Black-backed Gull	0.5132%
158.	California Gull	0.0210%
159.	Slaty-backed Gull	0.0003%
160.	Iceland Gull	0.0327%
161.	Black Skimmer	1.68%
162.	Brown Noddy	0.0003%
163.	Sooty Tern	0.0429%
164.	Bridled Tern	0.0271%
165.	Least Tern	2.37%
166.	Gull-billed Tern	1.46%
167.	Caspian Tern	3.79%
168.	Black Tern	1.04%
169.	Forster's Tern	7.40%
170.	Arctic Tern	0.0020%
171.	Common Tern	0.6350%

172.	Sandwich Tern	1.72%
173.	Royal Tern	5.90%
174.	Red-billed Tropicbird	0.0012%
175.	Red-throated Loon	0.0047%
176.	Pacific Loon	0.0006%
177.	Common Loon	1.49%
178.	Atlantic Yellow-nosed Albatross	0.0000%
179.	Wilson's Storm-Petrel	0.0064%
180.	Leach's Storm-Petrel	0.0018%
181.	Band-rumped Storm-Petrel	0.0047%
182.	Cory's Shearwater	0.0082%
183.	Great Shearwater	0.0052%
184.	Sooty Shearwater	0.0003%
185.	Manx Shearwater	0.0003%
186.	Audubon's Shearwater	0.0096%
187.	Jabiru	0.0000%
188.	Wood Stork	0.6303%
189.	Magnificent Frigatebird	0.9827%
190.	Northern Gannet	0.1136%
191.	Red-footed Booby	0.0041%
192.	Brown Booby	0.1562%
193.	Masked Booby	0.0184%
194.	Anhinga	11.05%
195.	Double-crested Cormorant	18.15%
196.	Neotropic Cormorant	5.52%

197.	American White Pelican	6.39%
198.	Brown Pelican	9.81%
199.	American Bittern	0.3950%
200.	Least Bittern	0.9359%
201.	Yellow-crowned Night Heron	4.77%
202.	Black-crowned Night Heron	3.98%
203.	Little Blue Heron	14.44%
204.	Tricolored Heron	8.64%
205.	Reddish Egret	1.27%
206.	Snowy Egret	20.74%
207.	Green Heron	8.53%
208.	Western Cattle Egret	13.13%
209.	Great Egret	38.19%
210.	Great Blue Heron	25.36%
211.	White Ibis	17.39%
212.	Glossy Ibis	0.5547%
213.	White-faced Ibis	4.28%
214.	Roseate Spoonbill	5.56%
215.	Black Vulture	12.27%
216.	Turkey Vulture	22.21%
217.	Osprey	6.80%
218.	White-tailed Kite	0.2137%
219.	Swallow-tailed Kite	0.8250%
220.	Golden Eagle	0.0064%
221.	Mississippi Kite	8.08%

222.	Northern Harrier	6.69%
223.	Sharp-shinned Hawk	1.68%
224.	Cooper's Hawk	5.10%
225.	Bald Eagle	5.84%
226.	Harris's Hawk	0.0134%
227.	White-tailed Hawk	0.0330%
228.	Red-shouldered Hawk	12.55%
229.	Broad-winged Hawk	1.71%
230.	Swainson's Hawk	0.3305%
231.	Zone-tailed Hawk	0.0000%
232.	Red-tailed Hawk	14.00%
233.	Rough-legged Hawk	0.0044%
234.	Ferruginous Hawk	0.0222%
235.	Barn Owl	0.3851%
236.	Flammulated Owl	0.0003%
237.	Eastern Screech-Owl	1.68%
238.	Snowy Owl	0.0000%
239.	Great Horned Owl	2.25%
240.	Burrowing Owl	0.0385%
241.	Barred Owl	5.13%
242.	Long-eared Owl	0.0018%
243.	Short-eared Owl	0.0546%
244.	Ringed Kingfisher	0.0242%
245.	Belted Kingfisher	13.43%
246.	Williamson's Sapsucker	0.0003%

247.	Yellow-bellied Sapsucker	7.58%
248.	Red-naped Sapsucker	0.0009%
249.	Red-headed Woodpecker	5.98%
250.	Red-bellied Woodpecker	36.05%
251.	Downy Woodpecker	29.87%
252.	Ladder-backed Woodpecker	0.0003%
253.	Red-cockaded Woodpecker	0.7453%
254.	Hairy Woodpecker	2.50%
255.	Ivory-billed Woodpecker	0.0000%
256.	Pileated Woodpecker	11.50%
257.	Northern Flicker	11.56%
258.	Crested Caracara	1.33%
259.	American Kestrel	8.43%
260.	Merlin	1.56%
261.	Peregrine Falcon	1.12%
262.	Prairie Falcon	0.0006%
263.	Olive-sided Flycatcher	0.1267%
264.	Western Wood-Pewee	0.0038%
265.	Eastern Wood-Pewee	4.59%
266.	Yellow-bellied Flycatcher	0.1057%
267.	Acadian Flycatcher	2.71%
268.	Alder Flycatcher	0.2172%
269.	Willow Flycatcher	0.0289%
270.	Least Flycatcher	0.4411%
271.	Hammond's Flycatcher	0.0000%

272.	Gray Flycatcher	0.0169%
273.	Western Flycatcher	0.0111%
274.	Eastern Phoebe	16.74%
275.	Say's Phoebe	0.1512%
276.	Vermilion Flycatcher	0.7821%
277.	Dusky-capped Flycatcher	0.0018%
278.	Ash-throated Flycatcher	0.1991%
279.	Great Crested Flycatcher	9.73%
280.	Brown-crested Flycatcher	0.0523%
281.	Great Kiskadee	0.1025%
282.	Sulphur-bellied Flycatcher	0.0055%
283.	Crowned Slaty Flycatcher	0.0003%
284.	Tropical Kingbird	0.0438%
285.	Couch's Kingbird	0.0628%
286.	Cassin's Kingbird	0.0047%
287.	Western Kingbird	0.3804%
288.	Eastern Kingbird	10.78%
289.	Gray Kingbird	0.0333%
290.	Scissor-tailed Flycatcher	2.03%
291.	Fork-tailed Flycatcher	0.0689%
292.	Black-capped Vireo	0.0099%
293.	White-eyed Vireo	14.54%
294.	Bell's Vireo	0.0943%
295.	Yellow-throated Vireo	3.59%
296.	Cassin's Vireo	0.0000%

297.	Blue-headed Vireo	4.40%
298.	Plumbeous Vireo	0.0003%
299.	Philadelphia Vireo	0.5853%
300.	Warbling Vireo	0.3349%
301.	Red-eyed Vireo	7.10%
302.	Yellow-green Vireo	0.0175%
303.	Black-whiskered Vireo	0.0560%
304.	Loggerhead Shrike	12.30%
305.	Blue Jay	52.80%
306.	Clark's Nutcracker	0.0000%
307.	American Crow	38.74%
308.	Fish Crow	16.97%
309.	Chihuahuan Raven	0.0003%
310.	Carolina Chickadee	41.64%
311.	Tufted Titmouse	25.82%
312.	Horned Lark	0.2531%
313.	Bank Swallow	0.7888%
314.	Tree Swallow	10.02%
315.	Purple Martin	11.27%
316.	Brown-chested Martin	0.0003%
317.	Northern Rough-winged Swallow	3.73%
318.	Barn Swallow	13.59%
319.	Cliff Swallow	3.06%
320.	Cave Swallow	0.3208%
321.	Ruby-crowned Kinglet	20.26%

322.	Golden-crowned Kinglet	3.58%
323.	White-breasted Nuthatch	1.54%
324.	Brown-headed Nuthatch	4.09%
325.	Red-breasted Nuthatch	1.13%
326.	Brown Creeper	0.9506%
327.	Blue-gray Gnatcatcher	15.68%
328.	Rock Wren	0.0161%
329.	House Wren	7.16%
330.	Winter Wren	1.42%
331.	Sedge Wren	1.91%
332.	Marsh Wren	3.56%
333.	Carolina Wren	42.30%
334.	Bewick's Wren	0.0780%
335.	European Starling	26.24%
336.	Gray Catbird	10.58%
337.	Curve-billed Thrasher	0.0102%
338.	Brown Thrasher	16.77%
339.	Sage Thrasher	0.0123%
340.	Northern Mockingbird	50.35%
341.	Eastern Bluebird	18.15%
342.	Mountain Bluebird	0.0295%
343.	Townsend's Solitaire	0.0020%
344.	Varied Thrush	0.0006%
345.	Veery	0.5988%
346.	Gray-cheeked Thrush	0.5547%

347.	Swainson's Thrush	1.55%
348.	Hermit Thrush	4.56%
349.	Wood Thrush	3.32%
350.	American Robin	15.73%
351.	Northern Wheatear	0.0035%
352.	Cedar Waxwing	8.22%
353.	Scaly-breasted Munia	0.0721%
354.	House Sparrow	22.48%
355.	American Pipit	3.15%
356.	Sprague's Pipit	0.1264%
357.	Evening Grosbeak	0.0038%
358.	House Finch	15.54%
359.	Purple Finch	1.70%
360.	Cassin's Finch	0.0006%
361.	Red Crossbill	0.0023%
362.	Pine Siskin	1.96%
363.	Lesser Goldfinch	0.0050%
364.	American Goldfinch	12.29%
365.	Lapland Longspur	0.0925%
366.	Chestnut-collared Longspur	0.0055%
367.	Smith's Longspur	0.0099%
368.	Thick-billed Longspur	0.0006%
369.	Cassin's Sparrow	0.0052%
370.	Bachman's Sparrow	0.3004%
371.	Grasshopper Sparrow	0.0876%

372.	Chipping Sparrow	8.66%
373.	Clay-colored Sparrow	0.1168%
374.	Field Sparrow	1.19%
375.	Brewer's Sparrow	0.0003%
376.	Lark Sparrow	0.4294%
377.	Lark Bunting	0.0099%
378.	Fox Sparrow	0.6890%
379.	Dark-eyed Junco	4.21%
380.	White-crowned Sparrow	2.33%
381.	Golden-crowned Sparrow	0.0114%
382.	Harris's Sparrow	0.1576%
383.	White-throated Sparrow	14.52%
384.	Vesper Sparrow	0.7024%
385.	LeConte's Sparrow	0.4315%
386.	Seaside Sparrow	1.10%
387.	Nelson's Sparrow	0.3658%
388.	Savannah Sparrow	10.09%
389.	Baird's Sparrow	0.0000%
390.	Henslow's Sparrow	0.1632%
391.	Song Sparrow	5.71%
392.	Lincoln's Sparrow	0.8831%
393.	Swamp Sparrow	9.75%
394.	Green-tailed Towhee	0.0196%
395.	Spotted Towhee	0.0382%
396.	Eastern Towhee	7.42%

397.	Yellow-breasted Chat	3.00%
398.	Yellow-headed Blackbird	0.1880%
399.	Bobolink	0.2829%
400.	Western Meadowlark	0.1007%
401.	Eastern Meadowlark	8.53%
402.	Orchard Oriole	6.08%
403.	Hooded Oriole	0.0012%
404.	Bullock's Oriole	0.0505%
405.	Baltimore Oriole	2.85%
406.	Scott's Oriole	0.0032%
407.	Red-winged Blackbird	34.95%
408.	Shiny Cowbird	0.0169%
409.	Bronzed Cowbird	1.18%
410.	Brown-headed Cowbird	15.70%
411.	Rusty Blackbird	0.6720%
412.	Brewer's Blackbird	0.5328%
413.	Common Grackle	18.59%
414.	Boat-tailed Grackle	9.80%
415.	Great-tailed Grackle	3.31%
416.	Ovenbird	0.9847%
417.	Worm-eating Warbler	1.02%
418.	Louisiana Waterthrush	0.6513%
419.	Northern Waterthrush	1.55%
420.	Bachman's Warbler	0.0000%
421.	Golden-winged Warbler	0.2458%

422.	Blue-winged Warbler	0.8781%
423.	Black-and-white Warbler	3.64%
424.	Prothonotary Warbler	5.59%
425.	Swainson's Warbler	0.7839%
426.	Tennessee Warbler	2.52%
427.	Orange-crowned Warbler	11.71%
428.	Lucy's Warbler	0.0076%
429.	Nashville Warbler	0.4236%
430.	Virginia's Warbler	0.0003%
431.	Connecticut Warbler	0.0012%
432.	MacGillivray's Warbler	0.0598%
433.	Mourning Warbler	0.0949%
434.	Kentucky Warbler	1.86%
435.	Common Yellowthroat	11.47%
436.	Hooded Warbler	5.43%
437.	American Redstart	3.37%
438.	Cape May Warbler	0.1147%
439.	Cerulean Warbler	0.2420%
440.	Northern Parula	6.28%
441.	Tropical Parula	0.0020%
442.	Magnolia Warbler	2.21%
443.	Bay-breasted Warbler	0.6557%
444.	Blackburnian Warbler	0.6341%
445.	Yellow Warbler	3.52%
446.	Chestnut-sided Warbler	0.9222%

447.	Blackpoll Warbler	0.3492%
448.	Black-throated Blue Warbler	0.0794%
449.	Palm Warbler	3.36%
450.	Pine Warbler	12.39%
451.	Yellow-rumped Warbler	26.04%
452.	Yellow-throated Warbler	2.04%
453.	Prairie Warbler	0.9062%
454.	Black-throated Gray Warbler	0.0403%
455.	Townsend's Warbler	0.0035%
456.	Hermit Warbler	0.0003%
457.	Black-throated Green Warbler	1.64%
458.	Golden-crowned Warbler	0.0032%
459.	Canada Warbler	0.3042%
460.	Wilson's Warbler	1.71%
461.	Red-faced Warbler	0.0009%
462.	Painted Redstart	0.0006%
463.	Hepatic Tanager	0.0131%
464.	Summer Tanager	7.74%
465.	Scarlet Tanager	2.00%
466.	Western Tanager	0.0841%
467.	Northern Cardinal	60.19%
468.	Pyrrhuloxia	0.0038%
469.	Rose-breasted Grosbeak	3.10%
470.	Black-headed Grosbeak	0.0648%
471.	Blue Bunting	0.0006%

472. Blue Grosbeak	4.68%
473. Lazuli Bunting	0.0020%
474. Indigo Bunting	10.80%
475. Varied Bunting	0.0000%
476. Painted Bunting	4.37%
477. Dickcissel	1.66%
478. Red-legged Honeycreeper	0.0187%
EXOTIC: PROVISIONAL	
479. Trumpeter Swan	0.0088% frequency
480. Monk Parakeet	1.41%
EXOTIC: ESCAPEE	
White-faced Whistling-Duck	0.0003% frequency
Graylag Goose	0.2508%
Swan Goose	0.2756%
Barnacle Goose	0.0009%
Mute Swan	0.1585%
Black Swan	0.0222%
Egyptian Goose	0.0029%
Ruddy Shelduck	0.0003%
Muscovy Duck	2.44%
Ringed Teal	0.0029%
Mandarin Duck	0.0026%
White-cheeked Pintail	0.0018%
Rosy-billed Pochard	0.0003%
Ferruginous Duck	0.0018%

Helmeted Guineafowl	0.0061%
Golden Pheasant	0.0117%
Ring-necked Pheasant	0.0018%
Indian Peafowl	0.0169%
Red Junglefowl	0.0134%
Black Francolin	0.0018%
Chukar	0.0003%
African Collared-Dove	0.0009%
Diamond Dove	0.0000%
Cockatiel	0.0003%
Budgerigar	0.0044%
Rosy-faced Lovebird	0.0006%
House Crow	0.0000%
Yellow-fronted Canary	0.0000%
HYBRIDS	
Snow x Ross's Goose (hybrid)	0.0003% frequency
Graylag x Swan Goose (hybrid)	0.0035%
Snow x Greater White-fronted Goose (hybrid)	0.0015%
Swan Goose x Canada Goose (hybrid)	0.0064%
Graylag x Canada Goose (hybrid)	0.0038%
Domestic goose sp. x Canada Goose (hybrid)	0.0003%
Barnacle x Canada Goose (hybrid)	0.0003%
Blue-winged x Cinnamon Teal (hybrid)	0.0029%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0003%

Northern Shoveler x Gadwall (hybrid)	0.0009%
Muscovy Duck x Mallard (hybrid)	0.1349%
Gadwall x Mallard (hybrid)	0.0003%
Mallard x American Black Duck (hybrid)	0.0000%
Mallard x Mottled Duck (hybrid)	0.0082%
Blue-winged x Green-winged Teal (hybrid)	0.0003%
Ring-necked Duck x Greater Scaup (hybrid)	0.0003%
Bufflehead x Hooded Merganser (hybrid)	0.0003%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0015%
Kelp x Herring Gull (hybrid)	0.0067%
Herring x Glaucous Gull (hybrid)	0.0003%
Tricolored Heron x Snowy Egret (hybrid)	0.0006%
Glossy x White-faced Ibis (hybrid)	0.0231%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0026%
Barn x Cliff Swallow (hybrid)	0.0009%
Spotted x Eastern Towhee (hybrid)	0.0006%
Boat-tailed x Great-tailed Grackle (hybrid)	0.0003%
Golden-winged x Blue-winged Warbler (hybrid)	0.0044%
Brewster's Warbler (hybrid)	0.0088%
Lawrence's Warbler (hybrid)	0.0029%
Northern x Tropical Parula (hybrid)	0.0012%