

## Target Species

Based on 25,492 complete checklists

**375** species observed in Louisiana, US (region/US-LA) in **Nov** that you need for your **World Life List**

1. Northern Cardinal	<b>49.12%</b> frequency
2. Northern Mockingbird	<b>49.02%</b>
3. Blue Jay	<b>48.50%</b>
4. Great Egret	<b>44.27%</b>
5. Yellow-rumped Warbler	<b>41.79%</b>
6. Eastern Phoebe	<b>41.42%</b>
7. American Crow	<b>40.58%</b>
8. Carolina Chickadee	<b>40.39%</b>
9. Ruby-crowned Kinglet	<b>39.82%</b>
10. Carolina Wren	<b>37.96%</b>
11. Mourning Dove	<b>33.16%</b>
12. Red-bellied Woodpecker	<b>33.02%</b>
13. Red-winged Blackbird	<b>31.72%</b>
14. Great Blue Heron	<b>31.68%</b>
15. Double-crested Cormorant	<b>27.92%</b>
16. Downy Woodpecker	<b>27.66%</b>
17. Killdeer	<b>25.72%</b>
18. Turkey Vulture	<b>25.47%</b>
19. European Starling	<b>24.00%</b>
20. Belted Kingfisher	<b>23.93%</b>

21. Red-tailed Hawk	<b><u>22.44%</u></b>
22. Snowy Egret	<b><u>21.79%</u></b>
23. White-throated Sparrow	<b><u>21.75%</u></b>
24. Orange-crowned Warbler	<b><u>21.75%</u></b>
25. Tree Swallow	<b><u>21.74%</u></b>
26. White Ibis	<b><u>21.72%</u></b>
27. Blue-gray Gnatcatcher	<b><u>20.43%</u></b>
28. Tufted Titmouse	<b><u>19.84%</u></b>
29. Eastern Bluebird	<b><u>19.22%</u></b>
30. Swamp Sparrow	<b><u>19.19%</u></b>
31. House Sparrow	<b><u>18.85%</u></b>
32. Savannah Sparrow	<b><u>17.23%</u></b>
33. Northern Flicker	<b><u>16.92%</u></b>
34. House Wren	<b><u>16.80%</u></b>
35. American Kestrel	<b><u>16.24%</u></b>
36. Pied-billed Grebe	<b><u>15.99%</u></b>
37. American Robin	<b><u>15.77%</u></b>
38. American Coot	<b><u>14.79%</u></b>
39. Loggerhead Shrike	<b><u>14.72%</u></b>
40. Northern Harrier	<b><u>14.62%</u></b>
41. Yellow-bellied Sapsucker	<b><u>14.20%</u></b>
42. Laughing Gull	<b><u>14.12%</u></b>
43. House Finch	<b><u>13.85%</u></b>
44. Fish Crow	<b><u>13.63%</u></b>
45. Red-shouldered Hawk	<b><u>13.15%</u></b>

46. <b>Anhinga</b>	<b><u>12.57%</u></b>
47. <b>Common Grackle</b>	<b><u>12.42%</u></b>
48. <b>Pine Warbler</b>	<b><u>12.29%</u></b>
49. <b>Ring-billed Gull</b>	<b><u>12.00%</u></b>
50. <b>Brown Pelican</b>	<b><u>11.67%</u></b>
51. <b>American White Pelican</b>	<b><u>11.42%</u></b>
52. <b>Chipping Sparrow</b>	<b><u>11.37%</u></b>
53. <b>Black Vulture</b>	<b><u>11.24%</u></b>
54. <b>American Goldfinch</b>	<b><u>11.17%</u></b>
55. <b>Song Sparrow</b>	<b><u>11.06%</u></b>
56. <b>Golden-crowned Kinglet</b>	<b><u>10.67%</u></b>
57. <b>Bald Eagle</b>	<b><u>10.45%</u></b>
58. <b>Brown Thrasher</b>	<b><u>10.40%</u></b>
59. <b>Little Blue Heron</b>	<b><u>9.37%</u></b>
60. <b>Gray Catbird</b>	<b><u>9.19%</u></b>
61. <b>Hermit Thrush</b>	<b><u>9.11%</u></b>
62. <b>Mallard</b>	<b><u>9.09%</u></b>
63. <b>Pileated Woodpecker</b>	<b><u>9.03%</u></b>
64. <b>Eastern Meadowlark</b>	<b><u>8.85%</u></b>
65. <b>Boat-tailed Grackle</b>	<b><u>8.67%</u></b>
66. <b>Brown-headed Cowbird</b>	<b><u>8.61%</u></b>
67. <b>Wood Duck</b>	<b><u>8.56%</u></b>
68. <b>Osprey</b>	<b><u>8.34%</u></b>
69. <b>Common Yellowthroat</b>	<b><u>8.30%</u></b>
70. <b>Rock Pigeon</b>	<b><u>8.15%</u></b>

71.	<b>Tricolored Heron</b>	<b>8.13%</b>
72.	<b>Lesser Scaup</b>	<b>7.94%</b>
73.	<b>Forster's Tern</b>	<b>7.91%</b>
74.	<b>Western Cattle Egret</b>	<b>7.75%</b>
75.	<b>Blue-headed Vireo</b>	<b>7.70%</b>
76.	<b>Northern Shoveler</b>	<b>7.41%</b>
77.	<b>Gadwall</b>	<b>7.36%</b>
78.	<b>Greater Yellowlegs</b>	<b>7.36%</b>
79.	<b>Cooper's Hawk</b>	<b>6.69%</b>
80.	<b>Common Gallinule</b>	<b>6.58%</b>
81.	<b>Eurasian Collared-Dove</b>	<b>6.54%</b>
82.	<b>Wilson's Snipe</b>	<b>6.51%</b>
83.	<b>White-winged Dove</b>	<b>6.49%</b>
84.	<b>Dark-eyed Junco</b>	<b>6.44%</b>
85.	<b>Marsh Wren</b>	<b>6.14%</b>
86.	<b>Neotropic Cormorant</b>	<b>6.07%</b>
87.	<b>Palm Warbler</b>	<b>6.03%</b>
88.	<b>Ring-necked Duck</b>	<b>5.92%</b>
89.	<b>Ruddy Duck</b>	<b>5.59%</b>
90.	<b>Roseate Spoonbill</b>	<b>5.53%</b>
91.	<b>Least Sandpiper</b>	<b>5.52%</b>
92.	<b>Royal Tern</b>	<b>5.52%</b>
93.	<b>American Pipit</b>	<b>5.48%</b>
94.	<b>Snow Goose</b>	<b>5.37%</b>
95.	<b>Blue-winged Teal</b>	<b>5.28%</b>

96.	<b>Canada Goose</b>	<b>5.19%</b>
97.	<b>Black-necked Stilt</b>	<b>5.05%</b>
98.	<b>Eastern Towhee</b>	<b>4.97%</b>
99.	<b>Greater White-fronted Goose</b>	<b>4.90%</b>
100.	<b>Green-winged Teal</b>	<b>4.64%</b>
101.	<b>Dunlin</b>	<b>4.38%</b>
102.	<b>Black-bellied Whistling-Duck</b>	<b>4.32%</b>
103.	<b>Sedge Wren</b>	<b>4.28%</b>
104.	<b>White-eyed Vireo</b>	<b>4.24%</b>
105.	<b>White-faced Ibis</b>	<b>4.21%</b>
106.	<b>Black-bellied Plover</b>	<b>3.95%</b>
107.	<b>Caspian Tern</b>	<b>3.95%</b>
108.	<b>Herring Gull</b>	<b>3.94%</b>
109.	<b>Indigo Bunting</b>	<b>3.84%</b>
110.	<b>Willet</b>	<b>3.80%</b>
111.	<b>Hooded Merganser</b>	<b>3.71%</b>
112.	<b>Brown-headed Nuthatch</b>	<b>3.66%</b>
113.	<b>White-crowned Sparrow</b>	<b>3.64%</b>
114.	<b>Black-crowned Night Heron</b>	<b>3.58%</b>
115.	<b>Barred Owl</b>	<b>3.47%</b>
116.	<b>Ruby-throated Hummingbird</b>	<b>3.39%</b>
117.	<b>Wilson's Warbler</b>	<b>3.38%</b>
118.	<b>Spotted Sandpiper</b>	<b>3.37%</b>
119.	<b>American Avocet</b>	<b>3.36%</b>
120.	<b>Sharp-shinned Hawk</b>	<b>3.31%</b>

121.	<b>Winter Wren</b>	<b>3.28%</b>
122.	<b>Barn Swallow</b>	<b>3.23%</b>
123.	<b>Cedar Waxwing</b>	<b>3.06%</b>
124.	<b>Lesser Yellowlegs</b>	<b>3.03%</b>
125.	<b>Sanderling</b>	<b>3.00%</b>
126.	<b>Great Horned Owl</b>	<b>2.99%</b>
127.	<b>Bufflehead</b>	<b>2.93%</b>
128.	<b>Inca Dove</b>	<b>2.90%</b>
129.	<b>Mottled Duck</b>	<b>2.83%</b>
130.	<b>Long-billed Dowitcher</b>	<b>2.83%</b>
131.	<b>Red-headed Woodpecker</b>	<b>2.77%</b>
132.	<b>Western Sandpiper</b>	<b>2.69%</b>
133.	<b>Great-tailed Grackle</b>	<b>2.68%</b>
134.	<b>Sora</b>	<b>2.65%</b>
135.	<b>Red-breasted Nuthatch</b>	<b>2.53%</b>
136.	<b>Merlin</b>	<b>2.51%</b>
137.	<b>Redhead</b>	<b>2.51%</b>
138.	<b>Common Loon</b>	<b>2.46%</b>
139.	<b>Northern Pintail</b>	<b>2.37%</b>
140.	<b>Field Sparrow</b>	<b>2.34%</b>
141.	<b>Semipalmated Plover</b>	<b>2.14%</b>
142.	<b>Crested Caracara</b>	<b>2.13%</b>
143.	<b>Rufous Hummingbird</b>	<b>2.06%</b>
144.	<b>Hairy Woodpecker</b>	<b>2.06%</b>
145.	<b>American Wigeon</b>	<b>2.04%</b>

146.	<b>Clapper Rail</b>	<b>1.95%</b>
147.	<b>Vermilion Flycatcher</b>	<b>1.93%</b>
148.	<b>Pine Siskin</b>	<b>1.91%</b>
149.	<b>Ruddy Turnstone</b>	<b>1.91%</b>
150.	<b>Peregrine Falcon</b>	<b>1.91%</b>
151.	<b>Brown Creeper</b>	<b>1.91%</b>
152.	<b>Virginia Rail</b>	<b>1.86%</b>
153.	<b>King Rail</b>	<b>1.85%</b>
154.	<b>Green Heron</b>	<b>1.71%</b>
155.	<b>Canvasback</b>	<b>1.57%</b>
156.	<b>Buff-bellied Hummingbird</b>	<b>1.44%</b>
157.	<b>Horned Grebe</b>	<b>1.44%</b>
158.	<b>Northern Rough-winged Swallow</b>	<b>1.41%</b>
159.	<b>Vesper Sparrow</b>	<b>1.41%</b>
160.	<b>White-breasted Nuthatch</b>	<b>1.40%</b>
161.	<b>Black-chinned Hummingbird</b>	<b>1.36%</b>
162.	<b>Franklin's Gull</b>	<b>1.33%</b>
163.	<b>Eastern Screech-Owl</b>	<b>1.33%</b>
164.	<b>Scissor-tailed Flycatcher</b>	<b>1.32%</b>
165.	<b>Lincoln's Sparrow</b>	<b>1.29%</b>
166.	<b>Tennessee Warbler</b>	<b>1.29%</b>
167.	<b>Ross's Goose</b>	<b>1.26%</b>
168.	<b>Piping Plover</b>	<b>1.25%</b>
169.	<b>Limpkin</b>	<b>1.21%</b>
170.	<b>Black-throated Green Warbler</b>	<b>1.09%</b>

171.	<b>Seaside Sparrow</b>	<b>1.06%</b>
172.	<b>Red-breasted Merganser</b>	<b>1.05%</b>
173.	<b>Black Skimmer</b>	<b>1.04%</b>
174.	<b>Purple Finch</b>	<b>0.9689%</b>
175.	<b>LeConte's Sparrow</b>	<b>0.9532%</b>
176.	<b>Gull-billed Tern</b>	<b>0.9297%</b>
177.	<b>Stilt Sandpiper</b>	<b>0.8944%</b>
178.	<b>Snowy Plover</b>	<b>0.8826%</b>
179.	<b>Yellow-throated Warbler</b>	<b>0.8395%</b>
180.	<b>Reddish Egret</b>	<b>0.8120%</b>
181.	<b>Nelson's Sparrow</b>	<b>0.7846%</b>
182.	<b>Blue Grosbeak</b>	<b>0.7806%</b>
183.	<b>Bonaparte's Gull</b>	<b>0.7689%</b>
184.	<b>Marbled Godwit</b>	<b>0.7375%</b>
185.	<b>Black-and-white Warbler</b>	<b>0.7375%</b>
186.	<b>Barn Owl</b>	<b>0.6865%</b>
187.	<b>Summer Tanager</b>	<b>0.6708%</b>
188.	<b>Yellow Rail</b>	<b>0.6669%</b>
189.	<b>Eastern Wood-Pewee</b>	<b>0.6669%</b>
190.	<b>Lesser Black-backed Gull</b>	<b>0.6629%</b>
191.	<b>Red-cockaded Woodpecker</b>	<b>0.6590%</b>
192.	<b>Short-billed Dowitcher</b>	<b>0.6277%</b>
193.	<b>Western Kingbird</b>	<b>0.6159%</b>
194.	<b>American Bittern</b>	<b>0.5963%</b>
195.	<b>Broad-winged Hawk</b>	<b>0.5570%</b>



196.	<b>Fox Sparrow</b>	<b>0.5492%</b>
197.	<b>Sandhill Crane</b>	<b>0.5335%</b>
198.	<b>American Woodcock</b>	<b>0.5335%</b>
199.	<b>Fulvous Whistling-Duck</b>	<b>0.5257%</b>
200.	<b>Magnolia Warbler</b>	<b>0.5139%</b>
201.	<b>Yellow-billed Cuckoo</b>	<b>0.4707%</b>
202.	<b>Brewer's Blackbird</b>	<b>0.4629%</b>
203.	<b>Greater Scaup</b>	<b>0.4590%</b>
204.	<b>Long-billed Curlew</b>	<b>0.4590%</b>
205.	<b>Say's Phoebe</b>	<b>0.4472%</b>
206.	<b>Ash-throated Flycatcher</b>	<b>0.4197%</b>
207.	<b>Rose-breasted Grosbeak</b>	<b>0.4197%</b>
208.	<b>Painted Bunting</b>	<b>0.4158%</b>
209.	<b>American Redstart</b>	<b>0.4080%</b>
210.	<b>White-tailed Kite</b>	<b>0.4040%</b>
211.	<b>Glossy Ibis</b>	<b>0.3766%</b>
212.	<b>Eared Grebe</b>	<b>0.3727%</b>
213.	<b>Rusty Blackbird</b>	<b>0.3609%</b>
214.	<b>Swainson's Hawk</b>	<b>0.3570%</b>
215.	<b>Chimney Swift</b>	<b>0.3452%</b>
216.	<b>Calliope Hummingbird</b>	<b>0.3256%</b>
217.	<b>Red Knot</b>	<b>0.3217%</b>
218.	<b>Prairie Warbler</b>	<b>0.3217%</b>
219.	<b>Wilson's Plover</b>	<b>0.3178%</b>
220.	<b>Sprague's Pipit</b>	<b>0.3099%</b>

221.	<b>Northern Parula</b>	<b>0.3099%</b>
222.	<b>Nashville Warbler</b>	<b>0.3021%</b>
223.	<b>Cave Swallow</b>	<b>0.2864%</b>
224.	<b>Magnificent Frigatebird</b>	<b>0.2707%</b>
225.	<b>Lark Sparrow</b>	<b>0.2511%</b>
226.	<b>Bronzed Cowbird</b>	<b>0.2511%</b>
227.	<b>Common Ground Dove</b>	<b>0.2432%</b>
228.	<b>American Oystercatcher</b>	<b>0.2432%</b>
229.	<b>Purple Gallinule</b>	<b>0.2275%</b>
230.	<b>Black Scoter</b>	<b>0.2236%</b>
231.	<b>Dickcissel</b>	<b>0.2157%</b>
232.	<b>Common Goldeneye</b>	<b>0.2118%</b>
233.	<b>Bachman's Sparrow</b>	<b>0.2118%</b>
234.	<b>Henslow's Sparrow</b>	<b>0.2118%</b>
235.	<b>Grasshopper Sparrow</b>	<b>0.2001%</b>
236.	<b>Baltimore Oriole</b>	<b>0.2001%</b>
237.	<b>Ovenbird</b>	<b>0.2001%</b>
238.	<b>Sandwich Tern</b>	<b>0.1922%</b>
239.	<b>Horned Lark</b>	<b>0.1922%</b>
240.	<b>Wood Stork</b>	<b>0.1883%</b>
241.	<b>Yellow-crowned Night Heron</b>	<b>0.1844%</b>
242.	<b>Brown Booby</b>	<b>0.1805%</b>
243.	<b>Yellow-headed Blackbird</b>	<b>0.1765%</b>
244.	<b>White-winged Scoter</b>	<b>0.1687%</b>
245.	<b>Vaux's Swift</b>	<b>0.1687%</b>

246.	<b>Northern Bobwhite</b>	<b>0.1648%</b>
247.	<b>Whimbrel</b>	<b>0.1648%</b>
248.	<b>Broad-tailed Hummingbird</b>	<b>0.1608%</b>
249.	<b>Common Tern</b>	<b>0.1569%</b>
250.	<b>Northern Waterthrush</b>	<b>0.1530%</b>
251.	<b>Wood Thrush</b>	<b>0.1491%</b>
252.	<b>Western Meadowlark</b>	<b>0.1491%</b>
253.	<b>Least Flycatcher</b>	<b>0.1451%</b>
254.	<b>Groove-billed Ani</b>	<b>0.1412%</b>
255.	<b>Bewick's Wren</b>	<b>0.1373%</b>
256.	<b>Surf Scoter</b>	<b>0.1294%</b>
257.	<b>Wild Turkey</b>	<b>0.1294%</b>
258.	<b>Clay-colored Sparrow</b>	<b>0.1294%</b>
259.	<b>Iceland Gull</b>	<b>0.1255%</b>
260.	<b>Scaly-breasted Munia</b>	<b>0.1255%</b>
261.	<b>Chuck-will's-widow</b>	<b>0.1216%</b>
262.	<b>Hooded Warbler</b>	<b>0.1216%</b>
263.	<b>Bay-breasted Warbler</b>	<b>0.1216%</b>
264.	<b>American Golden-Plover</b>	<b>0.1059%</b>
265.	<b>Northern Gannet</b>	<b>0.0981%</b>
266.	<b>Couch's Kingbird</b>	<b>0.0981%</b>
267.	<b>Swainson's Thrush</b>	<b>0.0981%</b>
268.	<b>Red-eyed Vireo</b>	<b>0.0941%</b>
269.	<b>Yellow Warbler</b>	<b>0.0941%</b>
270.	<b>Broad-billed Hummingbird</b>	<b>0.0902%</b>

271.	<b>Solitary Sandpiper</b>	<b>0.0863%</b>
272.	<b>Pectoral Sandpiper</b>	<b>0.0824%</b>
273.	<b>Ringed Kingfisher</b>	<b>0.0824%</b>
274.	<b>Brown-crested Flycatcher</b>	<b>0.0824%</b>
275.	<b>Harris's Sparrow</b>	<b>0.0824%</b>
276.	<b>Lapland Longspur</b>	<b>0.0785%</b>
277.	<b>Western Tanager</b>	<b>0.0785%</b>
278.	<b>Western Grebe</b>	<b>0.0706%</b>
279.	<b>Spotted Towhee</b>	<b>0.0706%</b>
280.	<b>Cackling Goose</b>	<b>0.0667%</b>
281.	<b>White-tailed Hawk</b>	<b>0.0667%</b>
282.	<b>Short-eared Owl</b>	<b>0.0667%</b>
283.	<b>Fork-tailed Flycatcher</b>	<b>0.0667%</b>
284.	<b>Black-throated Gray Warbler</b>	<b>0.0667%</b>
285.	<b>Least Bittern</b>	<b>0.0628%</b>
286.	<b>Ferruginous Hawk</b>	<b>0.0628%</b>
287.	<b>Bell's Vireo</b>	<b>0.0628%</b>
288.	<b>Red-necked Grebe</b>	<b>0.0588%</b>
289.	<b>Great Kiskadee</b>	<b>0.0588%</b>
290.	<b>Yellow-throated Vireo</b>	<b>0.0588%</b>
291.	<b>Yellow-breasted Chat</b>	<b>0.0588%</b>
292.	<b>Black-throated Blue Warbler</b>	<b>0.0588%</b>
293.	<b>Black-headed Grosbeak</b>	<b>0.0549%</b>
294.	<b>Long-tailed Duck</b>	<b>0.0510%</b>
295.	<b>Whooping Crane</b>	<b>0.0510%</b>

296.	<b>Pomarine Jaeger</b>	<b>0.0510%</b>
297.	<b>Bank Swallow</b>	<b>0.0510%</b>
298.	<b>Lucy's Warbler</b>	<b>0.0510%</b>
299.	<b>Common Merganser</b>	<b>0.0471%</b>
300.	<b>Bullock's Oriole</b>	<b>0.0471%</b>
301.	<b>Chestnut-sided Warbler</b>	<b>0.0471%</b>
302.	<b>Scarlet Tanager</b>	<b>0.0471%</b>
303.	<b>Common Nighthawk</b>	<b>0.0432%</b>
304.	<b>Eastern Whip-poor-will</b>	<b>0.0432%</b>
305.	<b>Wilson's Phalarope</b>	<b>0.0432%</b>
306.	<b>Harris's Hawk</b>	<b>0.0432%</b>
307.	<b>Philadelphia Vireo</b>	<b>0.0432%</b>
308.	<b>Warbling Vireo</b>	<b>0.0432%</b>
309.	<b>Black Rail</b>	<b>0.0392%</b>
310.	<b>Black Tern</b>	<b>0.0353%</b>
311.	<b>Northern Wheatear</b>	<b>0.0353%</b>
312.	<b>Cinnamon Teal</b>	<b>0.0314%</b>
313.	<b>Ruff</b>	<b>0.0275%</b>
314.	<b>Tropical Kingbird</b>	<b>0.0275%</b>
315.	<b>Green-tailed Towhee</b>	<b>0.0275%</b>
316.	<b>Bobolink</b>	<b>0.0275%</b>
317.	<b>Blackburnian Warbler</b>	<b>0.0275%</b>
318.	<b>California Gull</b>	<b>0.0235%</b>
319.	<b>American Flamingo</b>	<b>0.0196%</b>
320.	<b>Golden Eagle</b>	<b>0.0196%</b>

321.	<b>Cassin's Kingbird</b>	<b>0.0196%</b>
322.	<b>MacGillivray's Warbler</b>	<b>0.0196%</b>
323.	<b>Greater Roadrunner</b>	<b>0.0157%</b>
324.	<b>Parasitic Jaeger</b>	<b>0.0157%</b>
325.	<b>Red-throated Loon</b>	<b>0.0157%</b>
326.	<b>Burrowing Owl</b>	<b>0.0157%</b>
327.	<b>Acadian Flycatcher</b>	<b>0.0157%</b>
328.	<b>Gray Kingbird</b>	<b>0.0157%</b>
329.	<b>Cliff Swallow</b>	<b>0.0157%</b>
330.	<b>Lesser Nighthawk</b>	<b>0.0118%</b>
331.	<b>Semipalmated Sandpiper</b>	<b>0.0118%</b>
332.	<b>Glaucous Gull</b>	<b>0.0118%</b>
333.	<b>Masked Booby</b>	<b>0.0118%</b>
334.	<b>Gray Flycatcher</b>	<b>0.0118%</b>
335.	<b>Townsend's Solitaire</b>	<b>0.0118%</b>
336.	<b>Orchard Oriole</b>	<b>0.0118%</b>
337.	<b>Cape May Warbler</b>	<b>0.0118%</b>
338.	<b>Anna's Hummingbird</b>	<b>0.0078%</b>
339.	<b>Allen's Hummingbird</b>	<b>0.0078%</b>
340.	<b>Baird's Sandpiper</b>	<b>0.0078%</b>
341.	<b>Great Black-backed Gull</b>	<b>0.0078%</b>
342.	<b>Pacific Loon</b>	<b>0.0078%</b>
343.	<b>Long-eared Owl</b>	<b>0.0078%</b>
344.	<b>Eastern Kingbird</b>	<b>0.0078%</b>
345.	<b>Sage Thrasher</b>	<b>0.0078%</b>

346.	<b>Gray-cheeked Thrush</b>	<b>0.0078%</b>
347.	<b>Smith's Longspur</b>	<b>0.0078%</b>
348.	<b>Worm-eating Warbler</b>	<b>0.0078%</b>
349.	<b>Blue-winged Warbler</b>	<b>0.0078%</b>
350.	<b>Canada Warbler</b>	<b>0.0078%</b>
351.	<b>American Black Duck</b>	<b>0.0039%</b>
352.	<b>Rivoli's Hummingbird</b>	<b>0.0039%</b>
353.	<b>Hudsonian Godwit</b>	<b>0.0039%</b>
354.	<b>Red-necked Phalarope</b>	<b>0.0039%</b>
355.	<b>Buff-breasted Sandpiper</b>	<b>0.0039%</b>
356.	<b>Rough-legged Hawk</b>	<b>0.0039%</b>
357.	<b>Williamson's Sapsucker</b>	<b>0.0039%</b>
358.	<b>Red-naped Sapsucker</b>	<b>0.0039%</b>
359.	<b>Western Flycatcher</b>	<b>0.0039%</b>
360.	<b>Dusky-capped Flycatcher</b>	<b>0.0039%</b>
361.	<b>Purple Martin</b>	<b>0.0039%</b>
362.	<b>Mountain Bluebird</b>	<b>0.0039%</b>
363.	<b>Chestnut-collared Longspur</b>	<b>0.0039%</b>
364.	<b>Prothonotary Warbler</b>	<b>0.0039%</b>
365.	<b>Blue-throated Mountain-gem</b>	<b>0.0000%</b>
366.	<b>Red Phalarope</b>	<b>0.0000%</b>
367.	<b>Black-legged Kittiwake</b>	<b>0.0000%</b>
368.	<b>Sooty Tern</b>	<b>0.0000%</b>
369.	<b>Least Tern</b>	<b>0.0000%</b>
370.	<b>Western Wood-Pewee</b>	<b>0.0000%</b>

371. <b>Lark Bunting</b>	<b>0.0000%</b>
372. <b>Scott's Oriole</b>	<b>0.0000%</b>
373. <b>Tropical Parula</b>	<b>0.0000%</b>
374. <b>Lazuli Bunting</b>	<b>0.0000%</b>

**EXOTIC: PROVISIONAL**

375. <b>Monk Parakeet</b>	<b>1.75%</b> frequency
---------------------------	------------------------

**EXOTIC: ESCAPEE**

<b>Muscovy Duck</b>	<b>3.08%</b> frequency
<b>Graylag Goose</b>	<b>0.4943%</b>
<b>Swan Goose</b>	<b>0.3923%</b>
<b>Mute Swan</b>	<b>0.1883%</b>
<b>Black Swan</b>	<b>0.0392%</b>
<b>Red Junglefowl</b>	<b>0.0275%</b>
<b>Indian Peafowl</b>	<b>0.0118%</b>
<b>Egyptian Goose</b>	<b>0.0078%</b>
<b>Ringed Teal</b>	<b>0.0078%</b>
<b>African Collared-Dove</b>	<b>0.0078%</b>
<b>Ferruginous Duck</b>	<b>0.0039%</b>
<b>Helmeted Guineafowl</b>	<b>0.0039%</b>

**HYBRIDS**

Muscovy Duck x Mallard (hybrid)	<b>0.2550%</b> frequency
Swan Goose x Canada Goose (hybrid)	<b>0.0235%</b>
Snow x Greater White-fronted Goose (hybrid)	<b>0.0118%</b>
Mallard x Mottled Duck (hybrid)	<b>0.0118%</b>
Graylag x Swan Goose (hybrid)	<b>0.0078%</b>



Graylag x Canada Goose (hybrid)	<b>0.0078%</b>
Kelp x Herring Gull (hybrid)	<b>0.0078%</b>
Northern Shoveler x Gadwall (hybrid)	<b>0.0039%</b>
Ring-necked Duck x Greater Scaup (hybrid)	<b>0.0039%</b>
Glossy x White-faced Ibis (hybrid)	<b>0.0039%</b>
Mallard x American Black Duck (hybrid)	<b>0.0000%</b>