

Target Species

Based on 25,492 complete checklists

375 species observed in Louisiana, US (region/US-LA) in **Nov** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	4.32% frequency
2. Fulvous Whistling-Duck	0.5257%
3. Snow Goose	5.37%
4. Ross's Goose	1.26%
5. Greater White-fronted Goose	4.90%
6. Cackling Goose	0.0667%
7. Canada Goose	5.19%
8. Wood Duck	8.56%
9. Blue-winged Teal	5.28%
10. Cinnamon Teal	0.0314%
11. Northern Shoveler	7.41%
12. Gadwall	7.36%
13. American Wigeon	2.04%
14. Mallard	9.09%
15. American Black Duck	0.0039%
16. Mottled Duck	2.83%
17. Northern Pintail	2.37%
18. Green-winged Teal	4.64%
19. Canvasback	1.57%
20. Redhead	2.51%

21. Ring-necked Duck	5.92%
22. Greater Scaup	0.4590%
23. Lesser Scaup	7.94%
24. Surf Scoter	0.1294%
25. White-winged Scoter	0.1687%
26. Black Scoter	0.2236%
27. Long-tailed Duck	0.0510%
28. Bufflehead	2.93%
29. Common Goldeneye	0.2118%
30. Hooded Merganser	3.71%
31. Common Merganser	0.0471%
32. Red-breasted Merganser	1.05%
33. Ruddy Duck	5.59%
34. Northern Bobwhite	0.1648%
35. Wild Turkey	0.1294%
36. American Flamingo	0.0196%
37. Pied-billed Grebe	15.99%
38. Horned Grebe	1.44%
39. Red-necked Grebe	0.0588%
40. Eared Grebe	0.3727%
41. Western Grebe	0.0706%
42. Rock Pigeon	8.15%
43. Eurasian Collared-Dove	6.54%
44. Inca Dove	2.90%
45. Common Ground Dove	0.2432%

46.	White-winged Dove	6.49%
47.	Mourning Dove	33.16%
48.	Groove-billed Ani	0.1412%
49.	Greater Roadrunner	0.0157%
50.	Yellow-billed Cuckoo	0.4707%
51.	Lesser Nighthawk	0.0118%
52.	Common Nighthawk	0.0432%
53.	Chuck-will's-widow	0.1216%
54.	Eastern Whip-poor-will	0.0432%
55.	Chimney Swift	0.3452%
56.	Vaux's Swift	0.1687%
57.	Rivoli's Hummingbird	0.0039%
58.	Blue-throated Mountain-gem	0.0000%
59.	Ruby-throated Hummingbird	3.39%
60.	Black-chinned Hummingbird	1.36%
61.	Anna's Hummingbird	0.0078%
62.	Calliope Hummingbird	0.3256%
63.	Rufous Hummingbird	2.06%
64.	Allen's Hummingbird	0.0078%
65.	Broad-tailed Hummingbird	0.1608%
66.	Broad-billed Hummingbird	0.0902%
67.	Buff-bellied Hummingbird	1.44%
68.	King Rail	1.85%
69.	Clapper Rail	1.95%
70.	Virginia Rail	1.86%

71. Sora	2.65%
72. Common Gallinule	6.58%
73. American Coot	14.79%
74. Purple Gallinule	0.2275%
75. Yellow Rail	0.6669%
76. Black Rail	0.0392%
77. Limpkin	1.21%
78. Sandhill Crane	0.5335%
79. Whooping Crane	0.0510%
80. Black-necked Stilt	5.05%
81. American Avocet	3.36%
82. American Oystercatcher	0.2432%
83. Black-bellied Plover	3.95%
84. American Golden-Plover	0.1059%
85. Killdeer	25.72%
86. Semipalmated Plover	2.14%
87. Piping Plover	1.25%
88. Wilson's Plover	0.3178%
89. Snowy Plover	0.8826%
90. Whimbrel	0.1648%
91. Long-billed Curlew	0.4590%
92. Hudsonian Godwit	0.0039%
93. Marbled Godwit	0.7375%
94. Short-billed Dowitcher	0.6277%
95. Long-billed Dowitcher	2.83%

96.	American Woodcock	0.5335%
97.	Wilson's Snipe	6.51%
98.	Wilson's Phalarope	0.0432%
99.	Red Phalarope	0.0000%
100.	Red-necked Phalarope	0.0039%
101.	Spotted Sandpiper	3.37%
102.	Solitary Sandpiper	0.0863%
103.	Lesser Yellowlegs	3.03%
104.	Willet	3.80%
105.	Greater Yellowlegs	7.36%
106.	Ruddy Turnstone	1.91%
107.	Red Knot	0.3217%
108.	Ruff	0.0275%
109.	Stilt Sandpiper	0.8944%
110.	Buff-breasted Sandpiper	0.0039%
111.	Sanderling	3.00%
112.	Dunlin	4.38%
113.	Baird's Sandpiper	0.0078%
114.	Least Sandpiper	5.52%
115.	Pectoral Sandpiper	0.0824%
116.	Western Sandpiper	2.69%
117.	Semipalmated Sandpiper	0.0118%
118.	Parasitic Jaeger	0.0157%
119.	Pomarine Jaeger	0.0510%
120.	Black-legged Kittiwake	0.0000%

121.	Bonaparte's Gull	0.7689%
122.	Laughing Gull	14.12%
123.	Franklin's Gull	1.33%
124.	Ring-billed Gull	12.00%
125.	Herring Gull	3.94%
126.	Great Black-backed Gull	0.0078%
127.	Glaucous Gull	0.0118%
128.	Lesser Black-backed Gull	0.6629%
129.	California Gull	0.0235%
130.	Iceland Gull	0.1255%
131.	Black Skimmer	1.04%
132.	Sooty Tern	0.0000%
133.	Least Tern	0.0000%
134.	Gull-billed Tern	0.9297%
135.	Caspian Tern	3.95%
136.	Black Tern	0.0353%
137.	Forster's Tern	7.91%
138.	Common Tern	0.1569%
139.	Sandwich Tern	0.1922%
140.	Royal Tern	5.52%
141.	Red-throated Loon	0.0157%
142.	Pacific Loon	0.0078%
143.	Common Loon	2.46%
144.	Wood Stork	0.1883%
145.	Magnificent Frigatebird	0.2707%

146.	Northern Gannet	0.0981%
147.	Brown Booby	0.1805%
148.	Masked Booby	0.0118%
149.	Anhinga	12.57%
150.	Double-crested Cormorant	27.92%
151.	Neotropic Cormorant	6.07%
152.	American White Pelican	11.42%
153.	Brown Pelican	11.67%
154.	American Bittern	0.5963%
155.	Least Bittern	0.0628%
156.	Yellow-crowned Night Heron	0.1844%
157.	Black-crowned Night Heron	3.58%
158.	Little Blue Heron	9.37%
159.	Tricolored Heron	8.13%
160.	Reddish Egret	0.8120%
161.	Snowy Egret	21.79%
162.	Green Heron	1.71%
163.	Western Cattle Egret	7.75%
164.	Great Egret	44.27%
165.	Great Blue Heron	31.68%
166.	White Ibis	21.72%
167.	Glossy Ibis	0.3766%
168.	White-faced Ibis	4.21%
169.	Roseate Spoonbill	5.53%
170.	Black Vulture	11.24%

171.	Turkey Vulture	<u>25.47%</u>
172.	Osprey	<u>8.34%</u>
173.	White-tailed Kite	0.4040%
174.	Golden Eagle	0.0196%
175.	Northern Harrier	<u>14.62%</u>
176.	Sharp-shinned Hawk	<u>3.31%</u>
177.	Cooper's Hawk	<u>6.69%</u>
178.	Bald Eagle	<u>10.45%</u>
179.	Harris's Hawk	0.0432%
180.	White-tailed Hawk	0.0667%
181.	Red-shouldered Hawk	<u>13.15%</u>
182.	Broad-winged Hawk	0.5570%
183.	Swainson's Hawk	0.3570%
184.	Red-tailed Hawk	<u>22.44%</u>
185.	Rough-legged Hawk	0.0039%
186.	Ferruginous Hawk	0.0628%
187.	Barn Owl	0.6865%
188.	Eastern Screech-Owl	1.33%
189.	Great Horned Owl	<u>2.99%</u>
190.	Burrowing Owl	0.0157%
191.	Barred Owl	<u>3.47%</u>
192.	Long-eared Owl	0.0078%
193.	Short-eared Owl	0.0667%
194.	Ringed Kingfisher	0.0824%
195.	Belted Kingfisher	<u>23.93%</u>

196.	Williamson's Sapsucker	0.0039%
197.	Yellow-bellied Sapsucker	14.20%
198.	Red-naped Sapsucker	0.0039%
199.	Red-headed Woodpecker	2.77%
200.	Red-bellied Woodpecker	33.02%
201.	Downy Woodpecker	27.66%
202.	Red-cockaded Woodpecker	0.6590%
203.	Hairy Woodpecker	2.06%
204.	Pileated Woodpecker	9.03%
205.	Northern Flicker	16.92%
206.	Crested Caracara	2.13%
207.	American Kestrel	16.24%
208.	Merlin	2.51%
209.	Peregrine Falcon	1.91%
210.	Western Wood-Pewee	0.0000%
211.	Eastern Wood-Pewee	0.6669%
212.	Acadian Flycatcher	0.0157%
213.	Least Flycatcher	0.1451%
214.	Gray Flycatcher	0.0118%
215.	Western Flycatcher	0.0039%
216.	Eastern Phoebe	41.42%
217.	Say's Phoebe	0.4472%
218.	Vermilion Flycatcher	1.93%
219.	Dusky-capped Flycatcher	0.0039%
220.	Ash-throated Flycatcher	0.4197%

221.	Brown-crested Flycatcher	0.0824%
222.	Great Kiskadee	0.0588%
223.	Tropical Kingbird	0.0275%
224.	Couch's Kingbird	0.0981%
225.	Cassin's Kingbird	0.0196%
226.	Western Kingbird	0.6159%
227.	Eastern Kingbird	0.0078%
228.	Gray Kingbird	0.0157%
229.	Scissor-tailed Flycatcher	1.32%
230.	Fork-tailed Flycatcher	0.0667%
231.	White-eyed Vireo	4.24%
232.	Bell's Vireo	0.0628%
233.	Yellow-throated Vireo	0.0588%
234.	Blue-headed Vireo	7.70%
235.	Philadelphia Vireo	0.0432%
236.	Warbling Vireo	0.0432%
237.	Red-eyed Vireo	0.0941%
238.	Loggerhead Shrike	14.72%
239.	Blue Jay	48.50%
240.	American Crow	40.58%
241.	Fish Crow	13.63%
242.	Carolina Chickadee	40.39%
243.	Tufted Titmouse	19.84%
244.	Horned Lark	0.1922%
245.	Bank Swallow	0.0510%

246.	Tree Swallow	21.74%
247.	Purple Martin	0.0039%
248.	Northern Rough-winged Swallow	1.41%
249.	Barn Swallow	3.23%
250.	Cliff Swallow	0.0157%
251.	Cave Swallow	0.2864%
252.	Ruby-crowned Kinglet	39.82%
253.	Golden-crowned Kinglet	10.67%
254.	White-breasted Nuthatch	1.40%
255.	Brown-headed Nuthatch	3.66%
256.	Red-breasted Nuthatch	2.53%
257.	Brown Creeper	1.91%
258.	Blue-gray Gnatcatcher	20.43%
259.	House Wren	16.80%
260.	Winter Wren	3.28%
261.	Sedge Wren	4.28%
262.	Marsh Wren	6.14%
263.	Carolina Wren	37.96%
264.	Bewick's Wren	0.1373%
265.	European Starling	24.00%
266.	Gray Catbird	9.19%
267.	Brown Thrasher	10.40%
268.	Sage Thrasher	0.0078%
269.	Northern Mockingbird	49.02%
270.	Eastern Bluebird	19.22%

271.	Mountain Bluebird	0.0039%
272.	Townsend's Solitaire	0.0118%
273.	Gray-cheeked Thrush	0.0078%
274.	Swainson's Thrush	0.0981%
275.	Hermit Thrush	9.11%
276.	Wood Thrush	0.1491%
277.	American Robin	15.77%
278.	Northern Wheatear	0.0353%
279.	Cedar Waxwing	3.06%
280.	Scaly-breasted Munia	0.1255%
281.	House Sparrow	18.85%
282.	American Pipit	5.48%
283.	Sprague's Pipit	0.3099%
284.	House Finch	13.85%
285.	Purple Finch	0.9689%
286.	Pine Siskin	1.91%
287.	American Goldfinch	11.17%
288.	Lapland Longspur	0.0785%
289.	Chestnut-collared Longspur	0.0039%
290.	Smith's Longspur	0.0078%
291.	Bachman's Sparrow	0.2118%
292.	Grasshopper Sparrow	0.2001%
293.	Chipping Sparrow	11.37%
294.	Clay-colored Sparrow	0.1294%
295.	Field Sparrow	2.34%

296.	Lark Sparrow	0.2511%
297.	Lark Bunting	0.0000%
298.	Fox Sparrow	0.5492%
299.	Dark-eyed Junco	6.44%
300.	White-crowned Sparrow	3.64%
301.	Harris's Sparrow	0.0824%
302.	White-throated Sparrow	21.75%
303.	Vesper Sparrow	1.41%
304.	LeConte's Sparrow	0.9532%
305.	Seaside Sparrow	1.06%
306.	Nelson's Sparrow	0.7846%
307.	Savannah Sparrow	17.23%
308.	Henslow's Sparrow	0.2118%
309.	Song Sparrow	11.06%
310.	Lincoln's Sparrow	1.29%
311.	Swamp Sparrow	19.19%
312.	Green-tailed Towhee	0.0275%
313.	Spotted Towhee	0.0706%
314.	Eastern Towhee	4.97%
315.	Yellow-breasted Chat	0.0588%
316.	Yellow-headed Blackbird	0.1765%
317.	Bobolink	0.0275%
318.	Western Meadowlark	0.1491%
319.	Eastern Meadowlark	8.85%
320.	Orchard Oriole	0.0118%

321.	Bullock's Oriole	0.0471%
322.	Baltimore Oriole	0.2001%
323.	Scott's Oriole	0.0000%
324.	Red-winged Blackbird	31.72%
325.	Bronzed Cowbird	0.2511%
326.	Brown-headed Cowbird	8.61%
327.	Rusty Blackbird	0.3609%
328.	Brewer's Blackbird	0.4629%
329.	Common Grackle	12.42%
330.	Boat-tailed Grackle	8.67%
331.	Great-tailed Grackle	2.68%
332.	Ovenbird	0.2001%
333.	Worm-eating Warbler	0.0078%
334.	Northern Waterthrush	0.1530%
335.	Blue-winged Warbler	0.0078%
336.	Black-and-white Warbler	0.7375%
337.	Prothonotary Warbler	0.0039%
338.	Tennessee Warbler	1.29%
339.	Orange-crowned Warbler	21.75%
340.	Lucy's Warbler	0.0510%
341.	Nashville Warbler	0.3021%
342.	MacGillivray's Warbler	0.0196%
343.	Common Yellowthroat	8.30%
344.	Hooded Warbler	0.1216%
345.	American Redstart	0.4080%

346.	Cape May Warbler	0.0118%
347.	Northern Parula	0.3099%
348.	Tropical Parula	0.0000%
349.	Magnolia Warbler	0.5139%
350.	Bay-breasted Warbler	0.1216%
351.	Blackburnian Warbler	0.0275%
352.	Yellow Warbler	0.0941%
353.	Chestnut-sided Warbler	0.0471%
354.	Black-throated Blue Warbler	0.0588%
355.	Palm Warbler	6.03%
356.	Pine Warbler	12.29%
357.	Yellow-rumped Warbler	41.79%
358.	Yellow-throated Warbler	0.8395%
359.	Prairie Warbler	0.3217%
360.	Black-throated Gray Warbler	0.0667%
361.	Black-throated Green Warbler	1.09%
362.	Canada Warbler	0.0078%
363.	Wilson's Warbler	3.38%
364.	Summer Tanager	0.6708%
365.	Scarlet Tanager	0.0471%
366.	Western Tanager	0.0785%
367.	Northern Cardinal	49.12%
368.	Rose-breasted Grosbeak	0.4197%
369.	Black-headed Grosbeak	0.0549%
370.	Blue Grosbeak	0.7806%

371. **Lazuli Bunting** **0.0000%**

372. **Indigo Bunting** **3.84%**

373. **Painted Bunting** **0.4158%**

374. **Dickcissel** **0.2157%**

EXOTIC: PROVISIONAL

375. **Monk Parakeet** **1.75%** frequency

EXOTIC: ESCAPEE

Graylag Goose **0.4943%** frequency

Swan Goose **0.3923%**

Mute Swan **0.1883%**

Black Swan **0.0392%**

Egyptian Goose **0.0078%**

Muscovy Duck **3.08%**

Ringed Teal **0.0078%**

Ferruginous Duck **0.0039%**

Helmeted Guineafowl **0.0039%**

Indian Peafowl **0.0118%**

Red Junglefowl **0.0275%**

African Collared-Dove **0.0078%**

HYBRIDS

Graylag x Swan Goose (hybrid) **0.0078%** frequency

Snow x Greater White-fronted Goose (hybrid) **0.0118%**

Swan Goose x Canada Goose (hybrid) **0.0235%**

Graylag x Canada Goose (hybrid) **0.0078%**

Northern Shoveler x Gadwall (hybrid) **0.0039%**

Muscovy Duck x Mallard (hybrid)	0.2550%
Mallard x American Black Duck (hybrid)	0.0000%
Mallard x Mottled Duck (hybrid)	0.0118%
Ring-necked Duck x Greater Scaup (hybrid)	0.0039%
Kelp x Herring Gull (hybrid)	0.0078%
Glossy x White-faced Ibis (hybrid)	0.0039%