

Target Species

Based on 28,762 complete checklists

391 species observed in Louisiana, US (region/US-LA) in **Oct** that you need for your **World Life List**

1. Blue Jay	58.43% frequency
2. Northern Mockingbird	57.01%
3. Northern Cardinal	54.36%
4. Great Egret	44.57%
5. Carolina Wren	42.36%
6. Carolina Chickadee	40.89%
7. American Crow	38.37%
8. Red-bellied Woodpecker	37.17%
9. Mourning Dove	36.81%
10. Downy Woodpecker	33.54%
11. Great Blue Heron	29.99%
12. Red-winged Blackbird	28.59%
13. Eastern Phoebe	25.88%
14. Blue-gray Gnatcatcher	24.83%
15. White Ibis	24.12%
16. Belted Kingfisher	23.63%
17. European Starling	23.58%
18. Snowy Egret	23.42%
19. Brown Thrasher	23.38%
20. Indigo Bunting	22.94%

21. Gray Catbird	<u>22.78%</u>
22. Tufted Titmouse	<u>22.72%</u>
23. Killdeer	<u>22.41%</u>
24. Common Yellowthroat	<u>20.78%</u>
25. Northern Flicker	<u>19.57%</u>
26. Ruby-throated Hummingbird	<u>19.46%</u>
27. Turkey Vulture	<u>19.38%</u>
28. Double-crested Cormorant	<u>18.23%</u>
29. Ruby-crowned Kinglet	<u>17.99%</u>
30. House Sparrow	<u>17.58%</u>
31. Eastern Bluebird	<u>16.10%</u>
32. House Wren	<u>15.71%</u>
33. White-eyed Vireo	<u>15.43%</u>
34. House Finch	<u>15.36%</u>
35. Laughing Gull	<u>14.78%</u>
36. Common Grackle	<u>14.45%</u>
37. Loggerhead Shrike	<u>14.27%</u>
38. Tree Swallow	<u>14.02%</u>
39. Red-shouldered Hawk	<u>13.48%</u>
40. Fish Crow	<u>13.41%</u>
41. American Kestrel	<u>13.33%</u>
42. Little Blue Heron	<u>13.25%</u>
43. Western Cattle Egret	<u>12.78%</u>
44. Barn Swallow	<u>12.69%</u>
45. Yellow-rumped Warbler	<u>12.01%</u>

46.	Red-tailed Hawk	<u>11.89%</u>
47.	Pileated Woodpecker	<u>11.60%</u>
48.	Anhinga	<u>11.54%</u>
49.	American Redstart	<u>11.48%</u>
50.	Swamp Sparrow	<u>10.75%</u>
51.	Yellow-bellied Sapsucker	<u>10.49%</u>
52.	Brown-headed Cowbird	<u>10.18%</u>
53.	Boat-tailed Grackle	<u>10.17%</u>
54.	Osprey	<u>10.10%</u>
55.	Black Vulture	<u>10.08%</u>
56.	Brown Pelican	<u>10.07%</u>
57.	Northern Harrier	<u>9.91%</u>
58.	Tricolored Heron	<u>9.85%</u>
59.	Savannah Sparrow	<u>9.76%</u>
60.	Pine Warbler	<u>9.37%</u>
61.	Northern Rough-winged Swallow	<u>9.31%</u>
62.	Pied-billed Grebe	<u>9.28%</u>
63.	Eastern Wood-Pewee	<u>9.24%</u>
64.	Magnolia Warbler	<u>9.16%</u>
65.	Chimney Swift	<u>8.58%</u>
66.	Wood Duck	<u>8.45%</u>
67.	Rock Pigeon	<u>8.10%</u>
68.	Cooper's Hawk	<u>7.74%</u>
69.	American Robin	<u>7.54%</u>
70.	Bald Eagle	<u>7.53%</u>

71.	American Coot	7.45%
72.	Summer Tanager	7.44%
73.	Forster's Tern	7.39%
74.	Eastern Meadowlark	7.34%
75.	Roseate Spoonbill	7.29%
76.	Royal Tern	7.13%
77.	Blue-winged Teal	6.92%
78.	Eurasian Collared-Dove	6.92%
79.	Greater Yellowlegs	6.84%
80.	Neotropic Cormorant	6.84%
81.	Least Sandpiper	6.80%
82.	American White Pelican	6.61%
83.	Common Gallinule	6.40%
84.	White-winged Dove	6.39%
85.	Northern Parula	6.28%
86.	Marsh Wren	6.08%
87.	Tennessee Warbler	5.96%
88.	Palm Warbler	5.92%
89.	Blue Grosbeak	5.87%
90.	Black-necked Stilt	5.76%
91.	Caspian Tern	5.75%
92.	Willet	5.72%
93.	Black-bellied Plover	5.68%
94.	Black-bellied Whistling-Duck	5.57%
95.	Scissor-tailed Flycatcher	5.44%

96.	Rose-breasted Grosbeak	5.14%
97.	Black-throated Green Warbler	5.09%
98.	Black-and-white Warbler	5.06%
99.	White-faced Ibis	5.02%
100.	Wilson's Snipe	4.92%
101.	Canada Goose	4.90%
102.	Orange-crowned Warbler	4.90%
103.	Mallard	4.68%
104.	White-throated Sparrow	4.67%
105.	Eastern Towhee	4.66%
106.	Yellow Warbler	4.49%
107.	Sanderling	4.47%
108.	Wilson's Warbler	4.39%
109.	Ring-billed Gull	4.22%
110.	Great-tailed Grackle	4.19%
111.	Barred Owl	4.18%
112.	Red-headed Woodpecker	4.10%
113.	Brown-headed Nuthatch	3.98%
114.	Lesser Yellowlegs	3.94%
115.	Mottled Duck	3.81%
116.	Black-crowned Night Heron	3.79%
117.	Red-eyed Vireo	3.74%
118.	Northern Shoveler	3.70%
119.	Merlin	3.54%
120.	Yellow-billed Cuckoo	3.51%

121.	Western Sandpiper	3.50%
122.	Inca Dove	3.46%
123.	Green Heron	3.44%
124.	Golden-crowned Kinglet	3.39%
125.	Sedge Wren	3.38%
126.	American Avocet	3.33%
127.	Semipalmated Plover	3.30%
128.	Greater White-fronted Goose	3.23%
129.	Clapper Rail	3.12%
130.	Sharp-shinned Hawk	3.06%
131.	Herring Gull	3.04%
132.	Spotted Sandpiper	2.96%
133.	Great Horned Owl	2.86%
134.	Long-billed Dowitcher	2.75%
135.	Ruddy Turnstone	2.64%
136.	Hairy Woodpecker	2.61%
137.	Dunlin	2.47%
138.	Peregrine Falcon	2.41%
139.	Gadwall	2.40%
140.	Hooded Warbler	2.39%
141.	Wood Thrush	2.38%
142.	Sora	2.37%
143.	Chipping Sparrow	2.35%
144.	Crested Caracara	2.29%
145.	Red-breasted Nuthatch	2.24%

146.	Philadelphia Vireo	2.20%
147.	Green-winged Teal	2.19%
148.	Painted Bunting	2.18%
149.	Eastern Screech-Owl	2.17%
150.	Nashville Warbler	2.15%
151.	Hermit Thrush	2.14%
152.	Reddish Egret	2.10%
153.	Northern Waterthrush	2.10%
154.	Broad-winged Hawk	2.04%
155.	Blue-headed Vireo	2.00%
156.	Piping Plover	1.94%
157.	Black Skimmer	1.84%
158.	Lincoln's Sparrow	1.76%
159.	Vermilion Flycatcher	1.75%
160.	Yellow-throated Warbler	1.73%
161.	Virginia Rail	1.69%
162.	Northern Pintail	1.68%
163.	Seaside Sparrow	1.68%
164.	King Rail	1.67%
165.	Swainson's Thrush	1.64%
166.	Yellow-crowned Night Heron	1.62%
167.	Song Sparrow	1.58%
168.	Limpkin	1.50%
169.	White-crowned Sparrow	1.47%
170.	Acadian Flycatcher	1.43%

171.	Snowy Plover	1.39%
172.	Stilt Sandpiper	1.36%
173.	Gull-billed Tern	1.30%
174.	White-breasted Nuthatch	1.29%
175.	Dickcissel	1.27%
176.	Franklin's Gull	1.21%
177.	Yellow-throated Vireo	1.19%
178.	Ovenbird	1.19%
179.	Lesser Black-backed Gull	1.19%
180.	Scarlet Tanager	1.18%
181.	Snow Goose	1.14%
182.	Nelson's Sparrow	1.13%
183.	Winter Wren	1.07%
184.	Rufous Hummingbird	1.07%
185.	Ruddy Duck	1.06%
186.	Chestnut-sided Warbler	1.06%
187.	Marbled Godwit	1.05%
188.	Ring-necked Duck	1.03%
189.	Short-billed Dowitcher	1.03%
190.	Baltimore Oriole	1.01%
191.	Magnificent Frigatebird	0.9700%
192.	American Wigeon	0.9109%
193.	Least Flycatcher	0.8831%
194.	American Pipit	0.8692%
195.	American Bittern	0.8170%

196.	Prairie Warbler	0.8101%
197.	Lesser Scaup	0.7858%
198.	Pectoral Sandpiper	0.7823%
199.	Brown Creeper	0.7788%
200.	Purple Gallinule	0.7718%
201.	Barn Owl	0.7579%
202.	Yellow Rail	0.7371%
203.	Red-cockaded Woodpecker	0.7093%
204.	Cliff Swallow	0.7023%
205.	Bank Swallow	0.6919%
206.	Wood Stork	0.6363%
207.	Long-billed Curlew	0.6258%
208.	Sandwich Tern	0.6189%
209.	Cave Swallow	0.6189%
210.	Wilson's Plover	0.6084%
211.	Clay-colored Sparrow	0.5945%
212.	Red Knot	0.5598%
213.	Eastern Kingbird	0.5528%
214.	Common Nighthawk	0.5459%
215.	Yellow-breasted Chat	0.5424%
216.	Blue-winged Warbler	0.5076%
217.	Buff-bellied Hummingbird	0.4972%
218.	Swainson's Hawk	0.4972%
219.	Fulvous Whistling-Duck	0.4902%
220.	Great Crested Flycatcher	0.4868%

221.	Western Kingbird	0.4798%
222.	Bay-breasted Warbler	0.4798%
223.	Blackburnian Warbler	0.4728%
224.	Solitary Sandpiper	0.4694%
225.	Dark-eyed Junco	0.4694%
226.	LeConte's Sparrow	0.4659%
227.	Common Tern	0.4624%
228.	Lark Sparrow	0.4485%
229.	Redhead	0.4381%
230.	Common Ground Dove	0.4207%
231.	White-tailed Kite	0.3790%
232.	Say's Phoebe	0.3720%
233.	Glossy Ibis	0.3685%
234.	Chuck-will's-widow	0.3651%
235.	American Oystercatcher	0.3477%
236.	Least Bittern	0.3477%
237.	Field Sparrow	0.3477%
238.	Bronzed Cowbird	0.3407%
239.	Groove-billed Ani	0.3268%
240.	Black Tern	0.3233%
241.	Vesper Sparrow	0.3233%
242.	Wild Turkey	0.2990%
243.	Pine Siskin	0.2955%
244.	Black-chinned Hummingbird	0.2781%
245.	Yellow-headed Blackbird	0.2781%

246.	Ash-throated Flycatcher	0.2712%
247.	Bachman's Sparrow	0.2538%
248.	Common Loon	0.2364%
249.	Canada Warbler	0.2364%
250.	American Flamingo	0.2260%
251.	Ross's Goose	0.2225%
252.	Red-legged Honeycreeper	0.2225%
253.	Whimbrel	0.2156%
254.	Golden-winged Warbler	0.2051%
255.	Black-throated Blue Warbler	0.2051%
256.	Brown Booby	0.2016%
257.	Semipalmated Sandpiper	0.1982%
258.	Worm-eating Warbler	0.1843%
259.	Northern Bobwhite	0.1704%
260.	White-tailed Hawk	0.1669%
261.	Gray-cheeked Thrush	0.1634%
262.	American Golden-Plover	0.1495%
263.	American Goldfinch	0.1495%
264.	Grasshopper Sparrow	0.1426%
265.	Black-billed Cuckoo	0.1391%
266.	Mourning Warbler	0.1391%
267.	Hooded Merganser	0.1321%
268.	Yellow-bellied Flycatcher	0.1321%
269.	Bewick's Wren	0.1321%
270.	Sage Thrasher	0.1286%

271.	Canvasback	0.1217%
272.	Eared Grebe	0.1217%
273.	Eastern Whip-poor-will	0.1217%
274.	Prothonotary Warbler	0.1217%
275.	Sandhill Crane	0.1182%
276.	Wilson's Phalarope	0.1182%
277.	Great Kiskadee	0.1182%
278.	Black-headed Grosbeak	0.1147%
279.	Whooping Crane	0.1043%
280.	Veery	0.1043%
281.	Warbling Vireo	0.0974%
282.	Cedar Waxwing	0.0974%
283.	Sprague's Pipit	0.0974%
284.	Cape May Warbler	0.0939%
285.	Calliope Hummingbird	0.0869%
286.	Bullock's Oriole	0.0869%
287.	Brewer's Blackbird	0.0800%
288.	Ringed Kingfisher	0.0765%
289.	Horned Grebe	0.0730%
290.	Bell's Vireo	0.0730%
291.	Kentucky Warbler	0.0730%
292.	American Woodcock	0.0695%
293.	Baird's Sandpiper	0.0695%
294.	Bonaparte's Gull	0.0695%
295.	MacGillivray's Warbler	0.0695%

296.	Buff-breasted Sandpiper	0.0661%
297.	Mississippi Kite	0.0626%
298.	Fork-tailed Flycatcher	0.0626%
299.	Orchard Oriole	0.0626%
300.	Blackpoll Warbler	0.0591%
301.	Olive-sided Flycatcher	0.0556%
302.	Henslow's Sparrow	0.0556%
303.	Western Tanager	0.0556%
304.	Broad-tailed Hummingbird	0.0521%
305.	California Gull	0.0487%
306.	Western Meadowlark	0.0487%
307.	Horned Lark	0.0417%
308.	Black-throated Gray Warbler	0.0417%
309.	Ruff	0.0382%
310.	Least Tern	0.0382%
311.	Purple Martin	0.0382%
312.	Bobolink	0.0382%
313.	Golden-crowned Warbler	0.0382%
314.	Hepatic Tanager	0.0382%
315.	Upland Sandpiper	0.0348%
316.	Great Black-backed Gull	0.0348%
317.	Couch's Kingbird	0.0348%
318.	Red-breasted Merganser	0.0313%
319.	Black Rail	0.0313%
320.	Scaly-breasted Munia	0.0313%

321.	Surf Scoter	0.0278%
322.	Broad-billed Hummingbird	0.0278%
323.	Burrowing Owl	0.0243%
324.	Spotted Towhee	0.0243%
325.	Swainson's Warbler	0.0243%
326.	Sulphur-bellied Flycatcher	0.0209%
327.	Cassin's Kingbird	0.0209%
328.	Cackling Goose	0.0174%
329.	Cinnamon Teal	0.0174%
330.	Bufflehead	0.0174%
331.	Red-necked Phalarope	0.0174%
332.	Masked Booby	0.0174%
333.	Short-eared Owl	0.0174%
334.	Western Wood-Pewee	0.0174%
335.	Alder Flycatcher	0.0174%
336.	Willow Flycatcher	0.0174%
337.	Mountain Bluebird	0.0174%
338.	Lapland Longspur	0.0174%
339.	Fox Sparrow	0.0174%
340.	Black Scoter	0.0139%
341.	Greater Roadrunner	0.0139%
342.	Red Phalarope	0.0139%
343.	Ferruginous Hawk	0.0139%
344.	Western Flycatcher	0.0139%
345.	Rock Wren	0.0139%

346.	Cerulean Warbler	0.0139%
347.	Glaucous Gull	0.0104%
348.	Northern Gannet	0.0104%
349.	Golden Eagle	0.0104%
350.	Brown-crested Flycatcher	0.0104%
351.	Purple Finch	0.0104%
352.	Cassin's Sparrow	0.0104%
353.	Scott's Oriole	0.0104%
354.	Townsend's Warbler	0.0104%
355.	Greater Scaup	0.0069%
356.	Pomarine Jaeger	0.0069%
357.	Iceland Gull	0.0069%
358.	Sooty Tern	0.0069%
359.	Bridled Tern	0.0069%
360.	Harris's Hawk	0.0069%
361.	Red-naped Sapsucker	0.0069%
362.	Chestnut-collared Longspur	0.0069%
363.	Harris's Sparrow	0.0069%
364.	Louisiana Waterthrush	0.0069%
365.	Tropical Parula	0.0069%
366.	White-winged Scoter	0.0035%
367.	Common Merganser	0.0035%
368.	Western Grebe	0.0035%
369.	Siberian Sand-Plover	0.0035%
370.	Hudsonian Godwit	0.0035%

371. White-rumped Sandpiper	0.0035%
372. Parasitic Jaeger	0.0035%
373. Leach's Storm-Petrel	0.0035%
374. Cory's Shearwater	0.0035%
375. Great Shearwater	0.0035%
376. Flammulated Owl	0.0035%
377. Tropical Kingbird	0.0035%
378. Gray Kingbird	0.0035%
379. Yellow-green Vireo	0.0035%
380. Townsend's Solitaire	0.0035%
381. Varied Thrush	0.0035%
382. Northern Wheatear	0.0035%
383. Brewer's Sparrow	0.0035%
384. Green-tailed Towhee	0.0035%
385. Rusty Blackbird	0.0035%
386. Anna's Hummingbird	0.0000%
387. Hammond's Flycatcher	0.0000%
388. Cassin's Vireo	0.0000%
389. Lark Bunting	0.0000%
390. Shiny Cowbird	0.0000%

EXOTIC: PROVISIONAL

391. Monk Parakeet	1.57% frequency
---------------------------	------------------------

EXOTIC: ESCAPEE

Muscovy Duck	2.15% frequency
---------------------	------------------------

Graylag Goose	0.2364%
----------------------	----------------

Swan Goose	0.2295%
Mute Swan	0.1008%
Golden Pheasant	0.0174%
Indian Peafowl	0.0174%
Red Junglefowl	0.0104%
Black Swan	0.0069%
Egyptian Goose	0.0035%
Ring-necked Pheasant	0.0035%
Chukar	0.0035%
Budgerigar	0.0035%
Rosy-faced Lovebird	0.0035%
Black Francolin	0.0000%

HYBRIDS

Muscovy Duck x Mallard (hybrid)	0.1669% frequency
Graylag x Canada Goose (hybrid)	0.0174%
Swan Goose x Canada Goose (hybrid)	0.0104%
Graylag x Swan Goose (hybrid)	0.0069%
Mallard x Mottled Duck (hybrid)	0.0069%
Brewster's Warbler (hybrid)	0.0069%
Blue-winged x Cinnamon Teal (hybrid)	0.0035%
Glossy x White-faced Ibis (hybrid)	0.0035%
Golden-winged x Blue-winged Warbler (hybrid)	0.0035%