

Target Species

Based on 28,762 complete checklists

391 species observed in Louisiana, US (region/US-LA) in **Oct** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	5.57% frequency
2. Fulvous Whistling-Duck	0.4902%
3. Snow Goose	1.14%
4. Ross's Goose	0.2225%
5. Greater White-fronted Goose	3.23%
6. Cackling Goose	0.0174%
7. Canada Goose	4.90%
8. Wood Duck	8.45%
9. Blue-winged Teal	6.92%
10. Cinnamon Teal	0.0174%
11. Northern Shoveler	3.70%
12. Gadwall	2.40%
13. American Wigeon	0.9109%
14. Mallard	4.68%
15. Mottled Duck	3.81%
16. Northern Pintail	1.68%
17. Green-winged Teal	2.19%
18. Canvasback	0.1217%
19. Redhead	0.4381%
20. Ring-necked Duck	1.03%

21. Greater Scaup	0.0069%
22. Lesser Scaup	0.7858%
23. Surf Scoter	0.0278%
24. White-winged Scoter	0.0035%
25. Black Scoter	0.0139%
26. Bufflehead	0.0174%
27. Hooded Merganser	0.1321%
28. Common Merganser	0.0035%
29. Red-breasted Merganser	0.0313%
30. Ruddy Duck	1.06%
31. Northern Bobwhite	0.1704%
32. Wild Turkey	0.2990%
33. American Flamingo	0.2260%
34. Pied-billed Grebe	9.28%
35. Horned Grebe	0.0730%
36. Eared Grebe	0.1217%
37. Western Grebe	0.0035%
38. Rock Pigeon	8.10%
39. Eurasian Collared-Dove	6.92%
40. Inca Dove	3.46%
41. Common Ground Dove	0.4207%
42. White-winged Dove	6.39%
43. Mourning Dove	36.81%
44. Groove-billed Ani	0.3268%
45. Greater Roadrunner	0.0139%

46.	Yellow-billed Cuckoo	3.51%
47.	Black-billed Cuckoo	0.1391%
48.	Common Nighthawk	0.5459%
49.	Chuck-will's-widow	0.3651%
50.	Eastern Whip-poor-will	0.1217%
51.	Chimney Swift	8.58%
52.	Ruby-throated Hummingbird	19.46%
53.	Black-chinned Hummingbird	0.2781%
54.	Anna's Hummingbird	0.0000%
55.	Calliope Hummingbird	0.0869%
56.	Rufous Hummingbird	1.07%
57.	Broad-tailed Hummingbird	0.0521%
58.	Broad-billed Hummingbird	0.0278%
59.	Buff-bellied Hummingbird	0.4972%
60.	King Rail	1.67%
61.	Clapper Rail	3.12%
62.	Virginia Rail	1.69%
63.	Sora	2.37%
64.	Common Gallinule	6.40%
65.	American Coot	7.45%
66.	Purple Gallinule	0.7718%
67.	Yellow Rail	0.7371%
68.	Black Rail	0.0313%
69.	Limpkin	1.50%
70.	Sandhill Crane	0.1182%

71.	Whooping Crane	0.1043%
72.	Black-necked Stilt	5.76%
73.	American Avocet	3.33%
74.	American Oystercatcher	0.3477%
75.	Black-bellied Plover	5.68%
76.	American Golden-Plover	0.1495%
77.	Killdeer	22.41%
78.	Semipalmated Plover	3.30%
79.	Piping Plover	1.94%
80.	Siberian Sand-Plover	0.0035%
81.	Wilson's Plover	0.6084%
82.	Snowy Plover	1.39%
83.	Upland Sandpiper	0.0348%
84.	Whimbrel	0.2156%
85.	Long-billed Curlew	0.6258%
86.	Hudsonian Godwit	0.0035%
87.	Marbled Godwit	1.05%
88.	Short-billed Dowitcher	1.03%
89.	Long-billed Dowitcher	2.75%
90.	American Woodcock	0.0695%
91.	Wilson's Snipe	4.92%
92.	Wilson's Phalarope	0.1182%
93.	Red Phalarope	0.0139%
94.	Red-necked Phalarope	0.0174%
95.	Spotted Sandpiper	2.96%

96.	Solitary Sandpiper	0.4694%
97.	Lesser Yellowlegs	3.94%
98.	Willet	5.72%
99.	Greater Yellowlegs	6.84%
100.	Ruddy Turnstone	2.64%
101.	Red Knot	0.5598%
102.	Ruff	0.0382%
103.	Stilt Sandpiper	1.36%
104.	Buff-breasted Sandpiper	0.0661%
105.	Sanderling	4.47%
106.	Dunlin	2.47%
107.	Baird's Sandpiper	0.0695%
108.	White-rumped Sandpiper	0.0035%
109.	Least Sandpiper	6.80%
110.	Pectoral Sandpiper	0.7823%
111.	Western Sandpiper	3.50%
112.	Semipalmated Sandpiper	0.1982%
113.	Parasitic Jaeger	0.0035%
114.	Pomarine Jaeger	0.0069%
115.	Bonaparte's Gull	0.0695%
116.	Laughing Gull	14.78%
117.	Franklin's Gull	1.21%
118.	Ring-billed Gull	4.22%
119.	Herring Gull	3.04%
120.	Great Black-backed Gull	0.0348%

121.	Glaucous Gull	0.0104%
122.	Lesser Black-backed Gull	1.19%
123.	California Gull	0.0487%
124.	Iceland Gull	0.0069%
125.	Black Skimmer	1.84%
126.	Sooty Tern	0.0069%
127.	Bridled Tern	0.0069%
128.	Least Tern	0.0382%
129.	Gull-billed Tern	1.30%
130.	Caspian Tern	5.75%
131.	Black Tern	0.3233%
132.	Forster's Tern	7.39%
133.	Common Tern	0.4624%
134.	Sandwich Tern	0.6189%
135.	Royal Tern	7.13%
136.	Common Loon	0.2364%
137.	Leach's Storm-Petrel	0.0035%
138.	Cory's Shearwater	0.0035%
139.	Great Shearwater	0.0035%
140.	Wood Stork	0.6363%
141.	Magnificent Frigatebird	0.9700%
142.	Northern Gannet	0.0104%
143.	Brown Booby	0.2016%
144.	Masked Booby	0.0174%
145.	Anhinga	11.54%

146.	Double-crested Cormorant	18.23%
147.	Neotropic Cormorant	6.84%
148.	American White Pelican	6.61%
149.	Brown Pelican	10.07%
150.	American Bittern	0.8170%
151.	Least Bittern	0.3477%
152.	Yellow-crowned Night Heron	1.62%
153.	Black-crowned Night Heron	3.79%
154.	Little Blue Heron	13.25%
155.	Tricolored Heron	9.85%
156.	Reddish Egret	2.10%
157.	Snowy Egret	23.42%
158.	Green Heron	3.44%
159.	Western Cattle Egret	12.78%
160.	Great Egret	44.57%
161.	Great Blue Heron	29.99%
162.	White Ibis	24.12%
163.	Glossy Ibis	0.3685%
164.	White-faced Ibis	5.02%
165.	Roseate Spoonbill	7.29%
166.	Black Vulture	10.08%
167.	Turkey Vulture	19.38%
168.	Osprey	10.10%
169.	White-tailed Kite	0.3790%
170.	Golden Eagle	0.0104%

171.	Mississippi Kite	0.0626%
172.	Northern Harrier	9.91%
173.	Sharp-shinned Hawk	3.06%
174.	Cooper's Hawk	7.74%
175.	Bald Eagle	7.53%
176.	Harris's Hawk	0.0069%
177.	White-tailed Hawk	0.1669%
178.	Red-shouldered Hawk	13.48%
179.	Broad-winged Hawk	2.04%
180.	Swainson's Hawk	0.4972%
181.	Red-tailed Hawk	11.89%
182.	Ferruginous Hawk	0.0139%
183.	Barn Owl	0.7579%
184.	Flammulated Owl	0.0035%
185.	Eastern Screech-Owl	2.17%
186.	Great Horned Owl	2.86%
187.	Burrowing Owl	0.0243%
188.	Barred Owl	4.18%
189.	Short-eared Owl	0.0174%
190.	Ringed Kingfisher	0.0765%
191.	Belted Kingfisher	23.63%
192.	Yellow-bellied Sapsucker	10.49%
193.	Red-naped Sapsucker	0.0069%
194.	Red-headed Woodpecker	4.10%
195.	Red-bellied Woodpecker	37.17%

196.	Downy Woodpecker	33.54%
197.	Red-cockaded Woodpecker	0.7093%
198.	Hairy Woodpecker	2.61%
199.	Pileated Woodpecker	11.60%
200.	Northern Flicker	19.57%
201.	Crested Caracara	2.29%
202.	American Kestrel	13.33%
203.	Merlin	3.54%
204.	Peregrine Falcon	2.41%
205.	Olive-sided Flycatcher	0.0556%
206.	Western Wood-Pewee	0.0174%
207.	Eastern Wood-Pewee	9.24%
208.	Yellow-bellied Flycatcher	0.1321%
209.	Acadian Flycatcher	1.43%
210.	Alder Flycatcher	0.0174%
211.	Willow Flycatcher	0.0174%
212.	Least Flycatcher	0.8831%
213.	Hammond's Flycatcher	0.0000%
214.	Western Flycatcher	0.0139%
215.	Eastern Phoebe	25.88%
216.	Say's Phoebe	0.3720%
217.	Vermilion Flycatcher	1.75%
218.	Ash-throated Flycatcher	0.2712%
219.	Great Crested Flycatcher	0.4868%
220.	Brown-crested Flycatcher	0.0104%

221.	Great Kiskadee	0.1182%
222.	Sulphur-bellied Flycatcher	0.0209%
223.	Tropical Kingbird	0.0035%
224.	Couch's Kingbird	0.0348%
225.	Cassin's Kingbird	0.0209%
226.	Western Kingbird	0.4798%
227.	Eastern Kingbird	0.5528%
228.	Gray Kingbird	0.0035%
229.	Scissor-tailed Flycatcher	5.44%
230.	Fork-tailed Flycatcher	0.0626%
231.	White-eyed Vireo	15.43%
232.	Bell's Vireo	0.0730%
233.	Yellow-throated Vireo	1.19%
234.	Cassin's Vireo	0.0000%
235.	Blue-headed Vireo	2.00%
236.	Philadelphia Vireo	2.20%
237.	Warbling Vireo	0.0974%
238.	Red-eyed Vireo	3.74%
239.	Yellow-green Vireo	0.0035%
240.	Loggerhead Shrike	14.27%
241.	Blue Jay	58.43%
242.	American Crow	38.37%
243.	Fish Crow	13.41%
244.	Carolina Chickadee	40.89%
245.	Tufted Titmouse	22.72%

246.	Horned Lark	0.0417%
247.	Bank Swallow	0.6919%
248.	Tree Swallow	14.02%
249.	Purple Martin	0.0382%
250.	Northern Rough-winged Swallow	9.31%
251.	Barn Swallow	12.69%
252.	Cliff Swallow	0.7023%
253.	Cave Swallow	0.6189%
254.	Ruby-crowned Kinglet	17.99%
255.	Golden-crowned Kinglet	3.39%
256.	White-breasted Nuthatch	1.29%
257.	Brown-headed Nuthatch	3.98%
258.	Red-breasted Nuthatch	2.24%
259.	Brown Creeper	0.7788%
260.	Blue-gray Gnatcatcher	24.83%
261.	Rock Wren	0.0139%
262.	House Wren	15.71%
263.	Winter Wren	1.07%
264.	Sedge Wren	3.38%
265.	Marsh Wren	6.08%
266.	Carolina Wren	42.36%
267.	Bewick's Wren	0.1321%
268.	European Starling	23.58%
269.	Gray Catbird	22.78%
270.	Brown Thrasher	23.38%

271. Sage Thrasher	0.1286%
272. Northern Mockingbird	57.01%
273. Eastern Bluebird	16.10%
274. Mountain Bluebird	0.0174%
275. Townsend's Solitaire	0.0035%
276. Varied Thrush	0.0035%
277. Veery	0.1043%
278. Gray-cheeked Thrush	0.1634%
279. Swainson's Thrush	1.64%
280. Hermit Thrush	2.14%
281. Wood Thrush	2.38%
282. American Robin	7.54%
283. Northern Wheatear	0.0035%
284. Cedar Waxwing	0.0974%
285. Scaly-breasted Munia	0.0313%
286. House Sparrow	17.58%
287. American Pipit	0.8692%
288. Sprague's Pipit	0.0974%
289. House Finch	15.36%
290. Purple Finch	0.0104%
291. Pine Siskin	0.2955%
292. American Goldfinch	0.1495%
293. Lapland Longspur	0.0174%
294. Chestnut-collared Longspur	0.0069%
295. Cassin's Sparrow	0.0104%

296.	Bachman's Sparrow	0.2538%
297.	Grasshopper Sparrow	0.1426%
298.	Chipping Sparrow	2.35%
299.	Clay-colored Sparrow	0.5945%
300.	Field Sparrow	0.3477%
301.	Brewer's Sparrow	0.0035%
302.	Lark Sparrow	0.4485%
303.	Lark Bunting	0.0000%
304.	Fox Sparrow	0.0174%
305.	Dark-eyed Junco	0.4694%
306.	White-crowned Sparrow	1.47%
307.	Harris's Sparrow	0.0069%
308.	White-throated Sparrow	4.67%
309.	Vesper Sparrow	0.3233%
310.	LeConte's Sparrow	0.4659%
311.	Seaside Sparrow	1.68%
312.	Nelson's Sparrow	1.13%
313.	Savannah Sparrow	9.76%
314.	Henslow's Sparrow	0.0556%
315.	Song Sparrow	1.58%
316.	Lincoln's Sparrow	1.76%
317.	Swamp Sparrow	10.75%
318.	Green-tailed Towhee	0.0035%
319.	Spotted Towhee	0.0243%
320.	Eastern Towhee	4.66%

321.	Yellow-breasted Chat	0.5424%
322.	Yellow-headed Blackbird	0.2781%
323.	Bobolink	0.0382%
324.	Western Meadowlark	0.0487%
325.	Eastern Meadowlark	7.34%
326.	Orchard Oriole	0.0626%
327.	Bullock's Oriole	0.0869%
328.	Baltimore Oriole	1.01%
329.	Scott's Oriole	0.0104%
330.	Red-winged Blackbird	28.59%
331.	Shiny Cowbird	0.0000%
332.	Bronzed Cowbird	0.3407%
333.	Brown-headed Cowbird	10.18%
334.	Rusty Blackbird	0.0035%
335.	Brewer's Blackbird	0.0800%
336.	Common Grackle	14.45%
337.	Boat-tailed Grackle	10.17%
338.	Great-tailed Grackle	4.19%
339.	Ovenbird	1.19%
340.	Worm-eating Warbler	0.1843%
341.	Louisiana Waterthrush	0.0069%
342.	Northern Waterthrush	2.10%
343.	Golden-winged Warbler	0.2051%
344.	Blue-winged Warbler	0.5076%
345.	Black-and-white Warbler	5.06%

346.	Prothonotary Warbler	0.1217%
347.	Swainson's Warbler	0.0243%
348.	Tennessee Warbler	5.96%
349.	Orange-crowned Warbler	4.90%
350.	Nashville Warbler	2.15%
351.	MacGillivray's Warbler	0.0695%
352.	Mourning Warbler	0.1391%
353.	Kentucky Warbler	0.0730%
354.	Common Yellowthroat	20.78%
355.	Hooded Warbler	2.39%
356.	American Redstart	11.48%
357.	Cape May Warbler	0.0939%
358.	Cerulean Warbler	0.0139%
359.	Northern Parula	6.28%
360.	Tropical Parula	0.0069%
361.	Magnolia Warbler	9.16%
362.	Bay-breasted Warbler	0.4798%
363.	Blackburnian Warbler	0.4728%
364.	Yellow Warbler	4.49%
365.	Chestnut-sided Warbler	1.06%
366.	Blackpoll Warbler	0.0591%
367.	Black-throated Blue Warbler	0.2051%
368.	Palm Warbler	5.92%
369.	Pine Warbler	9.37%
370.	Yellow-rumped Warbler	12.01%

371. Yellow-throated Warbler	1.73%
372. Prairie Warbler	0.8101%
373. Black-throated Gray Warbler	0.0417%
374. Townsend's Warbler	0.0104%
375. Black-throated Green Warbler	5.09%
376. Golden-crowned Warbler	0.0382%
377. Canada Warbler	0.2364%
378. Wilson's Warbler	4.39%
379. Hepatic Tanager	0.0382%
380. Summer Tanager	7.44%
381. Scarlet Tanager	1.18%
382. Western Tanager	0.0556%
383. Northern Cardinal	54.36%
384. Rose-breasted Grosbeak	5.14%
385. Black-headed Grosbeak	0.1147%
386. Blue Grosbeak	5.87%
387. Indigo Bunting	22.94%
388. Painted Bunting	2.18%
389. Dickcissel	1.27%
390. Red-legged Honeycreeper	0.2225%
EXOTIC: PROVISIONAL	
391. Monk Parakeet	1.57% frequency
EXOTIC: ESCAPEE	
Graylag Goose	0.2364% frequency
Swan Goose	0.2295%

Mute Swan	0.1008%
Black Swan	0.0069%
Egyptian Goose	0.0035%
Muscovy Duck	2.15%
Golden Pheasant	0.0174%
Ring-necked Pheasant	0.0035%
Indian Peafowl	0.0174%
Red Junglefowl	0.0104%
Chukar	0.0035%
Budgerigar	0.0035%
Rosy-faced Lovebird	0.0035%
Black Francolin	0.0000%
HYBRIDS	
Graylag x Swan Goose (hybrid)	0.0069% frequency
Swan Goose x Canada Goose (hybrid)	0.0104%
Graylag x Canada Goose (hybrid)	0.0174%
Blue-winged x Cinnamon Teal (hybrid)	0.0035%
Muscovy Duck x Mallard (hybrid)	0.1669%
Mallard x Mottled Duck (hybrid)	0.0069%
Glossy x White-faced Ibis (hybrid)	0.0035%
Golden-winged x Blue-winged Warbler (hybrid)	0.0035%
Brewster's Warbler (hybrid)	0.0069%