

Target Species

Based on 21,796 complete checklists

340 species observed in Louisiana, US (region/US-LA) in **Sep** that you need for your **World Life List**

1. Blue Jay	64.59% frequency
2. Northern Cardinal	60.66%
3. Northern Mockingbird	51.56%
4. Carolina Wren	49.53%
5. Carolina Chickadee	46.42%
6. Mourning Dove	44.20%
7. Great Egret	43.68%
8. Ruby-throated Hummingbird	43.41%
9. American Crow	41.16%
10. Red-bellied Woodpecker	39.04%
11. Downy Woodpecker	39.00%
12. Blue-gray Gnatcatcher	28.88%
13. Tufted Titmouse	27.27%
14. Great Blue Heron	26.07%
15. Snowy Egret	24.72%
16. European Starling	24.44%
17. White Ibis	24.01%
18. White-eyed Vireo	22.56%
19. Killdeer	21.40%
20. Chimney Swift	20.77%

21.	Little Blue Heron	<u>20.62%</u>
22.	Western Cattle Egret	<u>20.50%</u>
23.	Brown Thrasher	<u>18.82%</u>
24.	House Finch	<u>18.44%</u>
25.	House Sparrow	<u>18.04%</u>
26.	Belted Kingfisher	<u>17.61%</u>
27.	Laughing Gull	<u>17.27%</u>
28.	Barn Swallow	<u>16.59%</u>
29.	Turkey Vulture	<u>15.65%</u>
30.	Pileated Woodpecker	<u>15.20%</u>
31.	Yellow Warbler	<u>15.11%</u>
32.	Red-shouldered Hawk	<u>14.74%</u>
33.	Common Yellowthroat	<u>14.57%</u>
34.	Eastern Wood-Pewee	<u>14.53%</u>
35.	Common Grackle	<u>14.29%</u>
36.	Summer Tanager	<u>14.18%</u>
37.	Eastern Bluebird	<u>14.15%</u>
38.	Fish Crow	<u>14.13%</u>
39.	Eastern Kingbird	<u>13.84%</u>
40.	Red-winged Blackbird	<u>13.59%</u>
41.	Anhinga	<u>13.08%</u>
42.	Green Heron	<u>12.64%</u>
43.	Loggerhead Shrike	<u>12.01%</u>
44.	Red-eyed Vireo	<u>11.33%</u>
45.	Northern Flicker	<u>11.18%</u>

46.	Tricolored Heron	<u>11.18%</u>
47.	American Redstart	<u>10.98%</u>
48.	Indigo Bunting	<u>10.36%</u>
49.	Great Crested Flycatcher	<u>10.35%</u>
50.	Double-crested Cormorant	<u>10.06%</u>
51.	Blue Grosbeak	<u>9.85%</u>
52.	Black Vulture	<u>9.60%</u>
53.	Rock Pigeon	<u>9.33%</u>
54.	Wood Duck	<u>9.23%</u>
55.	Pine Warbler	<u>9.00%</u>
56.	Red-headed Woodpecker	<u>8.90%</u>
57.	Black-bellied Whistling-Duck	<u>8.78%</u>
58.	Eurasian Collared-Dove	<u>8.55%</u>
59.	Black-and-white Warbler	<u>8.22%</u>
60.	Brown Pelican	<u>8.14%</u>
61.	Osprey	<u>8.10%</u>
62.	Gray Catbird	<u>8.08%</u>
63.	Least Sandpiper	<u>7.71%</u>
64.	Forster's Tern	<u>7.69%</u>
65.	Royal Tern	<u>7.52%</u>
66.	Northern Waterthrush	<u>7.09%</u>
67.	Roseate Spoonbill	<u>6.95%</u>
68.	Boat-tailed Grackle	<u>6.93%</u>
69.	Hooded Warbler	<u>6.91%</u>
70.	Blue-winged Teal	<u>6.85%</u>

71.	Cooper's Hawk	6.77%
72.	American Robin	6.69%
73.	Black-necked Stilt	6.64%
74.	Baltimore Oriole	6.46%
75.	Acadian Flycatcher	6.40%
76.	Northern Rough-winged Swallow	6.33%
77.	White-winged Dove	6.28%
78.	Northern Parula	6.25%
79.	Magnolia Warbler	6.16%
80.	Red-tailed Hawk	6.00%
81.	Barred Owl	5.84%
82.	Yellow-crowned Night Heron	5.80%
83.	Neotropic Cormorant	5.67%
84.	Spotted Sandpiper	5.66%
85.	Common Gallinule	5.43%
86.	Brown-headed Cowbird	5.34%
87.	Willet	5.24%
88.	Yellow-throated Vireo	5.20%
89.	Caspian Tern	5.06%
90.	Eastern Towhee	5.04%
91.	Inca Dove	5.02%
92.	Yellow-billed Cuckoo	4.85%
93.	Canada Goose	4.82%
94.	Black-crowned Night Heron	4.36%
95.	Cliff Swallow	4.32%

96.	Brown-headed Nuthatch	4.29%
97.	Black-bellied Plover	4.24%
98.	Greater Yellowlegs	4.24%
99.	Semipalmated Plover	4.08%
100.	Western Sandpiper	3.95%
101.	Sanderling	3.90%
102.	Lesser Yellowlegs	3.84%
103.	Prothonotary Warbler	3.73%
104.	Pied-billed Grebe	3.67%
105.	Painted Bunting	3.67%
106.	Mallard	3.42%
107.	Tree Swallow	3.41%
108.	Bank Swallow	3.40%
109.	Bald Eagle	3.38%
110.	Ruddy Turnstone	3.35%
111.	Mottled Duck	3.29%
112.	White-faced Ibis	3.29%
113.	Least Flycatcher	3.23%
114.	Eastern Screech-Owl	3.21%
115.	Broad-winged Hawk	3.14%
116.	Hairy Woodpecker	3.05%
117.	Black Tern	3.03%
118.	Mississippi Kite	3.00%
119.	Tennessee Warbler	2.89%
120.	Yellow-breasted Chat	2.88%

121.	Canada Warbler	2.73%
122.	Wilson's Warbler	2.73%
123.	Pectoral Sandpiper	2.59%
124.	Clapper Rail	2.56%
125.	Great Horned Owl	2.55%
126.	Black Skimmer	2.54%
127.	Purple Martin	2.49%
128.	American Kestrel	2.47%
129.	Reddish Egret	2.35%
130.	Solitary Sandpiper	2.30%
131.	Common Nighthawk	2.22%
132.	Semipalmated Sandpiper	2.18%
133.	Wood Stork	2.17%
134.	Blue-winged Warbler	2.15%
135.	Scissor-tailed Flycatcher	2.12%
136.	Ring-billed Gull	2.11%
137.	Magnificent Frigatebird	2.07%
138.	Great-tailed Grackle	2.01%
139.	Eastern Meadowlark	1.98%
140.	Sandwich Tern	1.94%
141.	American White Pelican	1.93%
142.	Alder Flycatcher	1.93%
143.	White-breasted Nuthatch	1.86%
144.	Least Tern	1.85%
145.	Piping Plover	1.81%

146.	Orchard Oriole	1.75%
147.	Yellow-throated Warbler	1.74%
148.	Dickcissel	1.68%
149.	Kentucky Warbler	1.60%
150.	Black-throated Green Warbler	1.57%
151.	Eastern Phoebe	1.54%
152.	Prairie Warbler	1.50%
153.	Herring Gull	1.47%
154.	Chestnut-sided Warbler	1.46%
155.	Merlin	1.45%
156.	Gull-billed Tern	1.41%
157.	American Avocet	1.37%
158.	Blackburnian Warbler	1.34%
159.	Snowy Plover	1.28%
160.	Stilt Sandpiper	1.27%
161.	Wilson's Plover	1.25%
162.	American Coot	1.25%
163.	Ovenbird	1.21%
164.	Short-billed Dowitcher	1.17%
165.	Seaside Sparrow	1.15%
166.	Northern Shoveler	1.13%
167.	Philadelphia Vireo	1.12%
168.	Northern Harrier	1.12%
169.	Purple Gallinule	1.11%
170.	Limpkin	1.11%

171.	Worm-eating Warbler	1.03%
172.	Sharp-shinned Hawk	1.03%
173.	Marbled Godwit	1.01%
174.	Olive-sided Flycatcher	0.9910%
175.	Nashville Warbler	0.9910%
176.	Swainson's Thrush	0.9681%
177.	Peregrine Falcon	0.9359%
178.	Chuck-will's-widow	0.9314%
179.	Crested Caracara	0.9268%
180.	Common Tern	0.9084%
181.	Rufous Hummingbird	0.8992%
182.	House Wren	0.8901%
183.	Wood Thrush	0.8763%
184.	King Rail	0.8717%
185.	Chipping Sparrow	0.8625%
186.	Long-billed Dowitcher	0.7891%
187.	Lesser Black-backed Gull	0.7846%
188.	Mourning Warbler	0.7800%
189.	Ruby-crowned Kinglet	0.7754%
190.	Fulvous Whistling-Duck	0.7524%
191.	Least Bittern	0.7524%
192.	Yellow-bellied Flycatcher	0.7524%
193.	Palm Warbler	0.7111%
194.	Wilson's Snipe	0.6790%
195.	Buff-breasted Sandpiper	0.6744%

196.	Marsh Wren	0.6607%
197.	Scarlet Tanager	0.6469%
198.	Sora	0.6240%
199.	Red Knot	0.6010%
200.	Warbling Vireo	0.6010%
201.	Lark Sparrow	0.5964%
202.	Upland Sandpiper	0.5276%
203.	Wilson's Phalarope	0.5047%
204.	Golden-winged Warbler	0.4680%
205.	Rose-breasted Grosbeak	0.4542%
206.	Long-billed Curlew	0.4221%
207.	Red-cockaded Woodpecker	0.4221%
208.	Bronzed Cowbird	0.3992%
209.	Whimbrel	0.3670%
210.	American Oystercatcher	0.3533%
211.	Wild Turkey	0.3441%
212.	Cave Swallow	0.3395%
213.	Northern Pintail	0.3257%
214.	Northern Bobwhite	0.3212%
215.	Baird's Sandpiper	0.3212%
216.	Glossy Ibis	0.3212%
217.	Swainson's Warbler	0.3028%
218.	Veery	0.2707%
219.	Swainson's Hawk	0.2661%
220.	American Flamingo	0.2523%

221.	Bridled Tern	0.2340%
222.	Green-winged Teal	0.2294%
223.	Yellow-bellied Sapsucker	0.2156%
224.	Sooty Tern	0.1927%
225.	Bell's Vireo	0.1927%
226.	Barn Owl	0.1881%
227.	Vermilion Flycatcher	0.1881%
228.	American Bittern	0.1835%
229.	Common Ground Dove	0.1698%
230.	Virginia Rail	0.1698%
231.	Brown Booby	0.1698%
232.	Red-breasted Nuthatch	0.1698%
233.	Black-billed Cuckoo	0.1606%
234.	Eastern Whip-poor-will	0.1606%
235.	Dunlin	0.1606%
236.	Cerulean Warbler	0.1606%
237.	Buff-bellied Hummingbird	0.1514%
238.	Bobolink	0.1514%
239.	Western Kingbird	0.1468%
240.	American Golden-Plover	0.1422%
241.	Pomarine Jaeger	0.1422%
242.	Clay-colored Sparrow	0.1422%
243.	Savannah Sparrow	0.1422%
244.	Great Kiskadee	0.1376%
245.	Sedge Wren	0.1193%

246.	Yellow-headed Blackbird	0.1193%
247.	Gadwall	0.1147%
248.	Black-throated Blue Warbler	0.1147%
249.	Cory's Shearwater	0.1055%
250.	Gray-cheeked Thrush	0.1009%
251.	Hooded Merganser	0.0918%
252.	Audubon's Shearwater	0.0826%
253.	American Goldfinch	0.0780%
254.	Bachman's Sparrow	0.0734%
255.	Ruddy Duck	0.0688%
256.	Say's Phoebe	0.0688%
257.	Louisiana Waterthrush	0.0688%
258.	Groove-billed Ani	0.0642%
259.	Ring-necked Duck	0.0596%
260.	Greater Roadrunner	0.0596%
261.	Franklin's Gull	0.0596%
262.	Great Shearwater	0.0596%
263.	Blue-headed Vireo	0.0596%
264.	Horned Lark	0.0596%
265.	Red-necked Phalarope	0.0551%
266.	Field Sparrow	0.0505%
267.	Bay-breasted Warbler	0.0505%
268.	Greater White-fronted Goose	0.0459%
269.	Lesser Scaup	0.0459%
270.	Black-chinned Hummingbird	0.0459%

271.	Common Loon	0.0459%
272.	White-tailed Kite	0.0413%
273.	Nelson's Sparrow	0.0413%
274.	Blackpoll Warbler	0.0413%
275.	Whooping Crane	0.0367%
276.	Swallow-tailed Kite	0.0367%
277.	Ringed Kingfisher	0.0367%
278.	Orange-crowned Warbler	0.0367%
279.	Redhead	0.0321%
280.	California Gull	0.0321%
281.	Masked Booby	0.0321%
282.	Black-headed Grosbeak	0.0321%
283.	American Wigeon	0.0275%
284.	Western Flycatcher	0.0275%
285.	Lincoln's Sparrow	0.0275%
286.	Swamp Sparrow	0.0275%
287.	MacGillivray's Warbler	0.0275%
288.	Calliope Hummingbird	0.0229%
289.	Black-throated Gray Warbler	0.0229%
290.	American Woodcock	0.0183%
291.	White-rumped Sandpiper	0.0183%
292.	Great Black-backed Gull	0.0183%
293.	Northern Gannet	0.0183%
294.	Western Wood-Pewee	0.0183%
295.	Sulphur-bellied Flycatcher	0.0183%

296.	Cedar Waxwing	0.0183%
297.	Pine Siskin	0.0183%
298.	Vesper Sparrow	0.0183%
299.	Townsend's Warbler	0.0183%
300.	Parasitic Jaeger	0.0138%
301.	Sabine's Gull	0.0138%
302.	Western Gull	0.0138%
303.	Red-billed Tropicbird	0.0138%
304.	White-tailed Hawk	0.0138%
305.	Bewick's Wren	0.0138%
306.	Scaly-breasted Munia	0.0138%
307.	Cape May Warbler	0.0138%
308.	Yellow-rumped Warbler	0.0138%
309.	Snow Goose	0.0092%
310.	Canvasback	0.0092%
311.	Red-breasted Merganser	0.0092%
312.	Ruff	0.0092%
313.	Long-tailed Jaeger	0.0092%
314.	Arctic Tern	0.0092%
315.	Wilson's Storm-Petrel	0.0092%
316.	Leach's Storm-Petrel	0.0092%
317.	Ash-throated Flycatcher	0.0092%
318.	Black-whiskered Vireo	0.0092%
319.	White-crowned Sparrow	0.0092%
320.	Bullock's Oriole	0.0092%

321. Brown Noddy	0.0046%
322. Willow Flycatcher	0.0046%
323. Brown-crested Flycatcher	0.0046%
324. Tropical Kingbird	0.0046%
325. Plumbeous Vireo	0.0046%
326. Brown-chested Martin	0.0046%
327. American Pipit	0.0046%
328. Sprague's Pipit	0.0046%
329. Grasshopper Sparrow	0.0046%
330. Lark Bunting	0.0046%
331. LeConte's Sparrow	0.0046%
332. Shiny Cowbird	0.0046%
333. Ross's Goose	0.0000%
334. Cinnamon Teal	0.0000%
335. Allen's Hummingbird	0.0000%
336. Cassin's Vireo	0.0000%
337. Yellow-green Vireo	0.0000%
338. Western Tanager	0.0000%
339. Lazuli Bunting	0.0000%

EXOTIC: PROVISIONAL

340. Monk Parakeet	1.65% frequency
---------------------------	------------------------

EXOTIC: ESCAPEE

Muscovy Duck	1.97% frequency
---------------------	------------------------

Swan Goose	0.1973%
-------------------	----------------

Graylag Goose	0.1881%
----------------------	----------------

Mute Swan	0.0780%
Red Junglefowl	0.0367%
Black Swan	0.0183%
Golden Pheasant	0.0138%
Helmeted Guineafowl	0.0046%
Harris's Hawk	0.0000%
HYBRIDS	
Muscovy Duck x Mallard (hybrid)	0.2065% frequency
Graylag x Canada Goose (hybrid)	0.0092%
Glossy x White-faced Ibis (hybrid)	0.0092%
Golden-winged x Blue-winged Warbler (hybrid)	0.0092%
Brewster's Warbler (hybrid)	0.0092%
Swan Goose x Canada Goose (hybrid)	0.0046%
Mallard x Mottled Duck (hybrid)	0.0046%
Kelp x Herring Gull (hybrid)	0.0046%