

Target Species

Based on 48,477 complete checklists

388 species observed in Louisiana, US (region/US-LA) in **Apr** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	11.15% frequency
2. Fulvous Whistling-Duck	1.63%
3. Snow Goose	0.2434%
4. Ross's Goose	0.0371%
5. Greater White-fronted Goose	0.1052%
6. Cackling Goose	0.0021%
7. Canada Goose	5.74%
8. Wood Duck	11.88%
9. Blue-winged Teal	12.08%
10. Cinnamon Teal	0.0206%
11. Northern Shoveler	1.95%
12. Gadwall	0.9427%
13. American Wigeon	0.1939%
14. Mallard	4.77%
15. Mottled Duck	6.42%
16. Northern Pintail	0.1031%
17. Green-winged Teal	0.5075%
18. Canvasback	0.0660%
19. Redhead	0.0681%
20. Ring-necked Duck	0.2496%

21. Greater Scaup	0.0474%
22. Lesser Scaup	1.25%
23. King Eider	0.0041%
24. Surf Scoter	0.1155%
25. White-winged Scoter	0.0165%
26. Black Scoter	0.1258%
27. Long-tailed Duck	0.0598%
28. Bufflehead	0.0186%
29. Common Goldeneye	0.0021%
30. Hooded Merganser	0.3259%
31. Common Merganser	0.0021%
32. Red-breasted Merganser	0.4786%
33. Ruddy Duck	0.3300%
34. Northern Bobwhite	0.5260%
35. Wild Turkey	0.5673%
36. Pied-billed Grebe	4.93%
37. Horned Grebe	0.0516%
38. Eared Grebe	0.0165%
39. Western Grebe	0.0062%
40. Rock Pigeon	6.75%
41. Eurasian Collared-Dove	7.75%
42. Inca Dove	4.03%
43. Common Ground Dove	0.1114%
44. White-winged Dove	9.88%
45. Mourning Dove	43.49%

46.	Groove-billed Ani	0.0413%
47.	Greater Roadrunner	0.0866%
48.	Yellow-billed Cuckoo	10.27%
49.	Black-billed Cuckoo	0.6312%
50.	Lesser Nighthawk	0.1176%
51.	Common Nighthawk	3.85%
52.	Chuck-will's-widow	0.7880%
53.	Eastern Whip-poor-will	0.1217%
54.	Chimney Swift	22.66%
55.	Vaux's Swift	0.0082%
56.	Blue-throated Mountain-gem	0.0000%
57.	Ruby-throated Hummingbird	27.14%
58.	Black-chinned Hummingbird	0.3527%
59.	Calliope Hummingbird	0.1403%
60.	Rufous Hummingbird	0.2785%
61.	Broad-tailed Hummingbird	0.0413%
62.	Broad-billed Hummingbird	0.0062%
63.	Buff-bellied Hummingbird	0.1155%
64.	King Rail	1.84%
65.	Clapper Rail	4.61%
66.	Virginia Rail	0.4951%
67.	Sora	4.17%
68.	Common Gallinule	6.86%
69.	American Coot	6.57%
70.	Purple Gallinule	1.96%

71. Yellow Rail	0.0041%
72. Black Rail	0.0144%
73. Limpkin	0.6147%
74. Sandhill Crane	0.0041%
75. Whooping Crane	0.0309%
76. Black-necked Stilt	9.89%
77. American Avocet	3.24%
78. American Oystercatcher	0.4064%
79. Black-bellied Plover	5.90%
80. American Golden-Plover	1.32%
81. Killdeer	16.99%
82. Semipalmated Plover	4.80%
83. Piping Plover	1.51%
84. Siberian Sand-Plover	0.0000%
85. Wilson's Plover	2.45%
86. Snowy Plover	0.3981%
87. Upland Sandpiper	1.18%
88. Whimbrel	3.19%
89. Long-billed Curlew	0.2537%
90. Hudsonian Godwit	0.3012%
91. Marbled Godwit	0.9386%
92. Short-billed Dowitcher	3.00%
93. Long-billed Dowitcher	2.60%
94. American Woodcock	0.0165%
95. Wilson's Snipe	1.31%

96.	Wilson's Phalarope	0.8148%
97.	Red-necked Phalarope	0.0021%
98.	Spotted Sandpiper	3.85%
99.	Solitary Sandpiper	5.18%
100.	Lesser Yellowlegs	8.63%
101.	Willet	10.81%
102.	Greater Yellowlegs	6.72%
103.	Ruddy Turnstone	4.58%
104.	Red Knot	1.22%
105.	Ruff	0.0124%
106.	Curlew Sandpiper	0.0021%
107.	Stilt Sandpiper	2.23%
108.	Buff-breasted Sandpiper	0.4724%
109.	Sanderling	5.70%
110.	Dunlin	4.74%
111.	Purple Sandpiper	0.0062%
112.	Baird's Sandpiper	0.2764%
113.	White-rumped Sandpiper	0.6972%
114.	Least Sandpiper	5.49%
115.	Pectoral Sandpiper	2.59%
116.	Western Sandpiper	2.09%
117.	Semipalmated Sandpiper	2.66%
118.	Parasitic Jaeger	0.0021%
119.	Pomarine Jaeger	0.0557%
120.	Little Gull	0.0186%

121.	Black-legged Kittiwake	0.0186%
122.	Bonaparte's Gull	0.5013%
123.	Laughing Gull	28.58%
124.	Franklin's Gull	0.2475%
125.	Ring-billed Gull	5.62%
126.	Kelp Gull	0.0000%
127.	Herring Gull	5.71%
128.	Great Black-backed Gull	0.0268%
129.	Glaucous Gull	0.0681%
130.	Lesser Black-backed Gull	0.5157%
131.	California Gull	0.0371%
132.	Iceland Gull	0.0227%
133.	Black Skimmer	2.34%
134.	Sooty Tern	0.0041%
135.	Bridled Tern	0.0021%
136.	Least Tern	6.18%
137.	Gull-billed Tern	3.02%
138.	Caspian Tern	4.97%
139.	Black Tern	0.8313%
140.	Forster's Tern	9.73%
141.	Common Tern	1.45%
142.	Sandwich Tern	4.84%
143.	Royal Tern	9.54%
144.	Common Loon	1.14%
145.	Wilson's Storm-Petrel	0.0021%

146.	Wood Stork	0.0165%
147.	Magnificent Frigatebird	1.47%
148.	Northern Gannet	0.1691%
149.	Red-footed Booby	0.0021%
150.	Brown Booby	0.0351%
151.	Masked Booby	0.0000%
152.	Anhinga	8.42%
153.	Double-crested Cormorant	13.50%
154.	Neotropic Cormorant	5.28%
155.	American White Pelican	3.26%
156.	Brown Pelican	12.56%
157.	American Bittern	0.6745%
158.	Least Bittern	1.92%
159.	Yellow-crowned Night Heron	7.73%
160.	Black-crowned Night Heron	4.13%
161.	Little Blue Heron	16.18%
162.	Tricolored Heron	10.78%
163.	Reddish Egret	1.79%
164.	Snowy Egret	21.25%
165.	Green Heron	15.04%
166.	Western Cattle Egret	17.26%
167.	Great Egret	32.96%
168.	Great Blue Heron	20.25%
169.	White Ibis	13.27%
170.	Glossy Ibis	0.7075%

171.	White-faced Ibis	4.47%
172.	Roseate Spoonbill	6.05%
173.	Black Vulture	12.75%
174.	Turkey Vulture	17.55%
175.	Osprey	6.92%
176.	White-tailed Kite	0.1196%
177.	Swallow-tailed Kite	1.97%
178.	Mississippi Kite	9.70%
179.	Northern Harrier	2.53%
180.	Sharp-shinned Hawk	0.5384%
181.	Cooper's Hawk	3.35%
182.	Bald Eagle	4.15%
183.	White-tailed Hawk	0.0021%
184.	Red-shouldered Hawk	9.01%
185.	Broad-winged Hawk	4.12%
186.	Swainson's Hawk	0.8643%
187.	Red-tailed Hawk	6.38%
188.	Ferruginous Hawk	0.0041%
189.	Barn Owl	0.2228%
190.	Eastern Screech-Owl	1.07%
191.	Great Horned Owl	1.38%
192.	Burrowing Owl	0.0021%
193.	Barred Owl	5.61%
194.	Long-eared Owl	0.0021%
195.	Short-eared Owl	0.0041%

196.	Ringed Kingfisher	0.0041%
197.	Belted Kingfisher	7.60%
198.	Yellow-bellied Sapsucker	1.65%
199.	Red-headed Woodpecker	6.68%
200.	Red-bellied Woodpecker	32.27%
201.	Downy Woodpecker	25.36%
202.	Red-cockaded Woodpecker	0.7467%
203.	Hairy Woodpecker	2.03%
204.	Ivory-billed Woodpecker	0.0000%
205.	Pileated Woodpecker	10.58%
206.	Northern Flicker	5.31%
207.	Crested Caracara	1.27%
208.	American Kestrel	1.42%
209.	Merlin	1.74%
210.	Peregrine Falcon	0.9737%
211.	Olive-sided Flycatcher	0.0371%
212.	Eastern Wood-Pewee	6.50%
213.	Yellow-bellied Flycatcher	0.0041%
214.	Acadian Flycatcher	4.23%
215.	Alder Flycatcher	0.0041%
216.	Willow Flycatcher	0.0000%
217.	Least Flycatcher	0.1279%
218.	Western Flycatcher	0.0041%
219.	Eastern Phoebe	1.13%
220.	Say's Phoebe	0.0144%

221.	Vermilion Flycatcher	0.0289%
222.	Ash-throated Flycatcher	0.0227%
223.	Great Crested Flycatcher	24.41%
224.	Brown-crested Flycatcher	0.0041%
225.	Great Kiskadee	0.0949%
226.	Sulphur-bellied Flycatcher	0.0062%
227.	Tropical Kingbird	0.0041%
228.	Western Kingbird	0.4064%
229.	Eastern Kingbird	26.39%
230.	Gray Kingbird	0.1547%
231.	Scissor-tailed Flycatcher	2.65%
232.	Fork-tailed Flycatcher	0.0701%
233.	Black-capped Vireo	0.0701%
234.	White-eyed Vireo	28.54%
235.	Bell's Vireo	0.0247%
236.	Yellow-throated Vireo	10.42%
237.	Blue-headed Vireo	3.94%
238.	Philadelphia Vireo	1.31%
239.	Warbling Vireo	1.38%
240.	Red-eyed Vireo	20.44%
241.	Black-whiskered Vireo	0.1836%
242.	Loggerhead Shrike	9.61%
243.	Blue Jay	50.53%
244.	American Crow	33.64%
245.	Fish Crow	20.38%

246.	Chihuahuan Raven	0.0000%
247.	Carolina Chickadee	36.08%
248.	Tufted Titmouse	24.71%
249.	Horned Lark	0.1135%
250.	Bank Swallow	1.43%
251.	Tree Swallow	15.20%
252.	Purple Martin	24.38%
253.	Northern Rough-winged Swallow	6.32%
254.	Barn Swallow	29.12%
255.	Cliff Swallow	5.69%
256.	Cave Swallow	0.3837%
257.	Ruby-crowned Kinglet	13.08%
258.	Golden-crowned Kinglet	0.0598%
259.	White-breasted Nuthatch	1.23%
260.	Brown-headed Nuthatch	3.09%
261.	Red-breasted Nuthatch	0.6477%
262.	Brown Creeper	0.0227%
263.	Blue-gray Gnatcatcher	12.42%
264.	House Wren	4.61%
265.	Winter Wren	0.0619%
266.	Sedge Wren	1.57%
267.	Marsh Wren	5.24%
268.	Carolina Wren	37.61%
269.	Bewick's Wren	0.0021%
270.	European Starling	28.54%

271.	Gray Catbird	<u>20.45%</u>
272.	Curve-billed Thrasher	0.0041%
273.	Brown Thrasher	<u>20.38%</u>
274.	Northern Mockingbird	<u>49.40%</u>
275.	Eastern Bluebird	<u>14.16%</u>
276.	Varied Thrush	0.0000%
277.	Veery	<u>2.85%</u>
278.	Gray-cheeked Thrush	<u>2.67%</u>
279.	Swainson's Thrush	<u>6.62%</u>
280.	Hermit Thrush	<u>1.18%</u>
281.	Wood Thrush	<u>11.56%</u>
282.	American Robin	<u>9.41%</u>
283.	Cedar Waxwing	<u>13.96%</u>
284.	Scaly-breasted Munia	0.0433%
285.	House Sparrow	<u>22.56%</u>
286.	American Pipit	0.1877%
287.	Sprague's Pipit	0.0268%
288.	Evening Grosbeak	0.0062%
289.	House Finch	<u>12.55%</u>
290.	Purple Finch	0.1155%
291.	Cassin's Finch	0.0041%
292.	Pine Siskin	<u>1.72%</u>
293.	American Goldfinch	<u>5.18%</u>
294.	Bachman's Sparrow	0.3527%
295.	Grasshopper Sparrow	0.0433%

296.	Chipping Sparrow	5.36%
297.	Clay-colored Sparrow	0.1217%
298.	Field Sparrow	0.3610%
299.	Lark Sparrow	0.5590%
300.	Lark Bunting	0.0062%
301.	Dark-eyed Junco	0.1341%
302.	White-crowned Sparrow	2.84%
303.	Harris's Sparrow	0.1403%
304.	White-throated Sparrow	14.33%
305.	Vesper Sparrow	0.0743%
306.	LeConte's Sparrow	0.0640%
307.	Seaside Sparrow	1.62%
308.	Nelson's Sparrow	0.2744%
309.	Savannah Sparrow	8.53%
310.	Baird's Sparrow	0.0000%
311.	Henslow's Sparrow	0.0124%
312.	Song Sparrow	0.3837%
313.	Lincoln's Sparrow	1.37%
314.	Swamp Sparrow	6.20%
315.	Green-tailed Towhee	0.0021%
316.	Spotted Towhee	0.0165%
317.	Eastern Towhee	6.63%
318.	Yellow-breasted Chat	5.11%
319.	Yellow-headed Blackbird	0.3362%
320.	Bobolink	0.8210%

321. Western Meadowlark	0.0330%
322. Eastern Meadowlark	8.42%
323. Orchard Oriole	18.79%
324. Hooded Oriole	0.0021%
325. Bullock's Oriole	0.0062%
326. Baltimore Oriole	9.27%
327. Red-winged Blackbird	42.70%
328. Shiny Cowbird	0.0371%
329. Bronzed Cowbird	3.02%
330. Brown-headed Cowbird	27.42%
331. Rusty Blackbird	0.0062%
332. Brewer's Blackbird	0.1753%
333. Common Grackle	25.51%
334. Boat-tailed Grackle	15.10%
335. Great-tailed Grackle	6.21%
336. Ovenbird	4.22%
337. Worm-eating Warbler	4.75%
338. Louisiana Waterthrush	1.98%
339. Northern Waterthrush	4.26%
340. Golden-winged Warbler	1.11%
341. Blue-winged Warbler	4.31%
342. Black-and-white Warbler	10.45%
343. Prothonotary Warbler	14.78%
344. Swainson's Warbler	2.14%
345. Tennessee Warbler	9.44%

346.	Orange-crowned Warbler	3.11%
347.	Nashville Warbler	0.7901%
348.	MacGillivray's Warbler	0.1733%
349.	Mourning Warbler	0.0330%
350.	Kentucky Warbler	6.32%
351.	Common Yellowthroat	15.84%
352.	Hooded Warbler	17.09%
353.	American Redstart	6.12%
354.	Cape May Warbler	0.5941%
355.	Cerulean Warbler	1.46%
356.	Northern Parula	15.16%
357.	Magnolia Warbler	3.34%
358.	Bay-breasted Warbler	2.10%
359.	Blackburnian Warbler	2.22%
360.	Yellow Warbler	5.61%
361.	Chestnut-sided Warbler	3.30%
362.	Blackpoll Warbler	1.95%
363.	Black-throated Blue Warbler	0.2145%
364.	Palm Warbler	2.53%
365.	Pine Warbler	7.81%
366.	Yellow-rumped Warbler	14.97%
367.	Yellow-throated Warbler	4.32%
368.	Prairie Warbler	1.33%
369.	Black-throated Gray Warbler	0.0062%
370.	Hermit Warbler	0.0021%

371. Black-throated Green Warbler	5.19%
372. Canada Warbler	0.1898%
373. Wilson's Warbler	0.7323%
374. Red-faced Warbler	0.0062%
375. Painted Redstart	0.0000%
376. Summer Tanager	20.30%
377. Scarlet Tanager	10.99%
378. Western Tanager	0.1691%
379. Northern Cardinal	63.43%
380. Rose-breasted Grosbeak	14.39%
381. Black-headed Grosbeak	0.0227%
382. Blue Grosbeak	12.33%
383. Lazuli Bunting	0.0041%
384. Indigo Bunting	28.08%
385. Varied Bunting	0.0000%
386. Painted Bunting	8.51%
387. Dickcissel	2.49%
EXOTIC: PROVISIONAL	
388. Monk Parakeet	0.8602% frequency
EXOTIC: ESCAPEE	
Graylag Goose	0.1423% frequency
Swan Goose	0.2063%
Barnacle Goose	0.0021%
Mute Swan	0.1052%
Black Swan	0.0124%

Egyptian Goose	0.0021%
Muscovy Duck	1.61%
Ringed Teal	0.0062%
Mandarin Duck	0.0041%
White-cheeked Pintail	0.0021%
Ferruginous Duck	0.0021%
Helmeted Guineafowl	0.0124%
Golden Pheasant	0.0413%
Ring-necked Pheasant	0.0041%
Indian Peafowl	0.0144%
Red Junglefowl	0.0062%
Black Francolin	0.0062%
Diamond Dove	0.0000%
Cockatiel	0.0021%
Budgerigar	0.0021%

HYBRIDS

Graylag x Swan Goose (hybrid)	0.0021% frequency
Blue-winged x Cinnamon Teal (hybrid)	0.0021%
Muscovy Duck x Mallard (hybrid)	0.0804%
Mallard x Mottled Duck (hybrid)	0.0062%
Kelp x Herring Gull (hybrid)	0.0062%
Herring x Glaucous Gull (hybrid)	0.0021%
Glossy x White-faced Ibis (hybrid)	0.0247%
Barn x Cliff Swallow (hybrid)	0.0021%
Golden-winged x Blue-winged Warbler (hybrid)	0.0247%

Brewster's Warbler (hybrid)	0.0516%
-----------------------------	----------------

Lawrence's Warbler (hybrid)	0.0206%
-----------------------------	----------------