

Target Species

Based on 40,417 complete checklists

360 species observed in Louisiana, US (region/US-LA) in **Jan** that you need for your **World Life List**

1. Northern Cardinal	55.68% frequency
2. Yellow-rumped Warbler	53.75%
3. Blue Jay	48.83%
4. Northern Mockingbird	46.95%
5. Carolina Chickadee	43.28%
6. Carolina Wren	39.49%
7. American Crow	39.45%
8. Great Egret	39.39%
9. Mourning Dove	37.79%
10. Ruby-crowned Kinglet	37.20%
11. Red-bellied Woodpecker	36.20%
12. Red-winged Blackbird	35.73%
13. Eastern Phoebe	32.88%
14. American Goldfinch	32.14%
15. Downy Woodpecker	30.19%
16. Double-crested Cormorant	29.63%
17. Turkey Vulture	29.55%
18. Great Blue Heron	28.88%
19. American Robin	27.31%
20. White-throated Sparrow	27.30%

21. European Starling	<u>26.98%</u>
22. Orange-crowned Warbler	<u>26.78%</u>
23. Killdeer	<u>26.41%</u>
24. Red-tailed Hawk	<u>24.86%</u>
25. Tufted Titmouse	<u>24.51%</u>
26. Eastern Bluebird	<u>20.76%</u>
27. Ring-billed Gull	<u>20.72%</u>
28. House Sparrow	<u>20.60%</u>
29. Pine Warbler	<u>19.49%</u>
30. Savannah Sparrow	<u>19.22%</u>
31. Snowy Egret	<u>18.69%</u>
32. Swamp Sparrow	<u>18.42%</u>
33. Pied-billed Grebe	<u>17.90%</u>
34. Belted Kingfisher	<u>17.90%</u>
35. American Kestrel	<u>16.78%</u>
36. Chipping Sparrow	<u>16.69%</u>
37. White Ibis	<u>16.32%</u>
38. Yellow-bellied Sapsucker	<u>15.95%</u>
39. American Coot	<u>15.45%</u>
40. Loggerhead Shrike	<u>15.17%</u>
41. House Finch	<u>15.15%</u>
42. Red-shouldered Hawk	<u>14.83%</u>
43. Northern Flicker	<u>14.81%</u>
44. Blue-gray Gnatcatcher	<u>14.49%</u>
45. Song Sparrow	<u>13.51%</u>

46. Black Vulture	<u>13.05%</u>
47. Common Grackle	<u>12.84%</u>
48. Laughing Gull	<u>12.44%</u>
49. Northern Harrier	<u>12.41%</u>
50. Brown Pelican	<u>12.37%</u>
51. Anhinga	<u>12.14%</u>
52. American White Pelican	<u>11.83%</u>
53. Cedar Waxwing	<u>11.76%</u>
54. Mallard	<u>11.53%</u>
55. Lesser Scaup	<u>10.94%</u>
56. Fish Crow	<u>10.84%</u>
57. Brown Thrasher	<u>10.68%</u>
58. Tree Swallow	<u>10.30%</u>
59. House Wren	<u>10.30%</u>
60. Eastern Meadowlark	<u>10.18%</u>
61. Pileated Woodpecker	<u>10.02%</u>
62. Dark-eyed Junco	<u>10.00%</u>
63. Brown-headed Cowbird	<u>9.80%</u>
64. Hermit Thrush	<u>9.21%</u>
65. Northern Shoveler	<u>8.94%</u>
66. Forster's Tern	<u>8.73%</u>
67. Rock Pigeon	<u>8.63%</u>
68. American Pipit	<u>8.55%</u>
69. Gadwall	<u>8.48%</u>
70. Wood Duck	<u>8.47%</u>

71.	Bald Eagle	8.45%
72.	Eurasian Collared-Dove	8.35%
73.	Blue-headed Vireo	8.17%
74.	Little Blue Heron	7.64%
75.	Gray Catbird	7.51%
76.	Boat-tailed Grackle	7.50%
77.	Eastern Towhee	7.50%
78.	Golden-crowned Kinglet	7.17%
79.	Ring-necked Duck	7.00%
80.	Common Yellowthroat	6.99%
81.	Osprey	6.94%
82.	Common Gallinule	6.78%
83.	Snow Goose	6.57%
84.	Canada Goose	6.30%
85.	Tricolored Heron	6.23%
86.	White-winged Dove	6.20%
87.	Palm Warbler	5.80%
88.	Wilson's Snipe	5.74%
89.	Ruddy Duck	5.65%
90.	Cooper's Hawk	5.56%
91.	Western Cattle Egret	5.35%
92.	Herring Gull	5.27%
93.	Neotropic Cormorant	5.21%
94.	Greater Yellowlegs	5.20%
95.	Bufflehead	5.14%

96.	Blue-winged Teal	5.05%
97.	Greater White-fronted Goose	4.89%
98.	Barred Owl	4.83%
99.	Rufous Hummingbird	4.78%
100.	Purple Finch	4.77%
101.	Green-winged Teal	4.62%
102.	Brown-headed Nuthatch	4.34%
103.	Hooded Merganser	4.31%
104.	Royal Tern	4.24%
105.	White-crowned Sparrow	4.23%
106.	Pine Siskin	4.18%
107.	Marsh Wren	4.03%
108.	Red-headed Woodpecker	3.75%
109.	White-faced Ibis	3.70%
110.	Northern Pintail	3.64%
111.	Roseate Spoonbill	3.52%
112.	Black-crowned Night Heron	3.47%
113.	White-eyed Vireo	3.26%
114.	Black-bellied Whistling-Duck	3.21%
115.	Winter Wren	3.17%
116.	Ruby-throated Hummingbird	3.16%
117.	Black-necked Stilt	3.15%
118.	Caspian Tern	3.13%
119.	Hairy Woodpecker	3.07%
120.	Common Loon	2.93%

121.	Least Sandpiper	2.87%
122.	Sedge Wren	2.84%
123.	Mottled Duck	2.81%
124.	Great Horned Owl	2.81%
125.	Inca Dove	2.78%
126.	Sharp-shinned Hawk	2.71%
127.	Field Sparrow	2.58%
128.	American Wigeon	2.54%
129.	Spotted Sandpiper	2.52%
130.	Black-chinned Hummingbird	2.26%
131.	Wilson's Warbler	2.26%
132.	Bonaparte's Gull	2.24%
133.	Brown Creeper	2.21%
134.	Canvasback	2.18%
135.	Rusty Blackbird	2.15%
136.	Sora	2.14%
137.	Dunlin	2.13%
138.	Lesser Yellowlegs	2.05%
139.	Merlin	2.05%
140.	Black-bellied Plover	2.03%
141.	Great-tailed Grackle	2.00%
142.	Fox Sparrow	1.98%
143.	Buff-bellied Hummingbird	1.94%
144.	Ross's Goose	1.91%
145.	Willet	1.89%

146.	Sanderling	1.89%
147.	Vesper Sparrow	1.81%
148.	Red-breasted Nuthatch	1.79%
149.	Redhead	1.69%
150.	Crested Caracara	1.68%
151.	White-breasted Nuthatch	1.67%
152.	Long-billed Dowitcher	1.64%
153.	Eastern Screech-Owl	1.57%
154.	Sandhill Crane	1.55%
155.	Vermilion Flycatcher	1.52%
156.	Red-breasted Merganser	1.51%
157.	Peregrine Falcon	1.51%
158.	Brewer's Blackbird	1.44%
159.	Clapper Rail	1.28%
160.	Horned Grebe	1.27%
161.	American Avocet	1.27%
162.	Ruddy Turnstone	1.22%
163.	Green Heron	1.21%
164.	Western Sandpiper	1.15%
165.	King Rail	1.15%
166.	Calliope Hummingbird	1.13%
167.	Lincoln's Sparrow	1.03%
168.	Limpkin	0.9872%
169.	Semipalmated Plover	0.9179%
170.	Virginia Rail	0.9031%

171.	Black Skimmer	0.8808%
172.	Yellow-throated Warbler	0.8684%
173.	American Woodcock	0.8462%
174.	LeConte's Sparrow	0.8437%
175.	Red-cockaded Woodpecker	0.7942%
176.	Baltimore Oriole	0.7596%
177.	Piping Plover	0.6804%
178.	Western Kingbird	0.6309%
179.	Seaside Sparrow	0.6111%
180.	Common Goldeneye	0.6087%
181.	Horned Lark	0.5295%
182.	Glossy Ibis	0.5122%
183.	Harris's Sparrow	0.4948%
184.	Henslow's Sparrow	0.4874%
185.	Summer Tanager	0.4874%
186.	Purple Martin	0.4849%
187.	Lesser Black-backed Gull	0.4751%
188.	Barn Owl	0.4751%
189.	Greater Scaup	0.4701%
190.	Short-billed Dowitcher	0.4676%
191.	Snowy Plover	0.4651%
192.	Painted Bunting	0.4552%
193.	Ash-throated Flycatcher	0.4454%
194.	Nelson's Sparrow	0.4379%
195.	Black-and-white Warbler	0.4379%

196.	Reddish Egret	0.4058%
197.	Gull-billed Tern	0.3662%
198.	Broad-tailed Hummingbird	0.3637%
199.	White-tailed Kite	0.3563%
200.	Lark Sparrow	0.3538%
201.	Sprague's Pipit	0.3489%
202.	Fulvous Whistling-Duck	0.3464%
203.	Lapland Longspur	0.3266%
204.	Prairie Warbler	0.3142%
205.	American Bittern	0.3043%
206.	Scissor-tailed Flycatcher	0.2969%
207.	Cinnamon Teal	0.2944%
208.	Long-billed Curlew	0.2944%
209.	Stilt Sandpiper	0.2746%
210.	Bronzed Cowbird	0.2647%
211.	Say's Phoebe	0.2623%
212.	Indigo Bunting	0.2499%
213.	Common Ground Dove	0.2400%
214.	Couch's Kingbird	0.2326%
215.	Allen's Hummingbird	0.2276%
216.	Wilson's Plover	0.2227%
217.	Eared Grebe	0.2177%
218.	Western Meadowlark	0.2128%
219.	Northern Gannet	0.2103%
220.	Cackling Goose	0.2078%

221.	Fork-tailed Flycatcher	0.2078%
222.	Brown-crested Flycatcher	0.1955%
223.	Wild Turkey	0.1905%
224.	Broad-winged Hawk	0.1905%
225.	Black Scoter	0.1880%
226.	Marbled Godwit	0.1880%
227.	Yellow-headed Blackbird	0.1880%
228.	Scaly-breasted Munia	0.1806%
229.	Great Kiskadee	0.1781%
230.	Broad-billed Hummingbird	0.1732%
231.	Bewick's Wren	0.1707%
232.	Western Tanager	0.1682%
233.	Red Knot	0.1608%
234.	Short-eared Owl	0.1608%
235.	American Oystercatcher	0.1534%
236.	Tropical Kingbird	0.1534%
237.	Bachman's Sparrow	0.1485%
238.	Long-tailed Duck	0.1460%
239.	Yellow-crowned Night Heron	0.1460%
240.	Black-headed Grosbeak	0.1386%
241.	Bullock's Oriole	0.1311%
242.	Northern Bobwhite	0.1287%
243.	Least Flycatcher	0.1287%
244.	Mountain Bluebird	0.1188%
245.	Northern Waterthrush	0.1188%

246.	Groove-billed Ani	0.1138%
247.	Northern Rough-winged Swallow	0.1138%
248.	American Redstart	0.1138%
249.	Dickcissel	0.1138%
250.	Surf Scoter	0.1113%
251.	Blue-throated Mountain-gem	0.1113%
252.	Burrowing Owl	0.1064%
253.	Rose-breasted Grosbeak	0.1064%
254.	Brown Booby	0.1039%
255.	Grasshopper Sparrow	0.1014%
256.	Black-throated Gray Warbler	0.0940%
257.	Vaux's Swift	0.0866%
258.	Clay-colored Sparrow	0.0866%
259.	Ovenbird	0.0866%
260.	Northern Parula	0.0866%
261.	White-winged Scoter	0.0792%
262.	Spotted Towhee	0.0792%
263.	Hepatic Tanager	0.0792%
264.	Blue Grosbeak	0.0767%
265.	Whimbrel	0.0742%
266.	Swainson's Hawk	0.0742%
267.	Bell's Vireo	0.0693%
268.	Black-throated Green Warbler	0.0693%
269.	Eurasian Wigeon	0.0668%
270.	Ferruginous Hawk	0.0668%

271.	Anna's Hummingbird	0.0619%
272.	Iceland Gull	0.0619%
273.	Yellow Warbler	0.0619%
274.	Chuck-will's-widow	0.0594%
275.	Eastern Whip-poor-will	0.0594%
276.	Whooping Crane	0.0594%
277.	Western Grebe	0.0569%
278.	Least Bittern	0.0569%
279.	Nashville Warbler	0.0544%
280.	Rock Wren	0.0520%
281.	Gray Flycatcher	0.0470%
282.	Franklin's Gull	0.0421%
283.	Wood Thrush	0.0421%
284.	Greater Roadrunner	0.0396%
285.	Glaucous Gull	0.0396%
286.	Yellow-breasted Chat	0.0371%
287.	Orchard Oriole	0.0371%
288.	White-tailed Hawk	0.0346%
289.	Golden-crowned Sparrow	0.0346%
290.	Red-necked Grebe	0.0322%
291.	Solitary Sandpiper	0.0322%
292.	Harris's Hawk	0.0322%
293.	Green-tailed Towhee	0.0322%
294.	Cape May Warbler	0.0322%
295.	Pomarine Jaeger	0.0297%

296.	Smith's Longspur	0.0297%
297.	Wood Stork	0.0272%
298.	Common Tern	0.0247%
299.	Barn Swallow	0.0247%
300.	Lesser Goldfinch	0.0247%
301.	Black-throated Blue Warbler	0.0247%
302.	Great Black-backed Gull	0.0223%
303.	Sandwich Tern	0.0223%
304.	Magnificent Frigatebird	0.0223%
305.	Magnolia Warbler	0.0223%
306.	Common Nighthawk	0.0198%
307.	Green-breasted Mango	0.0198%
308.	Red Crossbill	0.0198%
309.	Tennessee Warbler	0.0198%
310.	Lesser Nighthawk	0.0173%
311.	Little Gull	0.0173%
312.	California Gull	0.0173%
313.	Red-throated Loon	0.0173%
314.	Cave Swallow	0.0173%
315.	Lucy's Warbler	0.0173%
316.	Common Merganser	0.0148%
317.	Purple Gallinule	0.0148%
318.	Hudsonian Godwit	0.0148%
319.	Short-billed Gull	0.0148%
320.	Western Flycatcher	0.0148%

321.	Chestnut-collared Longspur	0.0124%
322.	Scott's Oriole	0.0124%
323.	Yellow Rail	0.0099%
324.	Wilson's Phalarope	0.0099%
325.	Parasitic Jaeger	0.0099%
326.	Ruff	0.0074%
327.	Ringed Kingfisher	0.0074%
328.	Hooded Oriole	0.0074%
329.	Masked Booby	0.0049%
330.	Golden Eagle	0.0049%
331.	Northern Wheatear	0.0049%
332.	Prothonotary Warbler	0.0049%
333.	MacGillivray's Warbler	0.0049%
334.	Hooded Warbler	0.0049%
335.	Tropical Parula	0.0049%
336.	Townsend's Warbler	0.0049%
337.	Black Rail	0.0025%
338.	Semipalmated Sandpiper	0.0025%
339.	Black-legged Kittiwake	0.0025%
340.	Cassin's Kingbird	0.0025%
341.	Warbling Vireo	0.0025%
342.	Gray-cheeked Thrush	0.0025%
343.	Swainson's Thrush	0.0025%
344.	Evening Grosbeak	0.0025%
345.	Shiny Cowbird	0.0025%

346.	Painted Redstart	0.0025%
347.	Lazuli Bunting	0.0025%
348.	Tundra Swan	0.0000%
349.	Purple Sandpiper	0.0000%
350.	Rough-legged Hawk	0.0000%
351.	Snowy Owl	0.0000%
352.	Long-eared Owl	0.0000%
353.	Red-naped Sapsucker	0.0000%
354.	Hammond's Flycatcher	0.0000%
355.	Gray Kingbird	0.0000%
356.	Sage Thrasher	0.0000%
357.	Thick-billed Longspur	0.0000%
358.	Bobolink	0.0000%
EXOTIC: PROVISIONAL		
359.	Monk Parakeet	1.26% frequency
360.	Trumpeter Swan	0.0594%
EXOTIC: ESCAPEE		
	Muscovy Duck	3.52% frequency
	Swan Goose	0.3464%
	Graylag Goose	0.3142%
	Mute Swan	0.1955%
	Black Swan	0.0272%
	Red Junglefowl	0.0124%
	Helmeted Guineafowl	0.0099%
	Indian Peafowl	0.0099%

Ringed Teal	0.0074%
Egyptian Goose	0.0049%
Mandarin Duck	0.0049%
Ruddy Shelduck	0.0025%
White-cheeked Pintail	0.0025%
Ferruginous Duck	0.0025%
Ring-necked Pheasant	0.0025%
Black Francolin	0.0025%
Rosy-billed Pochard	0.0000%
HYBRIDS	
Muscovy Duck x Mallard (hybrid)	0.1435% frequency
Blue-winged x Cinnamon Teal (hybrid)	0.0099%
Mallard x Mottled Duck (hybrid)	0.0099%
Kelp x Herring Gull (hybrid)	0.0099%
Glossy x White-faced Ibis (hybrid)	0.0099%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0074%
Swan Goose x Canada Goose (hybrid)	0.0049%
Northern Shoveler x Gadwall (hybrid)	0.0049%
Northern x Tropical Parula (hybrid)	0.0049%
Snow x Ross's Goose (hybrid)	0.0025%
Graylag x Swan Goose (hybrid)	0.0025%
Graylag x Canada Goose (hybrid)	0.0025%
Barnacle x Canada Goose (hybrid)	0.0025%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0025%

Gadwall x Mallard (hybrid)	0.0025%
----------------------------	----------------

Boat-tailed x Great-tailed Grackle (hybrid)	0.0000%
---	----------------