

Target Species

Based on 40,417 complete checklists

360 species observed in <u>Louisiana, US (region/US-LA)</u> in **Jan** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	3.21% frequency
2. Fulvous Whistling-Duck	0.3464%
3. Snow Goose	6.57%
4. Ross's Goose	1.91%
5. Greater White-fronted Goose	<u>4.</u> 89%
6. Cackling Goose	0.2078%
7. Canada Goose	6.30%
8. Tundra Swan	0.0000%
9. Wood Duck	8.47%
10. Blue-winged Teal	<u>5.</u> 05%
11. Cinnamon Teal	0.2944%
12. Northern Shoveler	8.94%
13. Gadwall	8.48%
14. Eurasian Wigeon	0.0668%
15. American Wigeon	2.54%
16. Mallard	11.53%
17. Mottled Duck	2 .81%
18. Northern Pintail	3.64%
19. Green-winged Teal	4.62%
20. Canvasback	2.18% Go to top

21. Redhead	1.69%
22. Ring-necked Duck	7.00%
23. Greater Scaup	0.4701%
24. Lesser Scaup	<u>10.9</u> 4%
25. Surf Scoter	0.1113%
26. White-winged Scoter	0.0792%
27. Black Scoter	0.1880%
28. Long-tailed Duck	0.1460%
29. Bufflehead	<u>5.</u> 14%
30. Common Goldeneye	0.6087%
31. Hooded Merganser	<u>4</u> .31%
32. Common Merganser	0.0148%
33. Red-breasted Merganser	1.51%
34. Ruddy Duck	<u>5.</u> 65%
35. Northern Bobwhite	0.1287%
36. Wild Turkey	0.1905%
37. Pied-billed Grebe	17.90%
38. Horned Grebe	1.27%
39. Red-necked Grebe	0.0322%
40. Eared Grebe	0.2177%
41. Western Grebe	0.0569%
42. Rock Pigeon	8.63%
43. Eurasian Collared-Dove	8.35%
44. Inca Dove	2.78%
45. Common Ground Dove	0.2400%

46. White-winged Dove	6.20%
47. Mourning Dove	37.79%
48. Groove-billed Ani	0.1138%
49. Greater Roadrunner	0.0396%
50. Lesser Nighthawk	0.0173%
51. Common Nighthawk	0.0198%
52. Chuck-will's-widow	0.0594%
53. Eastern Whip-poor-will	0.0594%
54. Vaux's Swift	0.0866%
55. Green-breasted Mango	0.0198%
56. Blue-throated Mountain-gem	0.1113%
57. Ruby-throated Hummingbird	<u>3</u> .16%
58. Black-chinned Hummingbird	2.26%
59. Anna's Hummingbird	0.0619%
60. Calliope Hummingbird	1.13%
61. Rufous Hummingbird	4.78%
62. Allen's Hummingbird	0.2276%
63. Broad-tailed Hummingbird	0.3637%
64. Broad-billed Hummingbird	0.1732%
65. Buff-bellied Hummingbird	1.94%
66. King Rail	1.15%
67. Clapper Rail	1.28%
68. Virginia Rail	0.9031%
69. Sora	2.14%
70. Common Gallinule	6.78%

71. American Coot	<u>15.45</u> %
72. Purple Gallinule	0.0148%
73. Yellow Rail	0.0099%
74. Black Rail	0.0025%
75. Limpkin	0.9872%
76. Sandhill Crane	1.55%
77. Whooping Crane	0.0594%
78. Black-necked Stilt	<u>3</u> .15%
79. American Avocet	1.27%
80. American Oystercatcher	0.1534%
81. Black-bellied Plover	2.03%
82. Killdeer	26.41%
83. Semipalmated Plover	0.9179%
84. Piping Plover	0.6804%
85. Wilson's Plover	0.2227%
86. Snowy Plover	0.4651%
87. Whimbrel	0.0742%
88. Long-billed Curlew	0.2944%
89. Hudsonian Godwit	0.0148%
90. Marbled Godwit	0.1880%
91. Short-billed Dowitcher	0.4676%
92. Long-billed Dowitcher	1.64%
93. American Woodcock	0.8462%
94. Wilson's Snipe	<u>5.</u> 74%
95. Wilson's Phalarope	0.0099%

96. Spotted Sandpiper	2.52%
97. Solitary Sandpiper	0.0322%
98. Lesser Yellowlegs	2.05%
99. Willet	1.89%
100. Greater Yellowlegs	<u>5.</u> 20%
101. Ruddy Turnstone	1.22%
102. Red Knot	0.1608%
103. Ruff	0.0074%
104. Stilt Sandpiper	0.2746%
105. Sanderling	1.89%
106. Dunlin	2.13%
107. Purple Sandpiper	0.0000%
108. Least Sandpiper	2.87%
109. Western Sandpiper	1.15%
110. Semipalmated Sandpiper	0.0025%
111. Parasitic Jaeger	0.0099%
112. Pomarine Jaeger	0.0297%
113. Little Gull	0.0173%
114. Black-legged Kittiwake	0.0025%
115. Bonaparte's Gull	2.24%
116. Laughing Gull	12.44%
117. Franklin's Gull	0.0421%
118. Short-billed Gull	0.0148%
119. Ring-billed Gull	20.72%
120. Herring Gull	<u>5.</u> 27%

121. Great Black-backed Gull	0.0223%
122. Glaucous Gull	0.0396%
123. Lesser Black-backed Gull	0.4751%
124. California Gull	0.0173%
125. Iceland Gull	0.0619%
126. Black Skimmer	0.8808%
127. Gull-billed Tern	0.3662%
128. Caspian Tern	3.13%
129. Forster's Tern	8.73%
130. Common Tern	0.0247%
131. Sandwich Tern	0.0223%
132. Royal Tern	4.24%
133. Red-throated Loon	0.0173%
134. Common Loon	2.93%
135. Wood Stork	0.0272%
136. Magnificent Frigatebird	0.0223%
137. Northern Gannet	0.2103%
138. Brown Booby	0.1039%
139. Masked Booby	0.0049%
140. Anhinga	12.14%
141. Double-crested Cormorant	29.63%
142. Neotropic Cormorant	<u>5.</u> 21%
143. American White Pelican	11.83%
144. Brown Pelican	12.37%
145. American Bittern	0.3043%

146. Least Bittern	0.0569%
147. Yellow-crowned Night Heron	0.1460%
148. Black-crowned Night Heron	3.47%
149. Little Blue Heron	- 7.64%
150. Tricolored Heron	6.23%
151. Reddish Egret	0.4058%
152. Snowy Egret	18.69%
153. Green Heron	1.21%
154. Western Cattle Egret	<u>5.</u> 35%
155. Great Egret	39.39%
156. Great Blue Heron	28.88%
157. White Ibis	16.32%
158. Glossy Ibis	0.5122%
159. White-faced Ibis	<u>3</u> .70%
160. Roseate Spoonbill	3.52%
161. Black Vulture	13.05%
162. Turkey Vulture	29.55%
163. Osprey	6.94%
164. White-tailed Kite	0.3563%
165. Golden Eagle	0.0049%
166. Northern Harrier	12.41%
167. Sharp-shinned Hawk	2.71%
168. Cooper's Hawk	5.56%
169. Bald Eagle	8.45%
170. Harris's Hawk	0.0322%

171. White-tailed Hawk	0.0346%
172. Red-shouldered Hawk	<u>14.83</u> %
173. Broad-winged Hawk	0.1905%
174. Swainson's Hawk	0.0742%
175. Red-tailed Hawk	24.86%
176. Rough-legged Hawk	0.0000%
177. Ferruginous Hawk	0.0668%
178. Barn Owl	0.4751%
179. Eastern Screech-Owl	1.57%
180. Snowy Owl	0.0000%
181. Great Horned Owl	2.81%
182. Burrowing Owl	0.1064%
183. Barred Owl	<u>4.</u> 83%
184. Long-eared Owl	0.0000%
185. Short-eared Owl	0.1608%
186. Ringed Kingfisher	0.0074%
187. Belted Kingfisher	17.90%
188. Yellow-bellied Sapsucker	<u>15.95</u> %
189. Red-naped Sapsucker	0.0000%
190. Red-headed Woodpecker	<u>3</u> .75%
191. Red-bellied Woodpecker	36.20%
192. Downy Woodpecker	30.19%
193. Red-cockaded Woodpecker	0.7942%
194. Hairy Woodpecker	<u>3</u> .07%
195. Pileated Woodpecker	10.02%

196. Northern Flicker	<u>14.81</u> %
197. Crested Caracara	1.68%
198. American Kestrel	16.78%
199. Merlin	2.05%
200. Peregrine Falcon	1.51%
201. Least Flycatcher	0.1287%
202. Hammond's Flycatcher	0.0000%
203. Gray Flycatcher	0.0470%
204. Western Flycatcher	0.0148%
205. Eastern Phoebe	32.88%
206. Say's Phoebe	0.2623%
207. Vermilion Flycatcher	1.52%
208. Ash-throated Flycatcher	0.4454%
209. Brown-crested Flycatcher	0.1955%
210. Great Kiskadee	0.1781%
211. Tropical Kingbird	0.1534%
212. Couch's Kingbird	0.2326%
213. Cassin's Kingbird	0.0025%
214. Western Kingbird	0.6309%
215. Gray Kingbird	0.0000%
216. Scissor-tailed Flycatcher	0.2969%
217. Fork-tailed Flycatcher	0.2078%
218. White-eyed Vireo	<u>3</u> .26%
219. Bell's Vireo	0.0693%
220. Blue-headed Vireo	8.17%

221. Warbling Vireo	0.0025%
222. Loggerhead Shrike	<u>15.17%</u>
223. Blue Jay	48.83%
224. American Crow	39.45%
225. Fish Crow	10.84%
226. Carolina Chickadee	43.28%
227. Tufted Titmouse	24.51%
228. Horned Lark	0.5295%
229. Tree Swallow	10.30%
230. Purple Martin	0.4849%
231. Northern Rough-winged Swallow	0.1138%
232. Barn Swallow	0.0247%
233. Cave Swallow	0.0173%
234. Ruby-crowned Kinglet	37.20%
235. Golden-crowned Kinglet	7.17 %
236. White-breasted Nuthatch	1.67%
237. Brown-headed Nuthatch	4.34%
238. Red-breasted Nuthatch	1.79%
239. Brown Creeper	2.21%
240. Blue-gray Gnatcatcher	14.49%
241. Rock Wren	0.0520%
242. House Wren	10.30%
243. Winter Wren	<u>3</u> .17%
244. Sedge Wren	2.84%
245. Marsh Wren	4.03%

246. Carolina Wren	39.49%
247. Bewick's Wren	0.1707%
248. European Starling	26.98%
249. Gray Catbird	7.51%
250. Brown Thrasher	10.68%
251. Sage Thrasher	0.0000%
252. Northern Mockingbird	46.95%
253. Eastern Bluebird	20.76%
254. Mountain Bluebird	0.1188%
255. Gray-cheeked Thrush	0.0025%
256. Swainson's Thrush	0.0025%
257. Hermit Thrush	9.21%
258. Wood Thrush	0.0421%
259. American Robin	27.31%
260. Northern Wheatear	0.0049%
261. Cedar Waxwing	11.76%
262. Scaly-breasted Munia	0.1806%
263. House Sparrow	20.60%
264. American Pipit	<u>8.5</u> 5%
265. Sprague's Pipit	0.3489%
266. Evening Grosbeak	0.0025%
267. House Finch	<u>15.15</u> %
268. Purple Finch	<u>4.</u> 77%
269. Red Crossbill	0.0198%
270. Pine Siskin	<u>4.</u> 18%

271. Lesser Goldfinch	0.0247%
272. American Goldfinch	32.14%
273. Lapland Longspur	0.3266%
274. Chestnut-collared Longspur	0.0124%
275. Smith's Longspur	0.0297%
276. Thick-billed Longspur	0.0000%
277. Bachman's Sparrow	0.1485%
278. Grasshopper Sparrow	0.1014%
279. Chipping Sparrow	16.69%
280. Clay-colored Sparrow	0.0866%
281. Field Sparrow	2.58%
282. Lark Sparrow	0.3538%
283. Fox Sparrow	1.98 %
284. Dark-eyed Junco	10.00%
285. White-crowned Sparrow	<u>4</u> .23%
286. Golden-crowned Sparrow	0.0346%
287. Harris's Sparrow	0.4948%
288. White-throated Sparrow	27.30%
289. Vesper Sparrow	1.81%
290. LeConte's Sparrow	0.8437%
291. Seaside Sparrow	0.6111%
292. Nelson's Sparrow	0.4379%
293. Savannah Sparrow	19.22%
294. Henslow's Sparrow	0.4874%
295. Song Sparrow	13.51%

296. Lincoln's Sparrow	1.03%
297. Swamp Sparrow	18.42%
298. Green-tailed Towhee	0.0322%
299. Spotted Towhee	0.0792%
300. Eastern Towhee	7.50%
301. Yellow-breasted Chat	0.0371%
302. Yellow-headed Blackbird	0.1880%
303. Bobolink	0.0000%
304. Western Meadowlark	0.2128%
305. Eastern Meadowlark	<u>10.1</u> 8%
306. Orchard Oriole	0.0371%
307. Hooded Oriole	0.0074%
308. Bullock's Oriole	0.1311%
309. Baltimore Oriole	0.7596%
310. Scott's Oriole	0.0124%
311. Red-winged Blackbird	35.73%
312. Shiny Cowbird	0.0025%
313. Bronzed Cowbird	0.2647%
314. Brown-headed Cowbird	9.80%
315. Rusty Blackbird	2.15%
316. Brewer's Blackbird	1.44%
317. Common Grackle	12.84%
318. Boat-tailed Grackle	<u>7.5</u> 0%
319. Great-tailed Grackle	2.00%
320. Ovenbird	0.0866%

321. Northern Waterthrush 0.1188% 322. Black-and-white Warbler 0.4379%	
322. Black-and-white Warbler 0.4379%	
The state of the s	
323. Prothonotary Warbler 0.0049%	
324. Tennessee Warbler 0.0198%	
325. Orange-crowned Warbler 26.78%	
326. Lucy's Warbler 0.0173%	
327. Nashville Warbler 0.0544%	
328. MacGillivray's Warbler 0.0049%	
329. Common Yellowthroat 6.99%	
330. Hooded Warbler 0.0049%	
331. American Redstart 0.1138%	
332. Cape May Warbler 0.0322%	
333. Northern Parula 0.0866%	
334. Tropical Parula 0.0049%	
335. Magnolia Warbler 0.0223%	
336. Yellow Warbler 0.0619%	
337. Black-throated Blue Warbler 0.0247%	
338. Palm Warbler 5.80%	
339. Pine Warbler 19.49%	
340. Yellow-rumped Warbler 53.75%	
341. Yellow-throated Warbler 0.8684%	
342. Prairie Warbler 0.3142%	
343. Black-throated Gray Warbler 0.0940%	
343. Black-throated Gray Warbler 0.0940% 344. Townsend's Warbler 0.0049%	

346. Wilson's Warbler	2.26%
347. Painted Redstart	0.0025%
348. Hepatic Tanager	0.0792%
349. Summer Tanager	0.4874%
350. Western Tanager	0.1682%
351. Northern Cardinal	55.68%
352. Rose-breasted Grosbeak	0.1064%
353. Black-headed Grosbeak	0.1386%
354. Blue Grosbeak	0.0767%
355. Lazuli Bunting	0.0025%
356. Indigo Bunting	0.2499%
357. Painted Bunting	0.4552%
358. Dickcissel	0.1138%
EXOTIC: PROVISIONAL	
359. Trumpeter Swan	0.0594% frequency
360. Monk Parakeet	1.26%
EXOTIC: ESCAPEE	
Graylag Goose	0.3142% frequency
Swan Goose	0.3464%
Mute Swan	0.1955%
Black Swan	0.0272%
Egyptian Goose	0.0049%
Ruddy Shelduck	0.0025%
Muscovy Duck	<u>3</u> .52%
Ringed Teal	0.0074%

Mandarin Duck	0.0049%
White-cheeked Pintail	0.0025%
Rosy-billed Pochard	0.0000%
Ferruginous Duck	0.0025%
Helmeted Guineafowl	0.0099%
Ring-necked Pheasant	0.0025%
Indian Peafowl	0.0099%
Red Junglefowl	0.0124%
Black Francolin	0.0025%
HYBRIDS	
Snow x Ross's Goose (hybrid)	0.0025% frequency
Graylag x Swan Goose (hybrid)	0.0025%
Swan Goose x Canada Goose (hybrid)	0.0049%
Graylag x Canada Goose (hybrid)	0.0025%
Barnacle x Canada Goose (hybrid)	0.0025%
Blue-winged x Cinnamon Teal (hybrid)	0.0099%
Blue-winged Teal x Northern Shoveler (hybrid)	0.0025%
Northern Shoveler x Gadwall (hybrid)	0.0049%
Muscovy Duck x Mallard (hybrid)	0.1435%
Gadwall x Mallard (hybrid)	0.0025%
Mallard x Mottled Duck (hybrid)	0.0099%
Anna's Hummingbird x Selasphorus sp. (hybrid)	0.0074%
Kelp x Herring Gull (hybrid)	0.0099%
Glossy x White-faced Ibis (hybrid)	0.0099%

Boat-tailed x Great-tailed Grackle (hybrid)	0.0000%
Northern x Tropical Parula (hybrid)	0.0049%