

Target Species

Based on 18,239 complete checklists

291 species observed in Louisiana, US (region/US-LA) in **Jun** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	14.61% frequency
2. Fulvous Whistling-Duck	2.31%
3. Snow Goose	0.0110%
4. Ross's Goose	0.0219%
5. Greater White-fronted Goose	0.0165%
6. Canada Goose	2.87%
7. Wood Duck	10.30%
8. Blue-winged Teal	0.9211%
9. Northern Shoveler	0.1535%
10. Gadwall	0.0603%
11. American Wigeon	0.0384%
12. Mallard	3.82%
13. Mottled Duck	4.48%
14. Northern Pintail	0.0110%
15. Green-winged Teal	0.0165%
16. Canvasback	0.0055%
17. Redhead	0.0165%
18. Ring-necked Duck	0.1316%
19. Greater Scaup	0.0055%
20. Lesser Scaup	0.2961%

21. Surf Scoter	0.0987%
22. Black Scoter	0.0219%
23. Long-tailed Duck	0.0000%
24. Common Goldeneye	0.0219%
25. Hooded Merganser	0.1261%
26. Red-breasted Merganser	0.0548%
27. Masked Duck	0.0493%
28. Ruddy Duck	0.1535%
29. Northern Bobwhite	4.51%
30. Wild Turkey	1.15%
31. Pied-billed Grebe	2.28%
32. Horned Grebe	0.0110%
33. Rock Pigeon	10.00%
34. Eurasian Collared-Dove	13.76%
35. Inca Dove	5.48%
36. Common Ground Dove	0.2248%
37. White-winged Dove	6.95%
38. Mourning Dove	53.76%
39. Greater Roadrunner	0.3783%
40. Yellow-billed Cuckoo	23.92%
41. Black-billed Cuckoo	0.0274%
42. Common Nighthawk	5.53%
43. Antillean Nighthawk	0.0000%
44. Chuck-will's-widow	0.7073%
45. Chimney Swift	26.73%

46.	Ruby-throated Hummingbird	16.26%
47.	Buff-bellied Hummingbird	0.0110%
48.	King Rail	1.18%
49.	Clapper Rail	3.10%
50.	Sora	0.0110%
51.	Common Gallinule	5.55%
52.	American Coot	1.56%
53.	Purple Gallinule	2.07%
54.	Black Rail	0.0055%
55.	Limpkin	0.5976%
56.	Sandhill Crane	0.0000%
57.	Black-necked Stilt	7.46%
58.	American Avocet	0.6853%
59.	American Oystercatcher	0.7292%
60.	Black-bellied Plover	1.84%
61.	American Golden-Plover	0.0165%
62.	Killdeer	20.26%
63.	Semipalmated Plover	1.42%
64.	Piping Plover	0.0439%
65.	Wilson's Plover	2.36%
66.	Snowy Plover	0.1261%
67.	Upland Sandpiper	0.0055%
68.	Whimbrel	0.4989%
69.	Long-billed Curlew	0.1371%
70.	Marbled Godwit	0.4002%

71.	Short-billed Dowitcher	0.8224%
72.	Long-billed Dowitcher	0.0329%
73.	American Woodcock	0.0055%
74.	Wilson's Snipe	0.0110%
75.	Wilson's Phalarope	0.0384%
76.	Spotted Sandpiper	0.2193%
77.	Solitary Sandpiper	0.0055%
78.	Lesser Yellowlegs	0.4057%
79.	Willet	4.51%
80.	Greater Yellowlegs	0.7128%
81.	Ruddy Turnstone	1.84%
82.	Red Knot	0.3125%
83.	Stilt Sandpiper	0.0822%
84.	Sanderling	1.81%
85.	Dunlin	0.4496%
86.	Baird's Sandpiper	0.0055%
87.	White-rumped Sandpiper	0.7292%
88.	Least Sandpiper	0.2303%
89.	Pectoral Sandpiper	0.0548%
90.	Western Sandpiper	0.2303%
91.	Semipalmated Sandpiper	1.34%
92.	Parasitic Jaeger	0.0000%
93.	Pomarine Jaeger	0.0439%
94.	Little Gull	0.0055%
95.	Black-legged Kittiwake	0.0055%

96.	Laughing Gull	14.02%
97.	Franklin's Gull	0.1042%
98.	Ring-billed Gull	0.9101%
99.	Kelp Gull	0.0055%
100.	Herring Gull	1.19%
101.	Great Black-backed Gull	0.0165%
102.	Glaucous Gull	0.0493%
103.	Lesser Black-backed Gull	0.1809%
104.	California Gull	0.0055%
105.	Black Skimmer	2.43%
106.	Sooty Tern	0.1535%
107.	Bridled Tern	0.0055%
108.	Least Tern	6.47%
109.	Gull-billed Tern	2.86%
110.	Caspian Tern	2.55%
111.	Black Tern	2.03%
112.	Forster's Tern	4.12%
113.	Arctic Tern	0.0219%
114.	Common Tern	1.35%
115.	Sandwich Tern	3.03%
116.	Royal Tern	5.08%
117.	Common Loon	0.1809%
118.	Wilson's Storm-Petrel	0.0000%
119.	Band-rumped Storm-Petrel	0.0000%
120.	Cory's Shearwater	0.0000%

121.	Sooty Shearwater	0.0055%
122.	Audubon's Shearwater	0.0000%
123.	Wood Stork	1.40%
124.	Magnificent Frigatebird	2.59%
125.	Northern Gannet	0.0274%
126.	Brown Booby	0.1261%
127.	Masked Booby	0.0329%
128.	Anhinga	12.18%
129.	Double-crested Cormorant	2.75%
130.	Neotropic Cormorant	5.25%
131.	American White Pelican	1.41%
132.	Brown Pelican	4.91%
133.	American Bittern	0.0055%
134.	Least Bittern	2.85%
135.	Yellow-crowned Night Heron	13.14%
136.	Black-crowned Night Heron	5.44%
137.	Little Blue Heron	24.23%
138.	Tricolored Heron	10.50%
139.	Reddish Egret	2.05%
140.	Snowy Egret	23.16%
141.	Green Heron	21.06%
142.	Western Cattle Egret	26.99%
143.	Great Egret	38.99%
144.	Great Blue Heron	23.08%
145.	White Ibis	16.80%

146.	Glossy Ibis	0.6360%
147.	White-faced Ibis	5.22%
148.	Roseate Spoonbill	7.07%
149.	Black Vulture	14.55%
150.	Turkey Vulture	19.63%
151.	Osprey	3.41%
152.	White-tailed Kite	0.0384%
153.	Swallow-tailed Kite	1.88%
154.	Mississippi Kite	26.79%
155.	Sharp-shinned Hawk	0.0219%
156.	Cooper's Hawk	3.16%
157.	Bald Eagle	1.06%
158.	Red-shouldered Hawk	12.97%
159.	Broad-winged Hawk	2.88%
160.	Swainson's Hawk	0.3070%
161.	Red-tailed Hawk	7.73%
162.	Barn Owl	0.1754%
163.	Eastern Screech-Owl	1.33%
164.	Great Horned Owl	1.20%
165.	Barred Owl	5.49%
166.	Belted Kingfisher	2.33%
167.	Red-headed Woodpecker	11.50%
168.	Red-bellied Woodpecker	40.97%
169.	Downy Woodpecker	29.80%
170.	Red-cockaded Woodpecker	0.9924%

171.	Hairy Woodpecker	2.40%
172.	Pileated Woodpecker	13.98%
173.	Northern Flicker	6.78%
174.	Crested Caracara	0.5154%
175.	American Kestrel	0.6141%
176.	Eastern Wood-Pewee	7.43%
177.	Acadian Flycatcher	8.90%
178.	Alder Flycatcher	0.0055%
179.	Willow Flycatcher	0.0987%
180.	Least Flycatcher	0.0000%
181.	Eastern Phoebe	1.29%
182.	Great Crested Flycatcher	25.16%
183.	Great Kiskadee	0.0493%
184.	Crowned Slaty Flycatcher	0.0055%
185.	Tropical Kingbird	0.0055%
186.	Couch's Kingbird	0.0000%
187.	Western Kingbird	0.3070%
188.	Eastern Kingbird	25.67%
189.	Gray Kingbird	0.0439%
190.	Scissor-tailed Flycatcher	4.04%
191.	White-eyed Vireo	24.79%
192.	Bell's Vireo	0.2029%
193.	Yellow-throated Vireo	7.54%
194.	Warbling Vireo	0.2248%
195.	Red-eyed Vireo	14.19%

196.	Yellow-green Vireo	0.1919%
197.	Black-whiskered Vireo	0.1754%
198.	Loggerhead Shrike	12.56%
199.	Blue Jay	56.61%
200.	American Crow	42.01%
201.	Fish Crow	23.97%
202.	Carolina Chickadee	43.36%
203.	Tufted Titmouse	32.92%
204.	Horned Lark	0.5154%
205.	Bank Swallow	0.0219%
206.	Tree Swallow	0.9485%
207.	Purple Martin	31.79%
208.	Northern Rough-winged Swallow	5.16%
209.	Barn Swallow	29.09%
210.	Cliff Swallow	10.18%
211.	Cave Swallow	0.6305%
212.	White-breasted Nuthatch	1.39%
213.	Brown-headed Nuthatch	5.48%
214.	Blue-gray Gnatcatcher	11.55%
215.	Marsh Wren	0.9869%
216.	Carolina Wren	49.79%
217.	European Starling	30.61%
218.	Gray Catbird	4.69%
219.	Brown Thrasher	23.05%
220.	Northern Mockingbird	58.10%

221.	Eastern Bluebird	<u>22.57%</u>
222.	Veery	0.0110%
223.	Gray-cheeked Thrush	0.0055%
224.	Swainson's Thrush	0.0165%
225.	Wood Thrush	<u>8.72%</u>
226.	American Robin	<u>8.15%</u>
227.	Cedar Waxwing	0.0219%
228.	Scaly-breasted Munia	0.0110%
229.	House Sparrow	<u>31.65%</u>
230.	House Finch	<u>18.55%</u>
231.	Pine Siskin	0.0000%
232.	American Goldfinch	0.0439%
233.	Lapland Longspur	0.0055%
234.	Cassin's Sparrow	0.0055%
235.	Bachman's Sparrow	<u>0.8937%</u>
236.	Grasshopper Sparrow	0.0548%
237.	Chipping Sparrow	<u>2.96%</u>
238.	Field Sparrow	0.2632%
239.	Lark Sparrow	0.7676%
240.	White-throated Sparrow	0.0110%
241.	Seaside Sparrow	<u>1.64%</u>
242.	Eastern Towhee	<u>13.42%</u>
243.	Yellow-breasted Chat	<u>14.76%</u>
244.	Yellow-headed Blackbird	0.0219%
245.	Bobolink	0.0110%

246.	Western Meadowlark	0.0055%
247.	Eastern Meadowlark	12.67%
248.	Orchard Oriole	18.38%
249.	Baltimore Oriole	2.91%
250.	Red-winged Blackbird	39.88%
251.	Shiny Cowbird	0.0274%
252.	Bronzed Cowbird	2.90%
253.	Brown-headed Cowbird	28.04%
254.	Common Grackle	29.14%
255.	Boat-tailed Grackle	9.40%
256.	Great-tailed Grackle	3.30%
257.	Ovenbird	0.0165%
258.	Worm-eating Warbler	1.12%
259.	Louisiana Waterthrush	1.12%
260.	Northern Waterthrush	0.0110%
261.	Black-and-white Warbler	1.22%
262.	Prothonotary Warbler	15.59%
263.	Swainson's Warbler	3.27%
264.	Tennessee Warbler	0.0055%
265.	Nashville Warbler	0.0055%
266.	Kentucky Warbler	6.03%
267.	Common Yellowthroat	15.14%
268.	Hooded Warbler	11.64%
269.	American Redstart	1.24%
270.	Cape May Warbler	0.0110%

271. Northern Parula	11.49%
272. Magnolia Warbler	0.0274%
273. Bay-breasted Warbler	0.0055%
274. Blackburnian Warbler	0.0000%
275. Yellow Warbler	0.0384%
276. Blackpoll Warbler	0.0055%
277. Pine Warbler	13.25%
278. Yellow-rumped Warbler	0.0055%
279. Yellow-throated Warbler	3.05%
280. Prairie Warbler	3.25%
281. Black-throated Green Warbler	0.0055%
282. Summer Tanager	15.38%
283. Scarlet Tanager	0.0055%
284. Northern Cardinal	68.32%
285. Rose-breasted Grosbeak	0.0329%
286. Blue Grosbeak	8.90%
287. Indigo Bunting	19.84%
288. Painted Bunting	15.18%
289. Dickcissel	4.89%
EXOTIC: PROVISIONAL	
290. Whooping Crane	0.0165% frequency
291. Monk Parakeet	1.75%
EXOTIC: ESCAPEE	
Graylag Goose	0.1700% frequency
Swan Goose	0.2303%

Mute Swan	0.0987%
Black Swan	0.0055%
Muscovy Duck	2.01%
Helmeted Guineafowl	0.0165%
Indian Peafowl	0.0548%
Red Junglefowl	0.0165%
Budgerigar	0.0055%
Rosy-faced Lovebird	0.0000%

HYBRIDS

Graylag x Swan Goose (hybrid)	0.0055% frequency
Muscovy Duck x Mallard (hybrid)	0.0384%
Kelp x Herring Gull (hybrid)	0.0055%
Glossy x White-faced Ibis (hybrid)	0.0658%