

## Target Species

Based on 342,539 complete checklists

**480** species observed in Louisiana, US (region/US-LA) that you need for your **World Life List**

|                           |                  |
|---------------------------|------------------|
| 1. Northern Cardinal      | 60.19% frequency |
| 2. Blue Jay               | 52.80%           |
| 3. Northern Mockingbird   | 50.35%           |
| 4. Mourning Dove          | 42.47%           |
| 5. Carolina Wren          | 42.30%           |
| 6. Carolina Chickadee     | 41.64%           |
| 7. American Crow          | 38.74%           |
| 8. Great Egret            | 38.19%           |
| 9. Red-bellied Woodpecker | 36.05%           |
| 10. Red-winged Blackbird  | 34.95%           |
| 11. Downy Woodpecker      | 29.87%           |
| 12. European Starling     | 26.24%           |
| 13. Yellow-rumped Warbler | 26.04%           |
| 14. Tufted Titmouse       | 25.82%           |
| 15. Great Blue Heron      | 25.36%           |
| 16. House Sparrow         | 22.48%           |
| 17. Turkey Vulture        | 22.21%           |
| 18. Killdeer              | 21.20%           |
| 19. Snowy Egret           | 20.74%           |
| 20. Ruby-crowned Kinglet  | 20.26%           |
| 21. Common Grackle        | 18.59%           |

|     |                                  |                      |
|-----|----------------------------------|----------------------|
| 22. | <b>Eastern Bluebird</b>          | <b><u>18.15%</u></b> |
| 23. | <b>Double-crested Cormorant</b>  | <b><u>18.15%</u></b> |
| 24. | <b>White Ibis</b>                | <b><u>17.39%</u></b> |
| 25. | <b>Laughing Gull</b>             | <b><u>17.32%</u></b> |
| 26. | <b>Fish Crow</b>                 | <b><u>16.97%</u></b> |
| 27. | <b>Brown Thrasher</b>            | <b><u>16.77%</u></b> |
| 28. | <b>Eastern Phoebe</b>            | <b><u>16.74%</u></b> |
| 29. | <b>Ruby-throated Hummingbird</b> | <b><u>15.86%</u></b> |
| 30. | <b>American Robin</b>            | <b><u>15.73%</u></b> |
| 31. | <b>Brown-headed Cowbird</b>      | <b><u>15.70%</u></b> |
| 32. | <b>Blue-gray Gnatcatcher</b>     | <b><u>15.68%</u></b> |
| 33. | <b>House Finch</b>               | <b><u>15.54%</u></b> |
| 34. | <b>White-eyed Vireo</b>          | <b><u>14.54%</u></b> |
| 35. | <b>White-throated Sparrow</b>    | <b><u>14.52%</u></b> |
| 36. | <b>Little Blue Heron</b>         | <b><u>14.44%</u></b> |
| 37. | <b>Red-tailed Hawk</b>           | <b><u>14.00%</u></b> |
| 38. | <b>Barn Swallow</b>              | <b><u>13.59%</u></b> |
| 39. | <b>Belted Kingfisher</b>         | <b><u>13.43%</u></b> |
| 40. | <b>Western Cattle Egret</b>      | <b><u>13.13%</u></b> |
| 41. | <b>Red-shouldered Hawk</b>       | <b><u>12.55%</u></b> |
| 42. | <b>Pine Warbler</b>              | <b><u>12.39%</u></b> |
| 43. | <b>Loggerhead Shrike</b>         | <b><u>12.30%</u></b> |
| 44. | <b>American Goldfinch</b>        | <b><u>12.29%</u></b> |
| 45. | <b>Black Vulture</b>             | <b><u>12.27%</u></b> |
| 46. | <b>Orange-crowned Warbler</b>    | <b><u>11.71%</u></b> |

|     |                                 |                      |
|-----|---------------------------------|----------------------|
| 47. | <b>Chimney Swift</b>            | <b><u>11.57%</u></b> |
| 48. | <b>Northern Flicker</b>         | <b><u>11.56%</u></b> |
| 49. | <b>Pileated Woodpecker</b>      | <b><u>11.50%</u></b> |
| 50. | <b>Common Yellowthroat</b>      | <b><u>11.47%</u></b> |
| 51. | <b>Purple Martin</b>            | <b><u>11.27%</u></b> |
| 52. | <b>Anhinga</b>                  | <b><u>11.05%</u></b> |
| 53. | <b>Indigo Bunting</b>           | <b><u>10.80%</u></b> |
| 54. | <b>Eastern Kingbird</b>         | <b><u>10.78%</u></b> |
| 55. | <b>Gray Catbird</b>             | <b><u>10.58%</u></b> |
| 56. | <b>Wood Duck</b>                | <b><u>10.35%</u></b> |
| 57. | <b>Savannah Sparrow</b>         | <b><u>10.09%</u></b> |
| 58. | <b>Tree Swallow</b>             | <b><u>10.02%</u></b> |
| 59. | <b>Brown Pelican</b>            | <b><u>9.81%</u></b>  |
| 60. | <b>Boat-tailed Grackle</b>      | <b><u>9.80%</u></b>  |
| 61. | <b>Swamp Sparrow</b>            | <b><u>9.75%</u></b>  |
| 62. | <b>Great Crested Flycatcher</b> | <b><u>9.73%</u></b>  |
| 63. | <b>Pied-billed Grebe</b>        | <b><u>9.66%</u></b>  |
| 64. | <b>Ring-billed Gull</b>         | <b><u>9.36%</u></b>  |
| 65. | <b>American Coot</b>            | <b><u>8.80%</u></b>  |
| 66. | <b>Eurasian Collared-Dove</b>   | <b><u>8.74%</u></b>  |
| 67. | <b>Chipping Sparrow</b>         | <b><u>8.66%</u></b>  |
| 68. | <b>Tricolored Heron</b>         | <b><u>8.64%</u></b>  |
| 69. | <b>Eastern Meadowlark</b>       | <b><u>8.53%</u></b>  |
| 70. | <b>Green Heron</b>              | <b><u>8.53%</u></b>  |
| 71. | <b>American Kestrel</b>         | <b><u>8.43%</u></b>  |

|     |                                     |                     |
|-----|-------------------------------------|---------------------|
| 72. | <b>Cedar Waxwing</b>                | <b><u>8.22%</u></b> |
| 73. | <b>Rock Pigeon</b>                  | <b><u>8.21%</u></b> |
| 74. | <b>Mississippi Kite</b>             | <b><u>8.08%</u></b> |
| 75. | <b>Black-bellied Whistling-Duck</b> | <b><u>7.89%</u></b> |
| 76. | <b>Summer Tanager</b>               | <b><u>7.74%</u></b> |
| 77. | <b>Yellow-bellied Sapsucker</b>     | <b><u>7.58%</u></b> |
| 78. | <b>White-winged Dove</b>            | <b><u>7.50%</u></b> |
| 79. | <b>Eastern Towhee</b>               | <b><u>7.42%</u></b> |
| 80. | <b>Forster's Tern</b>               | <b><u>7.40%</u></b> |
| 81. | <b>House Wren</b>                   | <b><u>7.16%</u></b> |
| 82. | <b>Red-eyed Vireo</b>               | <b><u>7.10%</u></b> |
| 83. | <b>Mallard</b>                      | <b><u>7.01%</u></b> |
| 84. | <b>Osprey</b>                       | <b><u>6.80%</u></b> |
| 85. | <b>Northern Harrier</b>             | <b><u>6.69%</u></b> |
| 86. | <b>Yellow-billed Cuckoo</b>         | <b><u>6.49%</u></b> |
| 87. | <b>American White Pelican</b>       | <b><u>6.39%</u></b> |
| 88. | <b>Common Gallinule</b>             | <b><u>6.37%</u></b> |
| 89. | <b>Northern Parula</b>              | <b><u>6.28%</u></b> |
| 90. | <b>Blue-winged Teal</b>             | <b><u>6.25%</u></b> |
| 91. | <b>Black-necked Stilt</b>           | <b><u>6.10%</u></b> |
| 92. | <b>Orchard Oriole</b>               | <b><u>6.08%</u></b> |
| 93. | <b>Red-headed Woodpecker</b>        | <b><u>5.98%</u></b> |
| 94. | <b>Royal Tern</b>                   | <b><u>5.90%</u></b> |
| 95. | <b>Bald Eagle</b>                   | <b><u>5.84%</u></b> |
| 96. | <b>Song Sparrow</b>                 | <b><u>5.71%</u></b> |

|      |                                   |              |
|------|-----------------------------------|--------------|
| 97.  | <b>Prothonotary Warbler</b>       | <b>5.59%</b> |
| 98.  | <b>Roseate Spoonbill</b>          | <b>5.56%</b> |
| 99.  | <b>Neotropic Cormorant</b>        | <b>5.52%</b> |
| 100. | <b>Canada Goose</b>               | <b>5.44%</b> |
| 101. | <b>Hooded Warbler</b>             | <b>5.43%</b> |
| 102. | <b>Barred Owl</b>                 | <b>5.13%</b> |
| 103. | <b>Greater Yellowlegs</b>         | <b>5.10%</b> |
| 104. | <b>Cooper's Hawk</b>              | <b>5.10%</b> |
| 105. | <b>Yellow-crowned Night Heron</b> | <b>4.77%</b> |
| 106. | <b>Willet</b>                     | <b>4.76%</b> |
| 107. | <b>Blue Grosbeak</b>              | <b>4.68%</b> |
| 108. | <b>Eastern Wood-Pewee</b>         | <b>4.59%</b> |
| 109. | <b>Hermit Thrush</b>              | <b>4.56%</b> |
| 110. | <b>Blue-headed Vireo</b>          | <b>4.40%</b> |
| 111. | <b>Painted Bunting</b>            | <b>4.37%</b> |
| 112. | <b>Least Sandpiper</b>            | <b>4.36%</b> |
| 113. | <b>Lesser Scaup</b>               | <b>4.30%</b> |
| 114. | <b>White-faced Ibis</b>           | <b>4.28%</b> |
| 115. | <b>Northern Shoveler</b>          | <b>4.24%</b> |
| 116. | <b>Dark-eyed Junco</b>            | <b>4.21%</b> |
| 117. | <b>Brown-headed Nuthatch</b>      | <b>4.09%</b> |
| 118. | <b>Black-crowned Night Heron</b>  | <b>3.98%</b> |
| 119. | <b>Mottled Duck</b>               | <b>3.97%</b> |
| 120. | <b>Inca Dove</b>                  | <b>3.82%</b> |
| 121. | <b>Herring Gull</b>               | <b>3.82%</b> |

|      |                                      |              |
|------|--------------------------------------|--------------|
| 122. | <b>Lesser Yellowlegs</b>             | <b>3.80%</b> |
| 123. | <b>Caspian Tern</b>                  | <b>3.79%</b> |
| 124. | <b>Northern Rough-winged Swallow</b> | <b>3.73%</b> |
| 125. | <b>Gadwall</b>                       | <b>3.65%</b> |
| 126. | <b>Black-and-white Warbler</b>       | <b>3.64%</b> |
| 127. | <b>Yellow-throated Vireo</b>         | <b>3.59%</b> |
| 128. | <b>Golden-crowned Kinglet</b>        | <b>3.58%</b> |
| 129. | <b>Marsh Wren</b>                    | <b>3.56%</b> |
| 130. | <b>Yellow Warbler</b>                | <b>3.52%</b> |
| 131. | <b>Black-bellied Plover</b>          | <b>3.51%</b> |
| 132. | <b>American Redstart</b>             | <b>3.37%</b> |
| 133. | <b>Palm Warbler</b>                  | <b>3.36%</b> |
| 134. | <b>Wood Thrush</b>                   | <b>3.32%</b> |
| 135. | <b>Great-tailed Grackle</b>          | <b>3.31%</b> |
| 136. | <b>Spotted Sandpiper</b>             | <b>3.30%</b> |
| 137. | <b>Wilson's Snipe</b>                | <b>3.25%</b> |
| 138. | <b>American Pipit</b>                | <b>3.15%</b> |
| 139. | <b>Sanderling</b>                    | <b>3.12%</b> |
| 140. | <b>Rose-breasted Grosbeak</b>        | <b>3.10%</b> |
| 141. | <b>Cliff Swallow</b>                 | <b>3.06%</b> |
| 142. | <b>Yellow-breasted Chat</b>          | <b>3.00%</b> |
| 143. | <b>Baltimore Oriole</b>              | <b>2.85%</b> |
| 144. | <b>Ring-necked Duck</b>              | <b>2.77%</b> |
| 145. | <b>Acadian Flycatcher</b>            | <b>2.71%</b> |
| 146. | <b>Snow Goose</b>                    | <b>2.55%</b> |

|      |                                    |              |
|------|------------------------------------|--------------|
| 147. | <b>Tennessee Warbler</b>           | <b>2.52%</b> |
| 148. | <b>Hairy Woodpecker</b>            | <b>2.50%</b> |
| 149. | <b>Ruddy Turnstone</b>             | <b>2.49%</b> |
| 150. | <b>Semipalmated Plover</b>         | <b>2.48%</b> |
| 151. | <b>Clapper Rail</b>                | <b>2.46%</b> |
| 152. | <b>Dunlin</b>                      | <b>2.45%</b> |
| 153. | <b>Least Tern</b>                  | <b>2.37%</b> |
| 154. | <b>White-crowned Sparrow</b>       | <b>2.33%</b> |
| 155. | <b>Great Horned Owl</b>            | <b>2.25%</b> |
| 156. | <b>Ruddy Duck</b>                  | <b>2.25%</b> |
| 157. | <b>Green-winged Teal</b>           | <b>2.23%</b> |
| 158. | <b>Magnolia Warbler</b>            | <b>2.21%</b> |
| 159. | <b>Rufous Hummingbird</b>          | <b>2.10%</b> |
| 160. | <b>Common Nighthawk</b>            | <b>2.09%</b> |
| 161. | <b>Greater White-fronted Goose</b> | <b>2.07%</b> |
| 162. | <b>Yellow-throated Warbler</b>     | <b>2.04%</b> |
| 163. | <b>Scissor-tailed Flycatcher</b>   | <b>2.03%</b> |
| 164. | <b>Scarlet Tanager</b>             | <b>2.00%</b> |
| 165. | <b>Sora</b>                        | <b>1.96%</b> |
| 166. | <b>Pine Siskin</b>                 | <b>1.96%</b> |
| 167. | <b>Sedge Wren</b>                  | <b>1.91%</b> |
| 168. | <b>Western Sandpiper</b>           | <b>1.88%</b> |
| 169. | <b>American Avocet</b>             | <b>1.88%</b> |
| 170. | <b>Kentucky Warbler</b>            | <b>1.86%</b> |
| 171. | <b>Sandwich Tern</b>               | <b>1.72%</b> |

|      |                                     |              |
|------|-------------------------------------|--------------|
| 172. | <b>Long-billed Dowitcher</b>        | <b>1.72%</b> |
| 173. | <b>Broad-winged Hawk</b>            | <b>1.71%</b> |
| 174. | <b>Wilson's Warbler</b>             | <b>1.71%</b> |
| 175. | <b>Purple Finch</b>                 | <b>1.70%</b> |
| 176. | <b>Bufflehead</b>                   | <b>1.70%</b> |
| 177. | <b>Sharp-shinned Hawk</b>           | <b>1.68%</b> |
| 178. | <b>Eastern Screech-Owl</b>          | <b>1.68%</b> |
| 179. | <b>Black Skimmer</b>                | <b>1.68%</b> |
| 180. | <b>Dickcissel</b>                   | <b>1.66%</b> |
| 181. | <b>Hooded Merganser</b>             | <b>1.65%</b> |
| 182. | <b>Black-throated Green Warbler</b> | <b>1.64%</b> |
| 183. | <b>Merlin</b>                       | <b>1.56%</b> |
| 184. | <b>Swainson's Thrush</b>            | <b>1.55%</b> |
| 185. | <b>Northern Waterthrush</b>         | <b>1.55%</b> |
| 186. | <b>White-breasted Nuthatch</b>      | <b>1.54%</b> |
| 187. | <b>Common Loon</b>                  | <b>1.49%</b> |
| 188. | <b>Gull-billed Tern</b>             | <b>1.46%</b> |
| 189. | <b>Winter Wren</b>                  | <b>1.42%</b> |
| 190. | <b>Northern Pintail</b>             | <b>1.40%</b> |
| 191. | <b>Solitary Sandpiper</b>           | <b>1.40%</b> |
| 192. | <b>King Rail</b>                    | <b>1.40%</b> |
| 193. | <b>Crested Caracara</b>             | <b>1.33%</b> |
| 194. | <b>Reddish Egret</b>                | <b>1.27%</b> |
| 195. | <b>Semipalmated Sandpiper</b>       | <b>1.26%</b> |
| 196. | <b>Pectoral Sandpiper</b>           | <b>1.23%</b> |



|      |                                  |                |
|------|----------------------------------|----------------|
| 197. | <b>Short-billed Dowitcher</b>    | <b>1.20%</b>   |
| 198. | <b>Field Sparrow</b>             | <b>1.19%</b>   |
| 199. | <b>Bronzed Cowbird</b>           | <b>1.18%</b>   |
| 200. | <b>Wilson's Plover</b>           | <b>1.17%</b>   |
| 201. | <b>Red-breasted Nuthatch</b>     | <b>1.13%</b>   |
| 202. | <b>Peregrine Falcon</b>          | <b>1.12%</b>   |
| 203. | <b>Seaside Sparrow</b>           | <b>1.10%</b>   |
| 204. | <b>American Wigeon</b>           | <b>1.04%</b>   |
| 205. | <b>Stilt Sandpiper</b>           | <b>1.04%</b>   |
| 206. | <b>Fulvous Whistling-Duck</b>    | <b>1.04%</b>   |
| 207. | <b>Black Tern</b>                | <b>1.04%</b>   |
| 208. | <b>Worm-eating Warbler</b>       | <b>1.02%</b>   |
| 209. | <b>Piping Plover</b>             | <b>1.00%</b>   |
| 210. | <b>Ovenbird</b>                  | <b>0.9847%</b> |
| 211. | <b>Magnificent Frigatebird</b>   | <b>0.9827%</b> |
| 212. | <b>Brown Creeper</b>             | <b>0.9506%</b> |
| 213. | <b>Purple Gallinule</b>          | <b>0.9418%</b> |
| 214. | <b>Limpkin</b>                   | <b>0.9412%</b> |
| 215. | <b>Least Bittern</b>             | <b>0.9359%</b> |
| 216. | <b>Chestnut-sided Warbler</b>    | <b>0.9222%</b> |
| 217. | <b>Prairie Warbler</b>           | <b>0.9062%</b> |
| 218. | <b>Black-chinned Hummingbird</b> | <b>0.8995%</b> |
| 219. | <b>Lincoln's Sparrow</b>         | <b>0.8831%</b> |
| 220. | <b>Blue-winged Warbler</b>       | <b>0.8781%</b> |
| 221. | <b>Bonaparte's Gull</b>          | <b>0.8761%</b> |

|      |                                 |                |
|------|---------------------------------|----------------|
| 222. | <b>Whimbrel</b>                 | <b>0.8405%</b> |
| 223. | <b>Swallow-tailed Kite</b>      | <b>0.8250%</b> |
| 224. | <b>Buff-bellied Hummingbird</b> | <b>0.8166%</b> |
| 225. | <b>Redhead</b>                  | <b>0.7891%</b> |
| 226. | <b>Bank Swallow</b>             | <b>0.7888%</b> |
| 227. | <b>Swainson's Warbler</b>       | <b>0.7839%</b> |
| 228. | <b>Vermilion Flycatcher</b>     | <b>0.7821%</b> |
| 229. | <b>Northern Bobwhite</b>        | <b>0.7687%</b> |
| 230. | <b>Canvasback</b>               | <b>0.7564%</b> |
| 231. | <b>Red-cockaded Woodpecker</b>  | <b>0.7453%</b> |
| 232. | <b>Red-breasted Merganser</b>   | <b>0.7351%</b> |
| 233. | <b>Virginia Rail</b>            | <b>0.7263%</b> |
| 234. | <b>Vesper Sparrow</b>           | <b>0.7024%</b> |
| 235. | <b>Ross's Goose</b>             | <b>0.6986%</b> |
| 236. | <b>Fox Sparrow</b>              | <b>0.6890%</b> |
| 237. | <b>Rusty Blackbird</b>          | <b>0.6720%</b> |
| 238. | <b>Bay-breasted Warbler</b>     | <b>0.6557%</b> |
| 239. | <b>Louisiana Waterthrush</b>    | <b>0.6513%</b> |
| 240. | <b>Common Tern</b>              | <b>0.6350%</b> |
| 241. | <b>Blackburnian Warbler</b>     | <b>0.6341%</b> |
| 242. | <b>Wood Stork</b>               | <b>0.6303%</b> |
| 243. | <b>Veery</b>                    | <b>0.5988%</b> |
| 244. | <b>Philadelphia Vireo</b>       | <b>0.5853%</b> |
| 245. | <b>Marbled Godwit</b>           | <b>0.5649%</b> |
| 246. | <b>Glossy Ibis</b>              | <b>0.5547%</b> |

|      |                                 |                |
|------|---------------------------------|----------------|
| 247. | <b>Gray-cheeked Thrush</b>      | <b>0.5547%</b> |
| 248. | <b>Horned Grebe</b>             | <b>0.5506%</b> |
| 249. | <b>Snowy Plover</b>             | <b>0.5494%</b> |
| 250. | <b>Brewer's Blackbird</b>       | <b>0.5328%</b> |
| 251. | <b>Lesser Black-backed Gull</b> | <b>0.5132%</b> |
| 252. | <b>Red Knot</b>                 | <b>0.4855%</b> |
| 253. | <b>Sandhill Crane</b>           | <b>0.4557%</b> |
| 254. | <b>Least Flycatcher</b>         | <b>0.4411%</b> |
| 255. | <b>Wild Turkey</b>              | <b>0.4356%</b> |
| 256. | <b>LeConte's Sparrow</b>        | <b>0.4315%</b> |
| 257. | <b>Lark Sparrow</b>             | <b>0.4294%</b> |
| 258. | <b>Nashville Warbler</b>        | <b>0.4236%</b> |
| 259. | <b>American Golden-Plover</b>   | <b>0.4110%</b> |
| 260. | <b>American Bittern</b>         | <b>0.3950%</b> |
| 261. | <b>Calliope Hummingbird</b>     | <b>0.3918%</b> |
| 262. | <b>White-rumped Sandpiper</b>   | <b>0.3906%</b> |
| 263. | <b>Barn Owl</b>                 | <b>0.3851%</b> |
| 264. | <b>Chuck-will's-widow</b>       | <b>0.3816%</b> |
| 265. | <b>Western Kingbird</b>         | <b>0.3804%</b> |
| 266. | <b>Nelson's Sparrow</b>         | <b>0.3658%</b> |
| 267. | <b>Blackpoll Warbler</b>        | <b>0.3492%</b> |
| 268. | <b>American Woodcock</b>        | <b>0.3354%</b> |
| 269. | <b>Warbling Vireo</b>           | <b>0.3349%</b> |
| 270. | <b>Swainson's Hawk</b>          | <b>0.3305%</b> |
| 271. | <b>American Oystercatcher</b>   | <b>0.3275%</b> |

|      |                                 |                |
|------|---------------------------------|----------------|
| 272. | <b>Cave Swallow</b>             | <b>0.3208%</b> |
| 273. | <b>Upland Sandpiper</b>         | <b>0.3135%</b> |
| 274. | <b>Wilson's Phalarope</b>       | <b>0.3092%</b> |
| 275. | <b>Canada Warbler</b>           | <b>0.3042%</b> |
| 276. | <b>Long-billed Curlew</b>       | <b>0.3036%</b> |
| 277. | <b>Franklin's Gull</b>          | <b>0.3013%</b> |
| 278. | <b>Bachman's Sparrow</b>        | <b>0.3004%</b> |
| 279. | <b>Bobolink</b>                 | <b>0.2829%</b> |
| 280. | <b>Horned Lark</b>              | <b>0.2531%</b> |
| 281. | <b>Golden-winged Warbler</b>    | <b>0.2458%</b> |
| 282. | <b>Cerulean Warbler</b>         | <b>0.2420%</b> |
| 283. | <b>Alder Flycatcher</b>         | <b>0.2172%</b> |
| 284. | <b>White-tailed Kite</b>        | <b>0.2137%</b> |
| 285. | <b>Ash-throated Flycatcher</b>  | <b>0.1991%</b> |
| 286. | <b>Greater Scaup</b>            | <b>0.1965%</b> |
| 287. | <b>Common Ground Dove</b>       | <b>0.1930%</b> |
| 288. | <b>Yellow-headed Blackbird</b>  | <b>0.1880%</b> |
| 289. | <b>Buff-breasted Sandpiper</b>  | <b>0.1857%</b> |
| 290. | <b>Common Goldeneye</b>         | <b>0.1848%</b> |
| 291. | <b>Henslow's Sparrow</b>        | <b>0.1632%</b> |
| 292. | <b>Harris's Sparrow</b>         | <b>0.1576%</b> |
| 293. | <b>Brown Booby</b>              | <b>0.1562%</b> |
| 294. | <b>Black-billed Cuckoo</b>      | <b>0.1533%</b> |
| 295. | <b>Say's Phoebe</b>             | <b>0.1512%</b> |
| 296. | <b>Broad-tailed Hummingbird</b> | <b>0.1378%</b> |

|      |                                    |                |
|------|------------------------------------|----------------|
| 297. | <b>Olive-sided Flycatcher</b>      | <b>0.1267%</b> |
| 298. | <b>Sprague's Pipit</b>             | <b>0.1264%</b> |
| 299. | <b>Yellow Rail</b>                 | <b>0.1188%</b> |
| 300. | <b>Clay-colored Sparrow</b>        | <b>0.1168%</b> |
| 301. | <b>Cape May Warbler</b>            | <b>0.1147%</b> |
| 302. | <b>Northern Gannet</b>             | <b>0.1136%</b> |
| 303. | <b>Eared Grebe</b>                 | <b>0.1121%</b> |
| 304. | <b>Baird's Sandpiper</b>           | <b>0.1057%</b> |
| 305. | <b>Yellow-bellied Flycatcher</b>   | <b>0.1057%</b> |
| 306. | <b>Great Kiskadee</b>              | <b>0.1025%</b> |
| 307. | <b>Western Meadowlark</b>          | <b>0.1007%</b> |
| 308. | <b>Greater Roadrunner</b>          | <b>0.0972%</b> |
| 309. | <b>Mourning Warbler</b>            | <b>0.0949%</b> |
| 310. | <b>Bell's Vireo</b>                | <b>0.0943%</b> |
| 311. | <b>Lapland Longspur</b>            | <b>0.0925%</b> |
| 312. | <b>Groove-billed Ani</b>           | <b>0.0908%</b> |
| 313. | <b>Black Scoter</b>                | <b>0.0893%</b> |
| 314. | <b>Grasshopper Sparrow</b>         | <b>0.0876%</b> |
| 315. | <b>Hudsonian Godwit</b>            | <b>0.0870%</b> |
| 316. | <b>Western Tanager</b>             | <b>0.0841%</b> |
| 317. | <b>Eastern Whip-poor-will</b>      | <b>0.0832%</b> |
| 318. | <b>Cinnamon Teal</b>               | <b>0.0829%</b> |
| 319. | <b>Surf Scoter</b>                 | <b>0.0812%</b> |
| 320. | <b>Black-throated Blue Warbler</b> | <b>0.0794%</b> |
| 321. | <b>Bewick's Wren</b>               | <b>0.0780%</b> |

|      |                                    |                |
|------|------------------------------------|----------------|
| 322. | <b>Cackling Goose</b>              | <b>0.0750%</b> |
| 323. | <b>Scaly-breasted Munia</b>        | <b>0.0721%</b> |
| 324. | <b>Fork-tailed Flycatcher</b>      | <b>0.0689%</b> |
| 325. | <b>Allen's Hummingbird</b>         | <b>0.0671%</b> |
| 326. | <b>Broad-billed Hummingbird</b>    | <b>0.0668%</b> |
| 327. | <b>Black-headed Grosbeak</b>       | <b>0.0648%</b> |
| 328. | <b>Couch's Kingbird</b>            | <b>0.0628%</b> |
| 329. | <b>MacGillivray's Warbler</b>      | <b>0.0598%</b> |
| 330. | <b>Black-whiskered Vireo</b>       | <b>0.0560%</b> |
| 331. | <b>White-winged Scoter</b>         | <b>0.0549%</b> |
| 332. | <b>Short-eared Owl</b>             | <b>0.0546%</b> |
| 333. | <b>Brown-crested Flycatcher</b>    | <b>0.0523%</b> |
| 334. | <b>Long-tailed Duck</b>            | <b>0.0514%</b> |
| 335. | <b>Pomarine Jaeger</b>             | <b>0.0514%</b> |
| 336. | <b>Bullock's Oriole</b>            | <b>0.0505%</b> |
| 337. | <b>Whooping Crane</b>              | <b>0.0485%</b> |
| 338. | <b>Tropical Kingbird</b>           | <b>0.0438%</b> |
| 339. | <b>Sooty Tern</b>                  | <b>0.0429%</b> |
| 340. | <b>Black-throated Gray Warbler</b> | <b>0.0403%</b> |
| 341. | <b>Vaux's Swift</b>                | <b>0.0397%</b> |
| 342. | <b>Burrowing Owl</b>               | <b>0.0385%</b> |
| 343. | <b>Spotted Towhee</b>              | <b>0.0382%</b> |
| 344. | <b>American Flamingo</b>           | <b>0.0374%</b> |
| 345. | <b>Glaucous Gull</b>               | <b>0.0359%</b> |
| 346. | <b>Gray Kingbird</b>               | <b>0.0333%</b> |

|      |                                   |                |
|------|-----------------------------------|----------------|
| 347. | <b>White-tailed Hawk</b>          | <b>0.0330%</b> |
| 348. | <b>Iceland Gull</b>               | <b>0.0327%</b> |
| 349. | <b>Mountain Bluebird</b>          | <b>0.0295%</b> |
| 350. | <b>Willow Flycatcher</b>          | <b>0.0289%</b> |
| 351. | <b>Lesser Nighthawk</b>           | <b>0.0283%</b> |
| 352. | <b>Blue-throated Mountain-gem</b> | <b>0.0274%</b> |
| 353. | <b>Bridled Tern</b>               | <b>0.0271%</b> |
| 354. | <b>Ringed Kingfisher</b>          | <b>0.0242%</b> |
| 355. | <b>Western Grebe</b>              | <b>0.0231%</b> |
| 356. | <b>Ferruginous Hawk</b>           | <b>0.0222%</b> |
| 357. | <b>California Gull</b>            | <b>0.0210%</b> |
| 358. | <b>Green-tailed Towhee</b>        | <b>0.0196%</b> |
| 359. | <b>Red-legged Honeycreeper</b>    | <b>0.0187%</b> |
| 360. | <b>Anna's Hummingbird</b>         | <b>0.0184%</b> |
| 361. | <b>Great Black-backed Gull</b>    | <b>0.0184%</b> |
| 362. | <b>Masked Booby</b>               | <b>0.0184%</b> |
| 363. | <b>Yellow-green Vireo</b>         | <b>0.0175%</b> |
| 364. | <b>Gray Flycatcher</b>            | <b>0.0169%</b> |
| 365. | <b>Shiny Cowbird</b>              | <b>0.0169%</b> |
| 366. | <b>Rock Wren</b>                  | <b>0.0161%</b> |
| 367. | <b>Harris's Hawk</b>              | <b>0.0134%</b> |
| 368. | <b>Ruff</b>                       | <b>0.0131%</b> |
| 369. | <b>Hepatic Tanager</b>            | <b>0.0131%</b> |
| 370. | <b>Black Rail</b>                 | <b>0.0128%</b> |
| 371. | <b>Sage Thrasher</b>              | <b>0.0123%</b> |

|      |                                   |                |
|------|-----------------------------------|----------------|
| 372. | <b>Red-necked Grebe</b>           | <b>0.0117%</b> |
| 373. | <b>Golden-crowned Sparrow</b>     | <b>0.0114%</b> |
| 374. | <b>Western Flycatcher</b>         | <b>0.0111%</b> |
| 375. | <b>Curve-billed Thrasher</b>      | <b>0.0102%</b> |
| 376. | <b>Black-capped Vireo</b>         | <b>0.0099%</b> |
| 377. | <b>Smith's Longspur</b>           | <b>0.0099%</b> |
| 378. | <b>Lark Bunting</b>               | <b>0.0099%</b> |
| 379. | <b>Common Merganser</b>           | <b>0.0096%</b> |
| 380. | <b>Parasitic Jaeger</b>           | <b>0.0096%</b> |
| 381. | <b>Audubon's Shearwater</b>       | <b>0.0096%</b> |
| 382. | <b>Eurasian Wigeon</b>            | <b>0.0093%</b> |
| 383. | <b>Black-legged Kittiwake</b>     | <b>0.0093%</b> |
| 384. | <b>Cory's Shearwater</b>          | <b>0.0082%</b> |
| 385. | <b>Lucy's Warbler</b>             | <b>0.0076%</b> |
| 386. | <b>Little Gull</b>                | <b>0.0073%</b> |
| 387. | <b>Tundra Swan</b>                | <b>0.0070%</b> |
| 388. | <b>Red-necked Phalarope</b>       | <b>0.0070%</b> |
| 389. | <b>Wilson's Storm-Petrel</b>      | <b>0.0064%</b> |
| 390. | <b>Golden Eagle</b>               | <b>0.0064%</b> |
| 391. | <b>Masked Duck</b>                | <b>0.0055%</b> |
| 392. | <b>Sulphur-bellied Flycatcher</b> | <b>0.0055%</b> |
| 393. | <b>Chestnut-collared Longspur</b> | <b>0.0055%</b> |
| 394. | <b>Green-breasted Mango</b>       | <b>0.0052%</b> |
| 395. | <b>Great Shearwater</b>           | <b>0.0052%</b> |
| 396. | <b>Cassin's Sparrow</b>           | <b>0.0052%</b> |



|      |                                 |                |
|------|---------------------------------|----------------|
| 397. | <b>Lesser Goldfinch</b>         | <b>0.0050%</b> |
| 398. | <b>Red-throated Loon</b>        | <b>0.0047%</b> |
| 399. | <b>Band-rumped Storm-Petrel</b> | <b>0.0047%</b> |
| 400. | <b>Cassin's Kingbird</b>        | <b>0.0047%</b> |
| 401. | <b>Rough-legged Hawk</b>        | <b>0.0044%</b> |
| 402. | <b>Mountain Plover</b>          | <b>0.0041%</b> |
| 403. | <b>Red-footed Booby</b>         | <b>0.0041%</b> |
| 404. | <b>Western Wood-Pewee</b>       | <b>0.0038%</b> |
| 405. | <b>Evening Grosbeak</b>         | <b>0.0038%</b> |
| 406. | <b>Pyrrhuloxia</b>              | <b>0.0038%</b> |
| 407. | <b>Northern Wheatear</b>        | <b>0.0035%</b> |
| 408. | <b>Townsend's Warbler</b>       | <b>0.0035%</b> |
| 409. | <b>Scott's Oriole</b>           | <b>0.0032%</b> |
| 410. | <b>Golden-crowned Warbler</b>   | <b>0.0032%</b> |
| 411. | <b>Short-billed Gull</b>        | <b>0.0023%</b> |
| 412. | <b>Red Crossbill</b>            | <b>0.0023%</b> |
| 413. | <b>Arctic Tern</b>              | <b>0.0020%</b> |
| 414. | <b>Townsend's Solitaire</b>     | <b>0.0020%</b> |
| 415. | <b>Tropical Parula</b>          | <b>0.0020%</b> |
| 416. | <b>Lazuli Bunting</b>           | <b>0.0020%</b> |
| 417. | <b>Long-tailed Jaeger</b>       | <b>0.0018%</b> |
| 418. | <b>Leach's Storm-Petrel</b>     | <b>0.0018%</b> |
| 419. | <b>Long-eared Owl</b>           | <b>0.0018%</b> |
| 420. | <b>Dusky-capped Flycatcher</b>  | <b>0.0018%</b> |
| 421. | <b>Red Phalarope</b>            | <b>0.0012%</b> |

|      |                              |                |
|------|------------------------------|----------------|
| 422. | <b>Purple Sandpiper</b>      | <b>0.0012%</b> |
| 423. | <b>Sabine's Gull</b>         | <b>0.0012%</b> |
| 424. | <b>Red-billed Tropicbird</b> | <b>0.0012%</b> |
| 425. | <b>Hooded Oriole</b>         | <b>0.0012%</b> |
| 426. | <b>Connecticut Warbler</b>   | <b>0.0012%</b> |
| 427. | <b>King Eider</b>            | <b>0.0009%</b> |
| 428. | <b>Mexican Violetear</b>     | <b>0.0009%</b> |
| 429. | <b>Black-tailed Godwit</b>   | <b>0.0009%</b> |
| 430. | <b>Curlew Sandpiper</b>      | <b>0.0009%</b> |
| 431. | <b>Western Gull</b>          | <b>0.0009%</b> |
| 432. | <b>Kelp Gull</b>             | <b>0.0009%</b> |
| 433. | <b>Red-naped Sapsucker</b>   | <b>0.0009%</b> |
| 434. | <b>Red-faced Warbler</b>     | <b>0.0009%</b> |
| 435. | <b>American Black Duck</b>   | <b>0.0006%</b> |
| 436. | <b>Pacific Loon</b>          | <b>0.0006%</b> |
| 437. | <b>Prairie Falcon</b>        | <b>0.0006%</b> |
| 438. | <b>Varied Thrush</b>         | <b>0.0006%</b> |
| 439. | <b>Cassin's Finch</b>        | <b>0.0006%</b> |
| 440. | <b>Thick-billed Longspur</b> | <b>0.0006%</b> |
| 441. | <b>Painted Redstart</b>      | <b>0.0006%</b> |
| 442. | <b>Blue Bunting</b>          | <b>0.0006%</b> |
| 443. | <b>Brant</b>                 | <b>0.0003%</b> |
| 444. | <b>Mangrove Cuckoo</b>       | <b>0.0003%</b> |
| 445. | <b>Rivoli's Hummingbird</b>  | <b>0.0003%</b> |
| 446. | <b>Siberian Sand-Plover</b>  | <b>0.0003%</b> |

|      |  |                |
|------|--|----------------|
| 447. | <b>Razorbill</b>                       | <b>0.0003%</b> |
| 448. | <b>Slaty-backed Gull</b>               | <b>0.0003%</b> |
| 449. | <b>Brown Noddy</b>                     | <b>0.0003%</b> |
| 450. | <b>Sooty Shearwater</b>                | <b>0.0003%</b> |
| 451. | <b>Manx Shearwater</b>                 | <b>0.0003%</b> |
| 452. | <b>Flammulated Owl</b>                 | <b>0.0003%</b> |
| 453. | <b>Williamson's Sapsucker</b>          | <b>0.0003%</b> |
| 454. | <b>Ladder-backed Woodpecker</b>        | <b>0.0003%</b> |
| 455. | <b>Crowned Slaty Flycatcher</b>        | <b>0.0003%</b> |
| 456. | <b>Plumbeous Vireo</b>                 | <b>0.0003%</b> |
| 457. | <b>Chihuahuan Raven</b>                | <b>0.0003%</b> |
| 458. | <b>Brown-chested Martin</b>            | <b>0.0003%</b> |
| 459. | <b>Brewer's Sparrow</b>                | <b>0.0003%</b> |
| 460. | <b>Virginia's Warbler</b>              | <b>0.0003%</b> |
| 461. | <b>Hermit Warbler</b>                  | <b>0.0003%</b> |
| 462. | <b>Least Grebe</b>                     | <b>0.0000%</b> |
| 463. | <b>Band-tailed Pigeon</b>              | <b>0.0000%</b> |
| 464. | <b>Smooth-billed Ani</b>               | <b>0.0000%</b> |
| 465. | <b>Antillean Nighthawk</b>             | <b>0.0000%</b> |
| 466. | <b>Lucifer Hummingbird</b>             | <b>0.0000%</b> |
| 467. | <b>Black-headed Gull</b>               | <b>0.0000%</b> |
| 468. | <b>Atlantic Yellow-nosed Albatross</b> | <b>0.0000%</b> |
| 469. | <b>Jabiru</b>                          | <b>0.0000%</b> |
| 470. | <b>Zone-tailed Hawk</b>                | <b>0.0000%</b> |
| 471. | <b>Snowy Owl</b>                       | <b>0.0000%</b> |

|                              |         |
|------------------------------|---------|
| 472. Ivory-billed Woodpecker | 0.0000% |
| 473. Hammond's Flycatcher    | 0.0000% |
| 474. Cassin's Vireo          | 0.0000% |
| 475. Clark's Nutcracker      | 0.0000% |
| 476. Baird's Sparrow         | 0.0000% |
| 477. Bachman's Warbler       | 0.0000% |
| 478. Varied Bunting          | 0.0000% |

**EXOTIC: PROVISIONAL**

|                     |                 |
|---------------------|-----------------|
| 479. Monk Parakeet  | 1.41% frequency |
| 480. Trumpeter Swan | 0.0088%         |

**EXOTIC: ESCAPEE**

|                       |                 |
|-----------------------|-----------------|
| Muscovy Duck          | 2.44% frequency |
| Swan Goose            | 0.2756%         |
| Graylag Goose         | 0.2508%         |
| Mute Swan             | 0.1585%         |
| Black Swan            | 0.0222%         |
| Indian Peafowl        | 0.0169%         |
| Red Junglefowl        | 0.0134%         |
| Golden Pheasant       | 0.0117%         |
| Helmeted Guineafowl   | 0.0061%         |
| Budgerigar            | 0.0044%         |
| Egyptian Goose        | 0.0029%         |
| Ringed Teal           | 0.0029%         |
| Mandarin Duck         | 0.0026%         |
| White-cheeked Pintail | 0.0018%         |

|  |                          |
|--|--------------------------|
| <b>Ferruginous Duck</b>                      | <b>0.0018%</b>           |
| <b>Ring-necked Pheasant</b>                  | <b>0.0018%</b>           |
| <b>Black Francolin</b>                       | <b>0.0018%</b>           |
| <b>Barnacle Goose</b>                        | <b>0.0009%</b>           |
| <b>African Collared-Dove</b>                 | <b>0.0009%</b>           |
| <b>Rosy-faced Lovebird</b>                   | <b>0.0006%</b>           |
| <b>White-faced Whistling-Duck</b>            | <b>0.0003%</b>           |
| <b>Ruddy Shelduck</b>                        | <b>0.0003%</b>           |
| <b>Rosy-billed Pochard</b>                   | <b>0.0003%</b>           |
| <b>Chukar</b>                                | <b>0.0003%</b>           |
| <b>Cockatiel</b>                             | <b>0.0003%</b>           |
| <b>Diamond Dove</b>                          | <b>0.0000%</b>           |
| <b>House Crow</b>                            | <b>0.0000%</b>           |
| <b>Yellow-fronted Canary</b>                 | <b>0.0000%</b>           |
| <b>HYBRIDS</b>                               |                          |
| Muscovy Duck x Mallard (hybrid)              | <b>0.1349%</b> frequency |
| Glossy x White-faced Ibis (hybrid)           | <b>0.0231%</b>           |
| Brewster's Warbler (hybrid)                  | <b>0.0088%</b>           |
| Mallard x Mottled Duck (hybrid)              | <b>0.0082%</b>           |
| Kelp x Herring Gull (hybrid)                 | <b>0.0067%</b>           |
| Swan Goose x Canada Goose (hybrid)           | <b>0.0064%</b>           |
| Golden-winged x Blue-winged Warbler (hybrid) | <b>0.0044%</b>           |
| Graylag x Canada Goose (hybrid)              | <b>0.0038%</b>           |
| Graylag x Swan Goose (hybrid)                | <b>0.0035%</b>           |
| Blue-winged x Cinnamon Teal (hybrid)         | <b>0.0029%</b>           |

|   |                |
|---|----------------|
| Lawrence's Warbler (hybrid)                           | <b>0.0029%</b> |
| Western Kingbird x Scissor-tailed Flycatcher (hybrid) | <b>0.0026%</b> |
| Snow x Greater White-fronted Goose (hybrid)           | <b>0.0015%</b> |
| Anna's Hummingbird x Selasphorus sp. (hybrid)         | <b>0.0015%</b> |
| Northern x Tropical Parula (hybrid)                   | <b>0.0012%</b> |
| Northern Shoveler x Gadwall (hybrid)                  | <b>0.0009%</b> |
| Barn x Cliff Swallow (hybrid)                         | <b>0.0009%</b> |
| Tricolored Heron x Snowy Egret (hybrid)               | <b>0.0006%</b> |
| Spotted x Eastern Towhee (hybrid)                     | <b>0.0006%</b> |
| Snow x Ross's Goose (hybrid)                          | <b>0.0003%</b> |
| Domestic goose sp. x Canada Goose (hybrid)            | <b>0.0003%</b> |
| Barnacle x Canada Goose (hybrid)                      | <b>0.0003%</b> |
| Blue-winged Teal x Northern Shoveler (hybrid)         | <b>0.0003%</b> |
| Gadwall x Mallard (hybrid)                            | <b>0.0003%</b> |
| Blue-winged x Green-winged Teal (hybrid)              | <b>0.0003%</b> |
| Ring-necked Duck x Greater Scaup (hybrid)             | <b>0.0003%</b> |
| Bufflehead x Hooded Merganser (hybrid)                | <b>0.0003%</b> |
| Herring x Glaucous Gull (hybrid)                      | <b>0.0003%</b> |
| Boat-tailed x Great-tailed Grackle (hybrid)           | <b>0.0003%</b> |
| Mallard x American Black Duck (hybrid)                | <b>0.0000%</b> |