

## **Target Species**

Based on 32,727 complete checklists

**369** species observed in <u>Louisiana, US (region/US-LA)</u> in **Mar** that you need for your **World Life List** 

1. Northern Cardinal	63.58% frequency
2. Blue Jay	50.98%
3. Northern Mockingbird	47.32%
4. Carolina Chickadee	42.70%
5. Carolina Wren	42.57%
6. Mourning Dove	42.21%
7. Red-winged Blackbird	41.71%
8. Yellow-rumped Warbler	40.78%
9. American Crow	39.69%
10. Red-bellied Woodpecker	36.18%
11. Great Egret	33.14%
12. Downy Woodpecker	30.44%
13. Tufted Titmouse	28.95%
14. Ruby-crowned Kinglet	28.68%
15. Double-crested Cormorant	26.22%
16. Turkey Vulture	25.59%
17. European Starling	24.85%
18. Fish Crow	24.26%
19. <b>Great Blue Heron</b>	23.78%
20. House Sparrow	22.10% Go to top

21. White-throated Sparrow	21.84%
22. Common Grackle	21.40%
23. Brown-headed Cowbird	19.38%
24. Laughing Gull	19.19%
25. Snowy Egret	18.49%
26. Purple Martin	18.26%
27. American Robin	18.06%
28. Brown Thrasher	17.41%
29. Eastern Bluebird	<u>17.22%</u>
30. Cedar Waxwing	<u>16.98%</u>
31. Killdeer	<u>16.53</u> %
32. Wood Duck	<u>15.24</u> %
33. American Goldfinch	<u>15.17%</u>
34. White-eyed Vireo	<u>15.10</u> %
35. Orange-crowned Warbler	<u>14.75</u> %
36. Little Blue Heron	<u>14.17</u> %
37. White Ibis	<u>13.68</u> %
38. Black Vulture	<u>13.31</u> %
39. Chipping Sparrow	13.20%
40. House Finch	<u>13.18</u> %
41. American Coot	<u>13.14</u> %
42. Tree Swallow	13.02%
43. Red-tailed Hawk	13.02%
44. Northern Parula	13.01%
45. Pileated Woodpecker	12.77%

46. Red-shouldered Hawk	12.69%
47. Pied-billed Grebe	12.13%
48. Belted Kingfisher	12.02%
49. Eastern Phoebe	11.90%
50. Blue-gray Gnatcatcher	11.81%
51. Boat-tailed Grackle	11.49%
52. Pine Warbler	11.49%
53. Savannah Sparrow	<u>11.2</u> 1%
54. Swamp Sparrow	11.08%
55. Northern Flicker	<u>11.0</u> 7%
56. Barn Swallow	<u>11.02</u> %
57. Ring-billed Gull	10.84%
58. Ruby-throated Hummingbird	10.25%
59. Blue-winged Teal	10.10%
60. Anhinga	9.93%
61. Brown Pelican	9.61%
62. Loggerhead Shrike	9.29%
63. American Kestrel	8.65%
64. White-winged Dove	8.45%
65. Mallard	8.20%
66. Common Yellowthroat	8.06%
67. Eastern Meadowlark	8.05%
68. Osprey	<del>7.9</del> 9%
69. Eastern Towhee	<mark>7.9</mark> 3%
70. Eurasian Collared-Dove	7.86%

71. Bald Eagle	7.46%
72. Canada Goose	7.33%
73. Rock Pigeon	7.31%
74. Northern Harrier	7.25%
75. American White Pelican	<u>7.0</u> 2%
76. Common Gallinule	<u>6.9</u> 7%
77. Western Cattle Egret	<u>6.9</u> 1%
78. Black-bellied Whistling-Duck	<u>6.8</u> 6%
79. Forster's Tern	<u>6.8</u> 5%
80. Tricolored Heron	<u>6.8</u> 2%
81. Barred Owl	6.79%
82. Yellow-bellied Sapsucker	<u>6.</u> 75%
83. Gray Catbird	<u>6.</u> 61%
84. House Wren	<u>5.</u> 87%
85. Hermit Thrush	<u>5.</u> 87%
86. Greater Yellowlegs	<u>5.</u> 85%
87. Song Sparrow	<u>5.</u> 57%
88. Blue-headed Vireo	<u>5.</u> 42%
89. Chimney Swift	<u>5.</u> 34%
90. Neotropic Cormorant	<u>5.</u> 34%
91. Northern Shoveler	<u>5.</u> 29%
92. Cooper's Hawk	<u>5.</u> 20%
93. Black-necked Stilt	<u>5.</u> 05%
94. Dark-eyed Junco	<u>5.</u> 01%
95. Roseate Spoonbill	<u>5.</u> 00%

96. Herring Gull	<u>4.</u> 99%
97. Lesser Scaup	<u>4.</u> 91%
98. Prothonotary Warbler	4.89%
99. Mottled Duck	4.62%
100. Royal Tern	<u>4.</u> 60%
101. Hooded Warbler	<u>4.24</u> %
102. Willet	4.22%
103. Lesser Yellowlegs	4.02%
104. Gadwall	3.97%
105. Brown-headed Nuthatch	3.86%
106. Rufous Hummingbird	3.84%
107. Yellow-throated Vireo	<u>3.68</u> %
108. Yellow-throated Warbler	<u>3</u> .67%
109. Red-headed Woodpecker	<b>3.58</b> %
110. Yellow-crowned Night Heron	<u>3</u> .57%
111. Black-and-white Warbler	<u>3</u> .48%
112. Wilson's Snipe	3.38%
113. Black-crowned Night Heron	3.34%
114. Inca Dove	<b>3.26</b> %
115. Caspian Tern	<u>3</u> .23%
116. Great-tailed Grackle	<u>3</u> .21%
117. Pine Siskin	<u>3</u> .18%
118. Least Sandpiper	<u>3</u> .15%
119. Green Heron	<u>3.10%</u>
120. Northern Rough-winged Swallow	3.10%

121. White-faced Ibis	<u>3</u> .09%
122. Eastern Kingbird	3.03%
123. Palm Warbler	3.02%
124. Marsh Wren	2.96%
125. Green-winged Teal	2.76%
126. Black-bellied Plover	2.70%
127. Golden-crowned Kinglet	2.64%
128. Sanderling	2.62%
129. Ring-necked Duck	2.42%
130. Common Loon	2.40%
131. Hairy Woodpecker	2.36%
132. <b>Dunlin</b>	2.33%
133. White-crowned Sparrow	2.32%
134. Purple Finch	2.22%
135. Great Horned Owl	1.90%
136. Clapper Rail	1.84%
137. Ruddy Turnstone	1.84%
138. <b>Sora</b>	1.79%
139. Swallow-tailed Kite	1.76%
140. Sharp-shinned Hawk	<b>1.71%</b>
141. American Golden-Plover	<b>1.68%</b>
142. Ruddy Duck	1.66%
143. Long-billed Dowitcher	1.66%
144. Pectoral Sandpiper	1.63%
145. Western Sandpiper	1.57%

146. American Avocet	1.57%
147. Spotted Sandpiper	1.56%
148. Red-eyed Vireo	1.44%
149. Great Crested Flycatcher	1.42%
150. Louisiana Waterthrush	1.39%
151. Cliff Swallow	1.38%
152. Bonaparte's Gull	1.37%
153. Winter Wren	1.37%
154. Semipalmated Plover	1.36%
155. White-breasted Nuthatch	1.33%
156. American Pipit	1.29%
157. King Rail	1.28%
158. Indigo Bunting	1.27%
159. Sedge Wren	1.26%
160. Red-breasted Nuthatch	1.25%
161. Red-breasted Merganser	1.22%
162. Wilson's Warbler	1.20%
163. Field Sparrow	1.19%
164. Eastern Screech-Owl	1.16%
165. Bufflehead	1.11%
166. Black-chinned Hummingbird	1.10%
167. Short-billed Dowitcher	1.07%
168. Limpkin	1.07%
169. Buff-bellied Hummingbird	1.06%
170. Wilson's Plover	1.05%

171. Snow Goose	1.04%
172. Black Skimmer	0.9778%
173. Broad-winged Hawk	0.9686%
174. American Wigeon	0.9319%
175. Hooded Merganser	0.9197%
176. Merlin	0.9106%
177. Red-cockaded Woodpecker	0.9014%
178. Sandwich Tern	0.8983%
179. Solitary Sandpiper	0.8892%
180. Peregrine Falcon	0.8770%
181. Crested Caracara	0.8647%
182. Brown Creeper	0.8647%
183. Seaside Sparrow	0.8494%
184. Worm-eating Warbler	0.8189%
185. Piping Plover	0.7761%
186. Reddish Egret	0.7731%
187. Fulvous Whistling-Duck	0.7242%
188. Virginia Rail	0.6172%
189. Glossy Ibis	0.6142%
190. Rusty Blackbird	0.6142%
191. Northern Pintail	0.6050%
192. American Bittern	0.5897%
193. Brewer's Blackbird	0.5745%
194. Wild Turkey	0.5653%
195. Vesper Sparrow	0.5653%

196. Stilt Sandpiper	0.5561%
197. Summer Tanager	0.5408%
198. Redhead	0.5378%
199. Gull-billed Tern	0.5103%
200. Wood Thrush	0.5103%
201. Lincoln's Sparrow	0.5103%
202. Bronzed Cowbird	0.5042%
203. Orchard Oriole	0.4950%
204. Bachman's Sparrow	0.4920%
205. Horned Grebe	0.4889%
206. Calliope Hummingbird	0.4797%
207. Scissor-tailed Flycatcher	0.4645%
208. Black-throated Green Warbler	0.4645%
209. Greater White-fronted Goose	0.4614%
210. Lesser Black-backed Gull	0.4492%
211. Canvasback	0.4125%
212. Baltimore Oriole	0.3758%
213. Snowy Plover	0.3636%
214. Marbled Godwit	0.3514%
215. Whimbrel	0.3270%
216. Painted Bunting	0.3208%
217. Barn Owl	0.3025%
218. Upland Sandpiper	0.2995%
219. Red Knot	0.2597%
220. Vermilion Flycatcher	0.2536%

221. Northern Gannet	0.2353%
222. Yellow-headed Blackbird	0.2353%
223. Kentucky Warbler	0.2322%
224. Fox Sparrow	0.2231%
225. Long-billed Curlew	0.2169%
226. Nelson's Sparrow	0.2169%
227. Ross's Goose	0.2108%
228. Common Tern	0.2108%
229. American Oystercatcher	0.2047%
230. LeConte's Sparrow	0.2017%
231. Harris's Sparrow	0.1986%
232. Least Tern	0.1956%
233. Sandhill Crane	0.1803%
234. Ovenbird	0.1803%
235. Blue-winged Warbler	0.1711%
236. Cinnamon Teal	0.1650%
237. Ash-throated Flycatcher	0.1650%
238. MacGillivray's Warbler	0.1650%
239. Least Bittern	0.1620%
240. Prairie Warbler	0.1620%
241. American Redstart	0.1589%
242. Northern Bobwhite	0.1528%
243. Greater Scaup	0.1497%
244. Cave Swallow	0.1497%
245. Eastern Whip-poor-will	0.1467%

246. Western Kingbird	0.1467%
247. Broad-tailed Hummingbird	0.1436%
248. Horned Lark	0.1375%
249. Swainson's Warbler	0.1253%
250. Dickcissel	0.1253%
251. Rose-breasted Grosbeak	0.1192%
252. Semipalmated Sandpiper	0.1161%
253. Western Meadowlark	0.1131%
254. Black-headed Grosbeak	0.1131%
255. Allen's Hummingbird	0.1100%
256. Say's Phoebe	0.1069%
257. Henslow's Sparrow	0.1069%
258. Common Ground Dove	0.1039%
259. Broad-billed Hummingbird	0.1008%
260. Curve-billed Thrasher	0.1008%
261. Lark Sparrow	0.1008%
262. Blue Grosbeak	0.1008%
263. Purple Gallinule	0.0978%
264. Eared Grebe	0.0947%
265. Black Tern	0.0947%
266. Swainson's Hawk	0.0917%
267. Nashville Warbler	0.0856%
268. Yellow-billed Cuckoo	0.0825%
269. Greater Roadrunner	0.0794%
270. Tennessee Warbler	0.0794%

271. White-tailed Kite	0.0764%
272. Scaly-breasted Munia	0.0764%
273. Northern Waterthrush	0.0764%
274. Bewick's Wren	0.0703%
275. Wilson's Phalarope	0.0672%
276. Magnificent Frigatebird	0.0672%
277. Sprague's Pipit	0.0672%
278. White-winged Scoter	0.0611%
279. Chuck-will's-widow	0.0611%
280. Great Kiskadee	0.0611%
281. Clay-colored Sparrow	0.0611%
282. Glaucous Gull	0.0550%
283. Tropical Kingbird	0.0550%
284. Western Tanager	0.0550%
285. Black Scoter	0.0519%
286. <b>Green-tailed Towhee</b>	0.0489%
287. Scarlet Tanager	0.0458%
288. Common Goldeneye	0.0428%
289. Blue-throated Mountain-gem	0.0428%
290. Buff-breasted Sandpiper	0.0428%
291. Pomarine Jaeger	0.0428%
292. Blackburnian Warbler	0.0428%
293. Surf Scoter	0.0397%
294. Brown Booby	0.0397%
295. Lark Bunting	0.0397%

296. American Woodcock	0.0367%
297. Black-legged Kittiwake	0.0367%
298. Mississippi Kite	0.0367%
299. Bank Swallow	0.0367%
300. Bell's Vireo	0.0336%
301. Long-tailed Duck	0.0306%
302. Groove-billed Ani	0.0306%
303. Grasshopper Sparrow	0.0306%
304. Baird's Sandpiper	0.0275%
305. Franklin's Gull	0.0275%
306. Iceland Gull	0.0275%
307. Wood Stork	0.0275%
308. Burrowing Owl	0.0275%
309. Brown-crested Flycatcher	0.0244%
310. Spotted Towhee	0.0244%
311. Vaux's Swift	0.0214%
312. Ferruginous Hawk	0.0214%
313. Least Flycatcher	0.0214%
314. Western Grebe	0.0183%
315. White-tailed Hawk	0.0183%
316. Swainson's Thrush	0.0183%
317. Black Rail	0.0153%
318. Great Black-backed Gull	0.0153%
319. Gray Flycatcher	0.0153%
320. Chestnut-collared Longspur	0.0153%

321. Bullock's Oriole	0.0153%
322. Cerulean Warbler	0.0153%
323. Yellow Warbler	0.0153%
324. Lesser Nighthawk	0.0122%
325. Whooping Crane	0.0122%
326. California Gull	0.0122%
327. Western Flycatcher	0.0122%
328. Black-throated Blue Warbler	0.0122%
329. Cackling Goose	0.0092%
330. Common Merganser	0.0092%
331. Yellow Rail	0.0092%
332. Parasitic Jaeger	0.0092%
333. Short-eared Owl	0.0092%
334. Couch's Kingbird	0.0092%
335. Evening Grosbeak	0.0092%
336. Shiny Cowbird	0.0092%
337. Black-throated Gray Warbler	0.0092%
338. Golden Eagle	0.0061%
339. Acadian Flycatcher	0.0061%
340. Lapland Longspur	0.0061%
341. Golden-crowned Sparrow	0.0061%
342. Yellow-breasted Chat	0.0061%
343. Lucy's Warbler	0.0061%
344. Magnolia Warbler	0.0061%
345. Anna's Hummingbird	0.0031%

346. <b>Ruff</b>	0.0031%
347. Little Gull	0.0031%
348. Manx Shearwater	0.0031%
349. Rough-legged Hawk	0.0031%
350. Long-eared Owl	0.0031%
351. Black-whiskered Vireo	0.0031%
352. Sage Thrasher	0.0031%
353. Golden-winged Warbler	0.0031%
354. Chestnut-sided Warbler	0.0031%
355. Painted Redstart	0.0031%
356. Eurasian Wigeon	0.0000%
357. American Flamingo	0.0000%
358. Red-necked Grebe	0.0000%
359. Black-headed Gull	0.0000%
360. Sooty Tern	0.0000%
361. Masked Booby	0.0000%
362. Harris's Hawk	0.0000%
363. Fork-tailed Flycatcher	0.0000%
364. Red Crossbill	0.0000%
365. Smith's Longspur	0.0000%
366. Hooded Oriole	0.0000%
367. Bachman's Warbler	0.0000%
368. Tropical Parula	0.0000%
EXOTIC: PROVISIONAL	
369. Monk Parakeet	1.46% frequency

EXOTIC: ESCAPEE	
Muscovy Duck	2.64% frequency
Swan Goose	0.3208%
Graylag Goose	0.2506%
Mute Swan	0.2475%
Golden Pheasant	0.0214%
Black Swan	0.0153%
Indian Peafowl	0.0153%
Red Junglefowl	0.0153%
Helmeted Guineafowl	0.0092%
Mandarin Duck	0.0031%
White-cheeked Pintail	0.0031%
Budgerigar	0.0031%
Egyptian Goose	0.0000%
Ring-necked Pheasant	0.0000%
HYBRIDS	
Muscovy Duck x Mallard (hybrid)	<b>0.1161%</b> frequency
Glossy x White-faced Ibis (hybrid)	0.0183%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0183%
Blue-winged x Cinnamon Teal (hybrid)	0.0092%
Mallard x Mottled Duck (hybrid)	0.0061%
Graylag x Swan Goose (hybrid)	0.0031%