

Target Species

Based on 32,727 complete checklists

369 species observed in Louisiana, US (region/US-LA) in **Mar** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	6.86% frequency
2. Fulvous Whistling-Duck	0.7242%
3. Snow Goose	1.04%
4. Ross's Goose	0.2108%
5. Greater White-fronted Goose	0.4614%
6. Cackling Goose	0.0092%
7. Canada Goose	7.33%
8. Wood Duck	15.24%
9. Blue-winged Teal	10.10%
10. Cinnamon Teal	0.1650%
11. Northern Shoveler	5.29%
12. Gadwall	3.97%
13. Eurasian Wigeon	0.0000%
14. American Wigeon	0.9319%
15. Mallard	8.20%
16. Mottled Duck	4.62%
17. Northern Pintail	0.6050%
18. Green-winged Teal	2.76%
19. Canvasback	0.4125%
20. Redhead	0.5378%

21. Ring-necked Duck	2.42%
22. Greater Scaup	0.1497%
23. Lesser Scaup	4.91%
24. Surf Scoter	0.0397%
25. White-winged Scoter	0.0611%
26. Black Scoter	0.0519%
27. Long-tailed Duck	0.0306%
28. Bufflehead	1.11%
29. Common Goldeneye	0.0428%
30. Hooded Merganser	0.9197%
31. Common Merganser	0.0092%
32. Red-breasted Merganser	1.22%
33. Ruddy Duck	1.66%
34. Northern Bobwhite	0.1528%
35. Wild Turkey	0.5653%
36. American Flamingo	0.0000%
37. Pied-billed Grebe	12.13%
38. Horned Grebe	0.4889%
39. Red-necked Grebe	0.0000%
40. Eared Grebe	0.0947%
41. Western Grebe	0.0183%
42. Rock Pigeon	7.31%
43. Eurasian Collared-Dove	7.86%
44. Inca Dove	3.26%
45. Common Ground Dove	0.1039%

46.	White-winged Dove	8.45%
47.	Mourning Dove	42.21%
48.	Groove-billed Ani	0.0306%
49.	Greater Roadrunner	0.0794%
50.	Yellow-billed Cuckoo	0.0825%
51.	Lesser Nighthawk	0.0122%
52.	Chuck-will's-widow	0.0611%
53.	Eastern Whip-poor-will	0.1467%
54.	Chimney Swift	5.34%
55.	Vaux's Swift	0.0214%
56.	Blue-throated Mountain-gem	0.0428%
57.	Ruby-throated Hummingbird	10.25%
58.	Black-chinned Hummingbird	1.10%
59.	Anna's Hummingbird	0.0031%
60.	Calliope Hummingbird	0.4797%
61.	Rufous Hummingbird	3.84%
62.	Allen's Hummingbird	0.1100%
63.	Broad-tailed Hummingbird	0.1436%
64.	Broad-billed Hummingbird	0.1008%
65.	Buff-bellied Hummingbird	1.06%
66.	King Rail	1.28%
67.	Clapper Rail	1.84%
68.	Virginia Rail	0.6172%
69.	Sora	1.79%
70.	Common Gallinule	6.97%

71. American Coot	13.14%
72. Purple Gallinule	0.0978%
73. Yellow Rail	0.0092%
74. Black Rail	0.0153%
75. Limpkin	1.07%
76. Sandhill Crane	0.1803%
77. Whooping Crane	0.0122%
78. Black-necked Stilt	5.05%
79. American Avocet	1.57%
80. American Oystercatcher	0.2047%
81. Black-bellied Plover	2.70%
82. American Golden-Plover	1.68%
83. Killdeer	16.53%
84. Semipalmated Plover	1.36%
85. Piping Plover	0.7761%
86. Wilson's Plover	1.05%
87. Snowy Plover	0.3636%
88. Upland Sandpiper	0.2995%
89. Whimbrel	0.3270%
90. Long-billed Curlew	0.2169%
91. Marbled Godwit	0.3514%
92. Short-billed Dowitcher	1.07%
93. Long-billed Dowitcher	1.66%
94. American Woodcock	0.0367%
95. Wilson's Snipe	3.38%

96.	Wilson's Phalarope	0.0672%
97.	Spotted Sandpiper	1.56%
98.	Solitary Sandpiper	0.8892%
99.	Lesser Yellowlegs	4.02%
100.	Willet	4.22%
101.	Greater Yellowlegs	5.85%
102.	Ruddy Turnstone	1.84%
103.	Red Knot	0.2597%
104.	Ruff	0.0031%
105.	Stilt Sandpiper	0.5561%
106.	Buff-breasted Sandpiper	0.0428%
107.	Sanderling	2.62%
108.	Dunlin	2.33%
109.	Baird's Sandpiper	0.0275%
110.	Least Sandpiper	3.15%
111.	Pectoral Sandpiper	1.63%
112.	Western Sandpiper	1.57%
113.	Semipalmated Sandpiper	0.1161%
114.	Parasitic Jaeger	0.0092%
115.	Pomarine Jaeger	0.0428%
116.	Little Gull	0.0031%
117.	Black-legged Kittiwake	0.0367%
118.	Bonaparte's Gull	1.37%
119.	Black-headed Gull	0.0000%
120.	Laughing Gull	19.19%

121.	Franklin's Gull	0.0275%
122.	Ring-billed Gull	10.84%
123.	Herring Gull	4.99%
124.	Great Black-backed Gull	0.0153%
125.	Glaucous Gull	0.0550%
126.	Lesser Black-backed Gull	0.4492%
127.	California Gull	0.0122%
128.	Iceland Gull	0.0275%
129.	Black Skimmer	0.9778%
130.	Sooty Tern	0.0000%
131.	Least Tern	0.1956%
132.	Gull-billed Tern	0.5103%
133.	Caspian Tern	3.23%
134.	Black Tern	0.0947%
135.	Forster's Tern	6.85%
136.	Common Tern	0.2108%
137.	Sandwich Tern	0.8983%
138.	Royal Tern	4.60%
139.	Common Loon	2.40%
140.	Manx Shearwater	0.0031%
141.	Wood Stork	0.0275%
142.	Magnificent Frigatebird	0.0672%
143.	Northern Gannet	0.2353%
144.	Brown Booby	0.0397%
145.	Masked Booby	0.0000%

146.	Anhinga	9.93%
147.	Double-crested Cormorant	26.22%
148.	Neotropic Cormorant	5.34%
149.	American White Pelican	7.02%
150.	Brown Pelican	9.61%
151.	American Bittern	0.5897%
152.	Least Bittern	0.1620%
153.	Yellow-crowned Night Heron	3.57%
154.	Black-crowned Night Heron	3.34%
155.	Little Blue Heron	14.17%
156.	Tricolored Heron	6.82%
157.	Reddish Egret	0.7731%
158.	Snowy Egret	18.49%
159.	Green Heron	3.10%
160.	Western Cattle Egret	6.91%
161.	Great Egret	33.14%
162.	Great Blue Heron	23.78%
163.	White Ibis	13.68%
164.	Glossy Ibis	0.6142%
165.	White-faced Ibis	3.09%
166.	Roseate Spoonbill	5.00%
167.	Black Vulture	13.31%
168.	Turkey Vulture	25.59%
169.	Osprey	7.99%
170.	White-tailed Kite	0.0764%

171.	Swallow-tailed Kite	1.76%
172.	Golden Eagle	0.0061%
173.	Mississippi Kite	0.0367%
174.	Northern Harrier	7.25%
175.	Sharp-shinned Hawk	1.71%
176.	Cooper's Hawk	5.20%
177.	Bald Eagle	7.46%
178.	Harris's Hawk	0.0000%
179.	White-tailed Hawk	0.0183%
180.	Red-shouldered Hawk	12.69%
181.	Broad-winged Hawk	0.9686%
182.	Swainson's Hawk	0.0917%
183.	Red-tailed Hawk	13.02%
184.	Rough-legged Hawk	0.0031%
185.	Ferruginous Hawk	0.0214%
186.	Barn Owl	0.3025%
187.	Eastern Screech-Owl	1.16%
188.	Great Horned Owl	1.90%
189.	Burrowing Owl	0.0275%
190.	Barred Owl	6.79%
191.	Long-eared Owl	0.0031%
192.	Short-eared Owl	0.0092%
193.	Belted Kingfisher	12.02%
194.	Yellow-bellied Sapsucker	6.75%
195.	Red-headed Woodpecker	3.58%

196.	Red-bellied Woodpecker	36.18%
197.	Downy Woodpecker	30.44%
198.	Red-cockaded Woodpecker	0.9014%
199.	Hairy Woodpecker	2.36%
200.	Pileated Woodpecker	12.77%
201.	Northern Flicker	11.07%
202.	Crested Caracara	0.8647%
203.	American Kestrel	8.65%
204.	Merlin	0.9106%
205.	Peregrine Falcon	0.8770%
206.	Acadian Flycatcher	0.0061%
207.	Least Flycatcher	0.0214%
208.	Gray Flycatcher	0.0153%
209.	Western Flycatcher	0.0122%
210.	Eastern Phoebe	11.90%
211.	Say's Phoebe	0.1069%
212.	Vermilion Flycatcher	0.2536%
213.	Ash-throated Flycatcher	0.1650%
214.	Great Crested Flycatcher	1.42%
215.	Brown-crested Flycatcher	0.0244%
216.	Great Kiskadee	0.0611%
217.	Tropical Kingbird	0.0550%
218.	Couch's Kingbird	0.0092%
219.	Western Kingbird	0.1467%
220.	Eastern Kingbird	3.03%

221.	Scissor-tailed Flycatcher	0.4645%
222.	Fork-tailed Flycatcher	0.0000%
223.	White-eyed Vireo	15.10%
224.	Bell's Vireo	0.0336%
225.	Yellow-throated Vireo	3.68%
226.	Blue-headed Vireo	5.42%
227.	Red-eyed Vireo	1.44%
228.	Black-whiskered Vireo	0.0031%
229.	Loggerhead Shrike	9.29%
230.	Blue Jay	50.98%
231.	American Crow	39.69%
232.	Fish Crow	24.26%
233.	Carolina Chickadee	42.70%
234.	Tufted Titmouse	28.95%
235.	Horned Lark	0.1375%
236.	Bank Swallow	0.0367%
237.	Tree Swallow	13.02%
238.	Purple Martin	18.26%
239.	Northern Rough-winged Swallow	3.10%
240.	Barn Swallow	11.02%
241.	Cliff Swallow	1.38%
242.	Cave Swallow	0.1497%
243.	Ruby-crowned Kinglet	28.68%
244.	Golden-crowned Kinglet	2.64%
245.	White-breasted Nuthatch	1.33%

246.	Brown-headed Nuthatch	3.86%
247.	Red-breasted Nuthatch	1.25%
248.	Brown Creeper	0.8647%
249.	Blue-gray Gnatcatcher	11.81%
250.	House Wren	5.87%
251.	Winter Wren	1.37%
252.	Sedge Wren	1.26%
253.	Marsh Wren	2.96%
254.	Carolina Wren	42.57%
255.	Bewick's Wren	0.0703%
256.	European Starling	24.85%
257.	Gray Catbird	6.61%
258.	Curve-billed Thrasher	0.1008%
259.	Brown Thrasher	17.41%
260.	Sage Thrasher	0.0031%
261.	Northern Mockingbird	47.32%
262.	Eastern Bluebird	17.22%
263.	Swainson's Thrush	0.0183%
264.	Hermit Thrush	5.87%
265.	Wood Thrush	0.5103%
266.	American Robin	18.06%
267.	Cedar Waxwing	16.98%
268.	Scaly-breasted Munia	0.0764%
269.	House Sparrow	22.10%
270.	American Pipit	1.29%

271.	Sprague's Pipit	0.0672%
272.	Evening Grosbeak	0.0092%
273.	House Finch	13.18%
274.	Purple Finch	2.22%
275.	Red Crossbill	0.0000%
276.	Pine Siskin	3.18%
277.	American Goldfinch	15.17%
278.	Lapland Longspur	0.0061%
279.	Chestnut-collared Longspur	0.0153%
280.	Smith's Longspur	0.0000%
281.	Bachman's Sparrow	0.4920%
282.	Grasshopper Sparrow	0.0306%
283.	Chipping Sparrow	13.20%
284.	Clay-colored Sparrow	0.0611%
285.	Field Sparrow	1.19%
286.	Lark Sparrow	0.1008%
287.	Lark Bunting	0.0397%
288.	Fox Sparrow	0.2231%
289.	Dark-eyed Junco	5.01%
290.	White-crowned Sparrow	2.32%
291.	Golden-crowned Sparrow	0.0061%
292.	Harris's Sparrow	0.1986%
293.	White-throated Sparrow	21.84%
294.	Vesper Sparrow	0.5653%
295.	LeConte's Sparrow	0.2017%

296.	Seaside Sparrow	0.8494%
297.	Nelson's Sparrow	0.2169%
298.	Savannah Sparrow	11.21%
299.	Henslow's Sparrow	0.1069%
300.	Song Sparrow	5.57%
301.	Lincoln's Sparrow	0.5103%
302.	Swamp Sparrow	11.08%
303.	Green-tailed Towhee	0.0489%
304.	Spotted Towhee	0.0244%
305.	Eastern Towhee	7.93%
306.	Yellow-breasted Chat	0.0061%
307.	Yellow-headed Blackbird	0.2353%
308.	Western Meadowlark	0.1131%
309.	Eastern Meadowlark	8.05%
310.	Orchard Oriole	0.4950%
311.	Hooded Oriole	0.0000%
312.	Bullock's Oriole	0.0153%
313.	Baltimore Oriole	0.3758%
314.	Red-winged Blackbird	41.71%
315.	Shiny Cowbird	0.0092%
316.	Bronzed Cowbird	0.5042%
317.	Brown-headed Cowbird	19.38%
318.	Rusty Blackbird	0.6142%
319.	Brewer's Blackbird	0.5745%
320.	Common Grackle	21.40%

321.	Boat-tailed Grackle	11.49%
322.	Great-tailed Grackle	3.21%
323.	Ovenbird	0.1803%
324.	Worm-eating Warbler	0.8189%
325.	Louisiana Waterthrush	1.39%
326.	Northern Waterthrush	0.0764%
327.	Bachman's Warbler	0.0000%
328.	Golden-winged Warbler	0.0031%
329.	Blue-winged Warbler	0.1711%
330.	Black-and-white Warbler	3.48%
331.	Prothonotary Warbler	4.89%
332.	Swainson's Warbler	0.1253%
333.	Tennessee Warbler	0.0794%
334.	Orange-crowned Warbler	14.75%
335.	Lucy's Warbler	0.0061%
336.	Nashville Warbler	0.0856%
337.	MacGillivray's Warbler	0.1650%
338.	Kentucky Warbler	0.2322%
339.	Common Yellowthroat	8.06%
340.	Hooded Warbler	4.24%
341.	American Redstart	0.1589%
342.	Cerulean Warbler	0.0153%
343.	Northern Parula	13.01%
344.	Tropical Parula	0.0000%
345.	Magnolia Warbler	0.0061%

346.	Blackburnian Warbler	0.0428%
347.	Yellow Warbler	0.0153%
348.	Chestnut-sided Warbler	0.0031%
349.	Black-throated Blue Warbler	0.0122%
350.	Palm Warbler	3.02%
351.	Pine Warbler	11.49%
352.	Yellow-rumped Warbler	40.78%
353.	Yellow-throated Warbler	3.67%
354.	Prairie Warbler	0.1620%
355.	Black-throated Gray Warbler	0.0092%
356.	Black-throated Green Warbler	0.4645%
357.	Wilson's Warbler	1.20%
358.	Painted Redstart	0.0031%
359.	Summer Tanager	0.5408%
360.	Scarlet Tanager	0.0458%
361.	Western Tanager	0.0550%
362.	Northern Cardinal	63.58%
363.	Rose-breasted Grosbeak	0.1192%
364.	Black-headed Grosbeak	0.1131%
365.	Blue Grosbeak	0.1008%
366.	Indigo Bunting	1.27%
367.	Painted Bunting	0.3208%
368.	Dickcissel	0.1253%
EXOTIC: PROVISIONAL		
369.	Monk Parakeet	1.46% frequency

EXOTIC: ESCAPEE

Graylag Goose	0.2506% frequency
Swan Goose	0.3208%
Mute Swan	0.2475%
Black Swan	0.0153%
Egyptian Goose	0.0000%
Muscovy Duck	2.64%
Mandarin Duck	0.0031%
White-cheeked Pintail	0.0031%
Helmeted Guineafowl	0.0092%
Golden Pheasant	0.0214%
Ring-necked Pheasant	0.0000%
Indian Peafowl	0.0153%
Red Junglefowl	0.0153%
Budgerigar	0.0031%

HYBRIDS

Graylag x Swan Goose (hybrid)	0.0031% frequency
Blue-winged x Cinnamon Teal (hybrid)	0.0092%
Muscovy Duck x Mallard (hybrid)	0.1161%
Mallard x Mottled Duck (hybrid)	0.0061%
Glossy x White-faced Ibis (hybrid)	0.0183%
Western Kingbird x Scissor-tailed Flycatcher (hybrid)	0.0183%