

Target Species

Based on 29,488 complete checklists

358 species observed in Louisiana, US (region/US-LA) in **May** that you need for your **World Life List**

1. Northern Cardinal	65.77% frequency
2. Blue Jay	53.96%
3. Northern Mockingbird	53.39%
4. Mourning Dove	47.82%
5. Carolina Wren	42.83%
6. Carolina Chickadee	40.27%
7. Red-winged Blackbird	39.07%
8. American Crow	36.82%
9. Red-bellied Woodpecker	36.79%
10. Great Egret	34.79%
11. Great Crested Flycatcher	31.55%
12. European Starling	30.51%
13. Tufted Titmouse	28.56%
14. Chimney Swift	27.80%
15. Common Grackle	27.54%
16. Downy Woodpecker	27.42%
17. Barn Swallow	26.73%
18. Brown-headed Cowbird	26.31%
19. House Sparrow	25.88%
20. Eastern Kingbird	24.80%

21. Mississippi Kite	<u>24.23%</u>
22. Purple Martin	<u>23.12%</u>
23. Yellow-billed Cuckoo	<u>21.56%</u>
24. Brown Thrasher	<u>21.43%</u>
25. White-eyed Vireo	<u>21.11%</u>
26. Ruby-throated Hummingbird	<u>20.65%</u>
27. Great Blue Heron	<u>20.46%</u>
28. Fish Crow	<u>20.14%</u>
29. Snowy Egret	<u>20.00%</u>
30. Laughing Gull	<u>19.66%</u>
31. Indigo Bunting	<u>18.17%</u>
32. Western Cattle Egret	<u>18.11%</u>
33. Little Blue Heron	<u>18.07%</u>
34. Turkey Vulture	<u>17.61%</u>
35. Killdeer	<u>17.47%</u>
36. Red-eyed Vireo	<u>17.42%</u>
37. Eastern Bluebird	<u>17.38%</u>
38. Green Heron	<u>17.02%</u>
39. House Finch	<u>16.36%</u>
40. Summer Tanager	<u>16.14%</u>
41. Orchard Oriole	<u>15.93%</u>
42. Black-bellied Whistling-Duck	<u>14.10%</u>
43. Prothonotary Warbler	<u>13.75%</u>
44. Common Yellowthroat	<u>13.46%</u>
45. Black Vulture	<u>13.10%</u>

46.	White Ibis	<u>13.02%</u>
47.	Pileated Woodpecker	<u>11.98%</u>
48.	Wood Duck	<u>11.65%</u>
49.	Boat-tailed Grackle	<u>11.33%</u>
50.	Gray Catbird	<u>11.22%</u>
51.	Painted Bunting	<u>11.14%</u>
52.	Eastern Wood-Pewee	<u>10.90%</u>
53.	Yellow-crowned Night Heron	<u>10.89%</u>
54.	Northern Parula	<u>10.65%</u>
55.	Red-shouldered Hawk	<u>9.83%</u>
56.	Pine Warbler	<u>9.73%</u>
57.	Yellow-breasted Chat	<u>9.72%</u>
58.	Anhinga	<u>9.61%</u>
59.	American Robin	<u>9.55%</u>
60.	Red-headed Woodpecker	<u>9.38%</u>
61.	Loggerhead Shrike	<u>9.24%</u>
62.	Eastern Meadowlark	<u>9.24%</u>
63.	Blue-gray Gnatcatcher	<u>9.16%</u>
64.	Eurasian Collared-Dove	<u>9.08%</u>
65.	Hooded Warbler	<u>8.80%</u>
66.	Tricolored Heron	<u>8.63%</u>
67.	White-winged Dove	<u>8.53%</u>
68.	Cedar Waxwing	<u>8.29%</u>
69.	Eastern Towhee	<u>8.00%</u>
70.	Cliff Swallow	<u>7.91%</u>

71.	Common Nighthawk	7.74%
72.	Black-necked Stilt	7.62%
73.	Rock Pigeon	7.47%
74.	Acadian Flycatcher	7.10%
75.	Wood Thrush	7.07%
76.	Blue Grosbeak	7.05%
77.	Brown Pelican	6.73%
78.	Yellow-throated Vireo	6.61%
79.	American Redstart	6.49%
80.	Royal Tern	6.28%
81.	Roseate Spoonbill	6.23%
82.	Magnolia Warbler	6.22%
83.	Least Tern	6.16%
84.	Rose-breasted Grosbeak	6.13%
85.	Red-tailed Hawk	5.72%
86.	Baltimore Oriole	5.61%
87.	Dickcissel	5.60%
88.	Willet	5.59%
89.	Barred Owl	5.49%
90.	Northern Flicker	5.49%
91.	Common Gallinule	5.38%
92.	Canada Goose	4.95%
93.	Forster's Tern	4.82%
94.	Neotropic Cormorant	4.82%
95.	White-faced Ibis	4.80%

96.	Swainson's Thrush	4.71%
97.	Black-and-white Warbler	4.66%
98.	Black-crowned Night Heron	4.66%
99.	Mallard	4.65%
100.	Mottled Duck	4.65%
101.	Blue-winged Teal	4.64%
102.	Great-tailed Grackle	4.62%
103.	Ruddy Turnstone	4.62%
104.	Black-bellied Plover	4.53%
105.	Semipalmated Sandpiper	4.52%
106.	Tennessee Warbler	4.49%
107.	Yellow Warbler	4.36%
108.	Spotted Sandpiper	4.22%
109.	Brown-headed Nuthatch	4.20%
110.	Inca Dove	4.10%
111.	Double-crested Cormorant	3.97%
112.	Least Sandpiper	3.94%
113.	Kentucky Warbler	3.90%
114.	Sanderling	3.83%
115.	Northern Rough-winged Swallow	3.82%
116.	Osprey	3.74%
117.	Lesser Yellowlegs	3.70%
118.	Scissor-tailed Flycatcher	3.67%
119.	Tree Swallow	3.60%
120.	Bay-breasted Warbler	3.54%

121.	Caspian Tern	3.45%
122.	Scarlet Tanager	3.43%
123.	Dunlin	3.41%
124.	Sandwich Tern	3.38%
125.	Semipalmated Plover	3.18%
126.	Chestnut-sided Warbler	3.11%
127.	Clapper Rail	3.06%
128.	Bronzed Cowbird	2.92%
129.	White-rumped Sandpiper	2.89%
130.	Black-throated Green Warbler	2.60%
131.	Yellow-throated Warbler	2.57%
132.	Whimbrel	2.54%
133.	Gull-billed Tern	2.50%
134.	Savannah Sparrow	2.48%
135.	Broad-winged Hawk	2.38%
136.	Cooper's Hawk	2.35%
137.	Least Bittern	2.34%
138.	Black Tern	2.32%
139.	Bald Eagle	2.25%
140.	Herring Gull	2.24%
141.	Greater Yellowlegs	2.21%
142.	Purple Gallinule	2.15%
143.	Swainson's Warbler	2.14%
144.	Blackburnian Warbler	2.13%
145.	American Coot	2.08%

146.	Fulvous Whistling-Duck	2.06%
147.	Hairy Woodpecker	2.03%
148.	Wilson's Plover	2.00%
149.	Black Skimmer	1.98%
150.	Belted Kingfisher	1.97%
151.	Northern Waterthrush	1.96%
152.	Veery	1.95%
153.	American White Pelican	1.93%
154.	Magnificent Frigatebird	1.93%
155.	Stilt Sandpiper	1.91%
156.	Chipping Sparrow	1.89%
157.	Ring-billed Gull	1.81%
158.	White-breasted Nuthatch	1.81%
159.	Gray-cheeked Thrush	1.80%
160.	Bobolink	1.75%
161.	Northern Bobwhite	1.74%
162.	Swallow-tailed Kite	1.71%
163.	Short-billed Dowitcher	1.70%
164.	Bank Swallow	1.68%
165.	Marsh Wren	1.65%
166.	Ovenbird	1.65%
167.	Philadelphia Vireo	1.63%
168.	Pectoral Sandpiper	1.61%
169.	Pied-billed Grebe	1.60%
170.	Prairie Warbler	1.60%

171.	Common Tern	1.56%
172.	Solitary Sandpiper	1.50%
173.	Eastern Screech-Owl	1.46%
174.	American Avocet	1.45%
175.	King Rail	1.44%
176.	Reddish Egret	1.43%
177.	Eastern Phoebe	1.40%
178.	Sora	1.22%
179.	Great Horned Owl	1.22%
180.	Wilson's Phalarope	1.11%
181.	Seaside Sparrow	1.09%
182.	Red-cockaded Woodpecker	1.01%
183.	Red Knot	0.8953%
184.	Crested Caracara	0.8681%
185.	Worm-eating Warbler	0.8376%
186.	Louisiana Waterthrush	0.8342%
187.	Long-billed Dowitcher	0.7935%
188.	Chuck-will's-widow	0.7868%
189.	Blackpoll Warbler	0.7427%
190.	Warbling Vireo	0.7257%
191.	Wild Turkey	0.7054%
192.	Limpkin	0.6850%
193.	Lark Sparrow	0.6850%
194.	Western Sandpiper	0.5867%
195.	American Goldfinch	0.5595%

196.	Cave Swallow	0.5528%
197.	Pine Siskin	0.5426%
198.	Lincoln's Sparrow	0.5290%
199.	Lesser Scaup	0.5053%
200.	American Oystercatcher	0.4849%
201.	Hudsonian Godwit	0.4849%
202.	Glossy Ibis	0.4849%
203.	Swainson's Hawk	0.4748%
204.	Golden-winged Warbler	0.4612%
205.	Canada Warbler	0.4544%
206.	Least Flycatcher	0.4510%
207.	Black-billed Cuckoo	0.4442%
208.	White-crowned Sparrow	0.4409%
209.	White-throated Sparrow	0.4409%
210.	Peregrine Falcon	0.4341%
211.	Common Loon	0.4307%
212.	Yellow-rumped Warbler	0.4273%
213.	Northern Shoveler	0.3934%
214.	Bachman's Sparrow	0.3764%
215.	Hooded Merganser	0.3696%
216.	Wilson's Warbler	0.3493%
217.	Blue-winged Warbler	0.3459%
218.	Upland Sandpiper	0.3222%
219.	Marbled Godwit	0.3154%
220.	Piping Plover	0.3086%

221.	Buff-breasted Sandpiper	0.3052%
222.	American Golden-Plover	0.3018%
223.	Franklin's Gull	0.2882%
224.	Nashville Warbler	0.2679%
225.	Alder Flycatcher	0.2577%
226.	Olive-sided Flycatcher	0.2272%
227.	Baird's Sandpiper	0.2238%
228.	Western Kingbird	0.2238%
229.	Yellow-bellied Flycatcher	0.2137%
230.	Ruby-crowned Kinglet	0.2103%
231.	Barn Owl	0.2035%
232.	Willow Flycatcher	0.2035%
233.	Nelson's Sparrow	0.2001%
234.	Cerulean Warbler	0.2001%
235.	Swamp Sparrow	0.1933%
236.	American Kestrel	0.1899%
237.	Blue-headed Vireo	0.1865%
238.	Cape May Warbler	0.1831%
239.	Black-throated Blue Warbler	0.1797%
240.	Merlin	0.1763%
241.	Gadwall	0.1696%
242.	Red-breasted Merganser	0.1696%
243.	Mourning Warbler	0.1696%
244.	American Bittern	0.1594%
245.	Ruddy Duck	0.1526%

246.	Horned Lark	0.1526%
247.	Lesser Black-backed Gull	0.1458%
248.	Wood Stork	0.1458%
249.	Bell's Vireo	0.1458%
250.	Sedge Wren	0.1390%
251.	Black-whiskered Vireo	0.1323%
252.	Greater Roadrunner	0.1289%
253.	Snowy Plover	0.1289%
254.	Ring-necked Duck	0.1255%
255.	Common Ground Dove	0.1255%
256.	Grasshopper Sparrow	0.1255%
257.	Brown Booby	0.1221%
258.	Yellow-headed Blackbird	0.1119%
259.	Great Kiskadee	0.1085%
260.	Long-billed Curlew	0.1051%
261.	Virginia Rail	0.0949%
262.	Northern Harrier	0.0882%
263.	Gray Kingbird	0.0814%
264.	Yellow-green Vireo	0.0814%
265.	Shiny Cowbird	0.0814%
266.	Palm Warbler	0.0814%
267.	Lesser Nighthawk	0.0746%
268.	Green-winged Teal	0.0678%
269.	Surf Scoter	0.0678%
270.	Western Tanager	0.0678%

271.	Field Sparrow	0.0644%
272.	Black Scoter	0.0610%
273.	House Wren	0.0610%
274.	Wilson's Snipe	0.0543%
275.	Redhead	0.0509%
276.	Red-breasted Nuthatch	0.0509%
277.	Bonaparte's Gull	0.0475%
278.	Cassin's Sparrow	0.0475%
279.	Greater Scaup	0.0441%
280.	Sharp-shinned Hawk	0.0441%
281.	Western Meadowlark	0.0441%
282.	American Pipit	0.0407%
283.	American Wigeon	0.0373%
284.	Snow Goose	0.0339%
285.	Greater White-fronted Goose	0.0339%
286.	Northern Pintail	0.0339%
287.	Glaucous Gull	0.0339%
288.	Sooty Tern	0.0339%
289.	Northern Gannet	0.0339%
290.	Whooping Crane	0.0305%
291.	Long-tailed Duck	0.0271%
292.	Yellow-bellied Sapsucker	0.0271%
293.	Scaly-breasted Munia	0.0271%
294.	Clay-colored Sparrow	0.0271%
295.	Wilson's Storm-Petrel	0.0237%

296.	White-tailed Kite	0.0237%
297.	White-winged Scoter	0.0203%
298.	American Woodcock	0.0203%
299.	Masked Booby	0.0203%
300.	Song Sparrow	0.0203%
301.	Canvasback	0.0170%
302.	Bridled Tern	0.0170%
303.	LeConte's Sparrow	0.0170%
304.	Horned Grebe	0.0136%
305.	Buff-bellied Hummingbird	0.0136%
306.	Pomarine Jaeger	0.0136%
307.	Western Wood-Pewee	0.0136%
308.	Connecticut Warbler	0.0136%
309.	Ross's Goose	0.0102%
310.	Bufflehead	0.0102%
311.	American Flamingo	0.0102%
312.	Black-chinned Hummingbird	0.0102%
313.	Rufous Hummingbird	0.0102%
314.	Black Rail	0.0102%
315.	Black-tailed Godwit	0.0102%
316.	Red-necked Phalarope	0.0102%
317.	Long-tailed Jaeger	0.0102%
318.	Little Gull	0.0102%
319.	California Gull	0.0102%
320.	Tropical Kingbird	0.0102%

321.	Couch's Kingbird	0.0102%
322.	Townsend's Solitaire	0.0102%
323.	Yellow Rail	0.0068%
324.	Ruff	0.0068%
325.	Curlew Sandpiper	0.0068%
326.	Black-legged Kittiwake	0.0068%
327.	Great Black-backed Gull	0.0068%
328.	Iceland Gull	0.0068%
329.	Leach's Storm-Petrel	0.0068%
330.	Band-rumped Storm-Petrel	0.0068%
331.	Evening Grosbeak	0.0068%
332.	Hepatic Tanager	0.0068%
333.	King Eider	0.0034%
334.	Groove-billed Ani	0.0034%
335.	Sandhill Crane	0.0034%
336.	Sabine's Gull	0.0034%
337.	Audubon's Shearwater	0.0034%
338.	White-tailed Hawk	0.0034%
339.	Burrowing Owl	0.0034%
340.	Ladder-backed Woodpecker	0.0034%
341.	Ash-throated Flycatcher	0.0034%
342.	Chihuahuan Raven	0.0034%
343.	Dark-eyed Junco	0.0034%
344.	Harris's Sparrow	0.0034%
345.	Brewer's Blackbird	0.0034%

346.	Orange-crowned Warbler	0.0034%
347.	MacGillivray's Warbler	0.0034%
348.	Townsend's Warbler	0.0034%
349.	Lazuli Bunting	0.0034%
350.	Eastern Whip-poor-will	0.0000%
351.	Mexican Violetear	0.0000%
352.	Arctic Tern	0.0000%
353.	Red-billed Tropicbird	0.0000%
354.	Atlantic Yellow-nosed Albatross	0.0000%
355.	Hermit Thrush	0.0000%
356.	Vesper Sparrow	0.0000%
357.	Black-headed Grosbeak	0.0000%

EXOTIC: PROVISIONAL

358.	Monk Parakeet	1.41% frequency 
------	----------------------	---

EXOTIC: ESCAPEE

	Muscovy Duck	1.60% frequency 
	Graylag Goose	0.1865% 
	Swan Goose	0.1662% 
	Mute Swan	0.1390% 
	Black Swan	0.0203% 
	Golden Pheasant	0.0136% 
	Red Junglefowl	0.0102% 
	Indian Peafowl	0.0068% 
	Barnacle Goose	0.0034%
	Ringed Teal	0.0034%

Mandarin Duck	0.0034%
White-cheeked Pintail	0.0034%
Ferruginous Duck	0.0034%
Helmeted Guineafowl	0.0034%
Budgerigar	0.0034%
Rosy-faced Lovebird	0.0034%
Egyptian Goose	0.0000%
Black Francolin	0.0000%
Chukar	0.0000%
House Crow	0.0000%
Yellow-fronted Canary	0.0000%
Cinnamon Teal	0.0000%

HYBRIDS

Muscovy Duck x Mallard (hybrid)	0.0848% frequency
Glossy x White-faced Ibis (hybrid)	0.0543%
Kelp x Herring Gull (hybrid)	0.0305%
Domestic goose sp. x Canada Goose (hybrid)	0.0034%
Mallard x Mottled Duck (hybrid)	0.0034%
Tricolored Heron x Snowy Egret (hybrid)	0.0034%