

Target Species

Based on 29,488 complete checklists

358 species observed in Louisiana, US (region/US-LA) in **May** that you need for your **World Life List**

1. Black-bellied Whistling-Duck	14.10% frequency
2. Fulvous Whistling-Duck	2.06%
3. Snow Goose	0.0339%
4. Ross's Goose	0.0102%
5. Greater White-fronted Goose	0.0339%
6. Canada Goose	4.95%
7. Wood Duck	11.65%
8. Blue-winged Teal	4.64%
9. Northern Shoveler	0.3934%
10. Gadwall	0.1696%
11. American Wigeon	0.0373%
12. Mallard	4.65%
13. Mottled Duck	4.65%
14. Northern Pintail	0.0339%
15. Green-winged Teal	0.0678%
16. Canvasback	0.0170%
17. Redhead	0.0509%
18. Ring-necked Duck	0.1255%
19. Greater Scaup	0.0441%
20. Lesser Scaup	0.5053%

[Go to top](#)

-

21. King Eider	0.0034%
22. Surf Scoter	0.0678%
23. White-winged Scoter	0.0203%
24. Black Scoter	0.0610%
25. Long-tailed Duck	0.0271%
26. Bufflehead	0.0102%
27. Hooded Merganser	0.3696%
28. Red-breasted Merganser	0.1696%
29. Ruddy Duck	0.1526%
30. Northern Bobwhite	1.74%
31. Wild Turkey	0.7054%
32. American Flamingo	0.0102%
33. Pied-billed Grebe	1.60%
34. Horned Grebe	0.0136%
35. Rock Pigeon	7.47%
36. Eurasian Collared-Dove	9.08%
37. Inca Dove	4.10%
38. Common Ground Dove	0.1255%
39. White-winged Dove	8.53%
40. Mourning Dove	47.82%
41. Groove-billed Ani	0.0034%
42. Greater Roadrunner	0.1289%
43. Yellow-billed Cuckoo	21.56%
44. Black-billed Cuckoo	0.4442%
45. Lesser Nighthawk	0.0746%

46.	Common Nighthawk	7.74%
47.	Chuck-will's-widow	0.7868%
48.	Eastern Whip-poor-will	0.0000%
49.	Chimney Swift	27.80%
50.	Mexican Violetear	0.0000%
51.	Ruby-throated Hummingbird	20.65%
52.	Black-chinned Hummingbird	0.0102%
53.	Rufous Hummingbird	0.0102%
54.	Buff-bellied Hummingbird	0.0136%
55.	King Rail	1.44%
56.	Clapper Rail	3.06%
57.	Virginia Rail	0.0949%
58.	Sora	1.22%
59.	Common Gallinule	5.38%
60.	American Coot	2.08%
61.	Purple Gallinule	2.15%
62.	Yellow Rail	0.0068%
63.	Black Rail	0.0102%
64.	Limpkin	0.6850%
65.	Sandhill Crane	0.0034%
66.	Whooping Crane	0.0305%
67.	Black-necked Stilt	7.62%
68.	American Avocet	1.45%
69.	American Oystercatcher	0.4849%
70.	Black-bellied Plover	4.53%

71. American Golden-Plover	0.3018%
72. Killdeer	17.47%
73. Semipalmated Plover	3.18%
74. Piping Plover	0.3086%
75. Wilson's Plover	2.00%
76. Snowy Plover	0.1289%
77. Upland Sandpiper	0.3222%
78. Whimbrel	2.54%
79. Long-billed Curlew	0.1051%
80. Black-tailed Godwit	0.0102%
81. Hudsonian Godwit	0.4849%
82. Marbled Godwit	0.3154%
83. Short-billed Dowitcher	1.70%
84. Long-billed Dowitcher	0.7935%
85. American Woodcock	0.0203%
86. Wilson's Snipe	0.0543%
87. Wilson's Phalarope	1.11%
88. Red-necked Phalarope	0.0102%
89. Spotted Sandpiper	4.22%
90. Solitary Sandpiper	1.50%
91. Lesser Yellowlegs	3.70%
92. Willet	5.59%
93. Greater Yellowlegs	2.21%
94. Ruddy Turnstone	4.62%
95. Red Knot	0.8953%

96.	Ruff	0.0068%
97.	Curlew Sandpiper	0.0068%
98.	Stilt Sandpiper	1.91%
99.	Buff-breasted Sandpiper	0.3052%
100.	Sanderling	3.83%
101.	Dunlin	3.41%
102.	Baird's Sandpiper	0.2238%
103.	White-rumped Sandpiper	2.89%
104.	Least Sandpiper	3.94%
105.	Pectoral Sandpiper	1.61%
106.	Western Sandpiper	0.5867%
107.	Semipalmated Sandpiper	4.52%
108.	Long-tailed Jaeger	0.0102%
109.	Pomarine Jaeger	0.0136%
110.	Little Gull	0.0102%
111.	Black-legged Kittiwake	0.0068%
112.	Sabine's Gull	0.0034%
113.	Bonaparte's Gull	0.0475%
114.	Laughing Gull	19.66%
115.	Franklin's Gull	0.2882%
116.	Ring-billed Gull	1.81%
117.	Herring Gull	2.24%
118.	Great Black-backed Gull	0.0068%
119.	Glaucous Gull	0.0339%
120.	Lesser Black-backed Gull	0.1458%

121.	California Gull	0.0102%
122.	Iceland Gull	0.0068%
123.	Black Skimmer	1.98%
124.	Sooty Tern	0.0339%
125.	Bridled Tern	0.0170%
126.	Least Tern	6.16%
127.	Gull-billed Tern	2.50%
128.	Caspian Tern	3.45%
129.	Black Tern	2.32%
130.	Forster's Tern	4.82%
131.	Arctic Tern	0.0000%
132.	Common Tern	1.56%
133.	Sandwich Tern	3.38%
134.	Royal Tern	6.28%
135.	Red-billed Tropicbird	0.0000%
136.	Common Loon	0.4307%
137.	Atlantic Yellow-nosed Albatross	0.0000%
138.	Wilson's Storm-Petrel	0.0237%
139.	Leach's Storm-Petrel	0.0068%
140.	Band-rumped Storm-Petrel	0.0068%
141.	Audubon's Shearwater	0.0034%
142.	Wood Stork	0.1458%
143.	Magnificent Frigatebird	1.93%
144.	Northern Gannet	0.0339%
145.	Brown Booby	0.1221%

146.	Masked Booby	0.0203%
147.	Anhinga	9.61%
148.	Double-crested Cormorant	3.97%
149.	Neotropic Cormorant	4.82%
150.	American White Pelican	1.93%
151.	Brown Pelican	6.73%
152.	American Bittern	0.1594%
153.	Least Bittern	2.34%
154.	Yellow-crowned Night Heron	10.89%
155.	Black-crowned Night Heron	4.66%
156.	Little Blue Heron	18.07%
157.	Tricolored Heron	8.63%
158.	Reddish Egret	1.43%
159.	Snowy Egret	20.00%
160.	Green Heron	17.02%
161.	Western Cattle Egret	18.11%
162.	Great Egret	34.79%
163.	Great Blue Heron	20.46%
164.	White Ibis	13.02%
165.	Glossy Ibis	0.4849%
166.	White-faced Ibis	4.80%
167.	Roseate Spoonbill	6.23%
168.	Black Vulture	13.10%
169.	Turkey Vulture	17.61%
170.	Osprey	3.74%

171.	White-tailed Kite	0.0237%
172.	Swallow-tailed Kite	1.71%
173.	Mississippi Kite	24.23%
174.	Northern Harrier	0.0882%
175.	Sharp-shinned Hawk	0.0441%
176.	Cooper's Hawk	2.35%
177.	Bald Eagle	2.25%
178.	White-tailed Hawk	0.0034%
179.	Red-shouldered Hawk	9.83%
180.	Broad-winged Hawk	2.38%
181.	Swainson's Hawk	0.4748%
182.	Red-tailed Hawk	5.72%
183.	Barn Owl	0.2035%
184.	Eastern Screech-Owl	1.46%
185.	Great Horned Owl	1.22%
186.	Burrowing Owl	0.0034%
187.	Barred Owl	5.49%
188.	Belted Kingfisher	1.97%
189.	Yellow-bellied Sapsucker	0.0271%
190.	Red-headed Woodpecker	9.38%
191.	Red-bellied Woodpecker	36.79%
192.	Downy Woodpecker	27.42%
193.	Ladder-backed Woodpecker	0.0034%
194.	Red-cockaded Woodpecker	1.01%
195.	Hairy Woodpecker	2.03%

196.	Pileated Woodpecker	11.98%
197.	Northern Flicker	5.49%
198.	Crested Caracara	0.8681%
199.	American Kestrel	0.1899%
200.	Merlin	0.1763%
201.	Peregrine Falcon	0.4341%
202.	Olive-sided Flycatcher	0.2272%
203.	Western Wood-Pewee	0.0136%
204.	Eastern Wood-Pewee	10.90%
205.	Yellow-bellied Flycatcher	0.2137%
206.	Acadian Flycatcher	7.10%
207.	Alder Flycatcher	0.2577%
208.	Willow Flycatcher	0.2035%
209.	Least Flycatcher	0.4510%
210.	Eastern Phoebe	1.40%
211.	Ash-throated Flycatcher	0.0034%
212.	Great Crested Flycatcher	31.55%
213.	Great Kiskadee	0.1085%
214.	Tropical Kingbird	0.0102%
215.	Couch's Kingbird	0.0102%
216.	Western Kingbird	0.2238%
217.	Eastern Kingbird	24.80%
218.	Gray Kingbird	0.0814%
219.	Scissor-tailed Flycatcher	3.67%
220.	White-eyed Vireo	21.11%

221.	Bell's Vireo	0.1458%
222.	Yellow-throated Vireo	6.61%
223.	Blue-headed Vireo	0.1865%
224.	Philadelphia Vireo	1.63%
225.	Warbling Vireo	0.7257%
226.	Red-eyed Vireo	17.42%
227.	Yellow-green Vireo	0.0814%
228.	Black-whiskered Vireo	0.1323%
229.	Loggerhead Shrike	9.24%
230.	Blue Jay	53.96%
231.	American Crow	36.82%
232.	Fish Crow	20.14%
233.	Chihuahuan Raven	0.0034%
234.	Carolina Chickadee	40.27%
235.	Tufted Titmouse	28.56%
236.	Horned Lark	0.1526%
237.	Bank Swallow	1.68%
238.	Tree Swallow	3.60%
239.	Purple Martin	23.12%
240.	Northern Rough-winged Swallow	3.82%
241.	Barn Swallow	26.73%
242.	Cliff Swallow	7.91%
243.	Cave Swallow	0.5528%
244.	Ruby-crowned Kinglet	0.2103%
245.	White-breasted Nuthatch	1.81%

246.	Brown-headed Nuthatch	4.20%
247.	Red-breasted Nuthatch	0.0509%
248.	Blue-gray Gnatcatcher	9.16%
249.	House Wren	0.0610%
250.	Sedge Wren	0.1390%
251.	Marsh Wren	1.65%
252.	Carolina Wren	42.83%
253.	European Starling	30.51%
254.	Gray Catbird	11.22%
255.	Brown Thrasher	21.43%
256.	Northern Mockingbird	53.39%
257.	Eastern Bluebird	17.38%
258.	Townsend's Solitaire	0.0102%
259.	Veery	1.95%
260.	Gray-cheeked Thrush	1.80%
261.	Swainson's Thrush	4.71%
262.	Hermit Thrush	0.0000%
263.	Wood Thrush	7.07%
264.	American Robin	9.55%
265.	Cedar Waxwing	8.29%
266.	Scaly-breasted Munia	0.0271%
267.	House Sparrow	25.88%
268.	American Pipit	0.0407%
269.	Evening Grosbeak	0.0068%
270.	House Finch	16.36%

271.	Pine Siskin	0.5426%
272.	American Goldfinch	0.5595%
273.	Cassin's Sparrow	0.0475%
274.	Bachman's Sparrow	0.3764%
275.	Grasshopper Sparrow	0.1255%
276.	Chipping Sparrow	1.89%
277.	Clay-colored Sparrow	0.0271%
278.	Field Sparrow	0.0644%
279.	Lark Sparrow	0.6850%
280.	Dark-eyed Junco	0.0034%
281.	White-crowned Sparrow	0.4409%
282.	Harris's Sparrow	0.0034%
283.	White-throated Sparrow	0.4409%
284.	Vesper Sparrow	0.0000%
285.	LeConte's Sparrow	0.0170%
286.	Seaside Sparrow	1.09%
287.	Nelson's Sparrow	0.2001%
288.	Savannah Sparrow	2.48%
289.	Song Sparrow	0.0203%
290.	Lincoln's Sparrow	0.5290%
291.	Swamp Sparrow	0.1933%
292.	Eastern Towhee	8.00%
293.	Yellow-breasted Chat	9.72%
294.	Yellow-headed Blackbird	0.1119%
295.	Bobolink	1.75%

296.	Western Meadowlark	0.0441%
297.	Eastern Meadowlark	9.24%
298.	Orchard Oriole	15.93%
299.	Baltimore Oriole	5.61%
300.	Red-winged Blackbird	39.07%
301.	Shiny Cowbird	0.0814%
302.	Bronzed Cowbird	2.92%
303.	Brown-headed Cowbird	26.31%
304.	Brewer's Blackbird	0.0034%
305.	Common Grackle	27.54%
306.	Boat-tailed Grackle	11.33%
307.	Great-tailed Grackle	4.62%
308.	Ovenbird	1.65%
309.	Worm-eating Warbler	0.8376%
310.	Louisiana Waterthrush	0.8342%
311.	Northern Waterthrush	1.96%
312.	Golden-winged Warbler	0.4612%
313.	Blue-winged Warbler	0.3459%
314.	Black-and-white Warbler	4.66%
315.	Prothonotary Warbler	13.75%
316.	Swainson's Warbler	2.14%
317.	Tennessee Warbler	4.49%
318.	Orange-crowned Warbler	0.0034%
319.	Nashville Warbler	0.2679%
320.	Connecticut Warbler	0.0136%

321.	MacGillivray's Warbler	0.0034%
322.	Mourning Warbler	0.1696%
323.	Kentucky Warbler	3.90%
324.	Common Yellowthroat	13.46%
325.	Hooded Warbler	8.80%
326.	American Redstart	6.49%
327.	Cape May Warbler	0.1831%
328.	Cerulean Warbler	0.2001%
329.	Northern Parula	10.65%
330.	Magnolia Warbler	6.22%
331.	Bay-breasted Warbler	3.54%
332.	Blackburnian Warbler	2.13%
333.	Yellow Warbler	4.36%
334.	Chestnut-sided Warbler	3.11%
335.	Blackpoll Warbler	0.7427%
336.	Black-throated Blue Warbler	0.1797%
337.	Palm Warbler	0.0814%
338.	Pine Warbler	9.73%
339.	Yellow-rumped Warbler	0.4273%
340.	Yellow-throated Warbler	2.57%
341.	Prairie Warbler	1.60%
342.	Townsend's Warbler	0.0034%
343.	Black-throated Green Warbler	2.60%
344.	Canada Warbler	0.4544%
345.	Wilson's Warbler	0.3493%

346.	Hepatic Tanager	0.0068%
347.	Summer Tanager	16.14%
348.	Scarlet Tanager	3.43%
349.	Western Tanager	0.0678%
350.	Northern Cardinal	65.77%
351.	Rose-breasted Grosbeak	6.13%
352.	Black-headed Grosbeak	0.0000%
353.	Blue Grosbeak	7.05%
354.	Lazuli Bunting	0.0034%
355.	Indigo Bunting	18.17%
356.	Painted Bunting	11.14%
357.	Dickcissel	5.60%
EXOTIC: PROVISIONAL		
358.	Monk Parakeet	1.41% frequency
EXOTIC: ESCAPEE		
	Graylag Goose	0.1865% frequency
	Swan Goose	0.1662%
	Barnacle Goose	0.0034%
	Mute Swan	0.1390%
	Black Swan	0.0203%
	Egyptian Goose	0.0000%
	Muscovy Duck	1.60%
	Ringed Teal	0.0034%
	Mandarin Duck	0.0034%
	White-cheeked Pintail	0.0034%

Ferruginous Duck	0.0034%
Helmeted Guineafowl	0.0034%
Golden Pheasant	0.0136%
Indian Peafowl	0.0068%
Red Junglefowl	0.0102%
Black Francolin	0.0000%
Chukar	0.0000%
Budgerigar	0.0034%
Rosy-faced Lovebird	0.0034%
House Crow	0.0000%
Yellow-fronted Canary	0.0000%
Cinnamon Teal	0.0000%

HYBRIDS

Domestic goose sp. x Canada Goose (hybrid)	0.0034% frequency
Muscovy Duck x Mallard (hybrid)	0.0848%
Mallard x Mottled Duck (hybrid)	0.0034%
Kelp x Herring Gull (hybrid)	0.0305%
Tricolored Heron x Snowy Egret (hybrid)	0.0034%
Glossy x White-faced Ibis (hybrid)	0.0543%